

PATH TO THE FUTURE



Picture and logos

SELLING POINTS

- Next-Gen QD-OLED Panel – With stunning image quality and fast response time.
- Fastest 0.03ms GtG response time and 240Hz refresh rate.
- QD Premium Color – Ensures the color meets the market standard – Delta E≤2.
- Incredible HDR visual – VESA DisplayHDR True Black 400.
- MSI OLED Care 2.0 – Reduced the risk of OLED burn-in.
- Console Mode – Provide HDMI™ 2.1 with a full 48 Gbps bandwidth.
- Adjustable Stand – Easily change the position of the monitor for maximum ergonomics.
- 3-Year Burn-In Warranty – Including coverage for OLED burn in.



1. AC Power Jack
2. 5-way Joystick Navigator
3. 2 x HDMI™ (2.1)
4. Display Port (1.4a)
5. USB Type-C (PD 15W)
6. Earphone out
7. Kensington lock



모니터

MAG 321UPX QD-OLED

MAG 321UPX QD-OLED

SPECIFICATION

| | | |
|--------------------------------------|---|----------------------|
| Model | Part No | 9S6-3DD39T-004 |
| | MKT Name | MAG 321UPX QD-OLED |
| | MKT Spec | MAG 321UPX QD-OLED |
| | Color | ID1/Black-Black |
| | Model | 3DD3 |
| Power | Power Type | Power Cable |
| Design | Adjustment (Tilt) | -5° ~ 15° |
| | Adjustment (Swivel) | -30° ~ 30° |
| | Adjustment (Height) | 0 ~ 110 mm |
| | Adjustment (Pivot) | -10° ~ 10° |
| | VESA Mounting | 100x100mm |
| Dimension & Weight | Frameless Design | Yes |
| | Inside Carton Dimension (WxDxH) (inch) | N/A |
| | Weight (Net kg) | TBD |
| Product Dimension with Stand (WxDxH) | Weight (Gross kg) | TBD |
| | Product Dimension with Stand (WxDxH) (mm) | 717 x 242 x 457 |
| Weight | Product Dimension with Stand (WxDxH) (inch) | 28.23 x 9.53 x 17.99 |
| | Weight Without Stand (kg) | TBD |
| Outer Carton Dimension (WxDxH) | Outer Carton Dimension (WxDxH) (inch) | N/A |
| Warranty | Warranty | 12M |
| In The Box | 3.5mm Mic Cable | 0 |
| | Switch Case | 0 |
| | Portable Screen Protection Case | 0 |
| | Monitor Hood | 0 |
| | Speaker (Accessories) | 0 |
| | DisplayPort Cable | 0 |
| | HDMI Cable | 1 |
| | DVI Cable | 0 |
| | USB Type A to Type B Cable | 0 |
| | USB Type C to Type A Cable | 0 |
| | USB Type C to Type C Cable | 0 |
| | Thunderbolt Cable | 0 |
| | VGA Cable | 0 |
| | 3.5mm audio Cable | 0 |
| | 3.5mm combo audio Cable | 0 |
| | Mouse Bungee Unit | 0 |
| | VESA Screw | 4 |
| | Power Cord | 1 |
| | AC Adaptor | 0 |
| Barcode Info | Warranty Card | 0 |
| | Quick Guide | 1 |
| Barcode Info | EAN | 4711377155397 |



모니터

MAG 321UPX QD-OLED

MAG 321UPX QD-OLED

| | | |
|--------------------------|---|-----------------------|
| Display | Screen Size | 31.5" (80 cm) |
| | Active Display Area (mm) | 699.48(H) x 394.73(V) |
| | Curvature | Flat |
| | Panel Type | QD-OLED |
| | Resolution | 3840x2160 (UHD) |
| | Pixel pitch (mm) | 0.1814(H)x0.1814(V) |
| | HDR (High dynamic range) | True Black 400 |
| | HDR Brightness (Peak nits) | 1000 |
| | Refresh Rate | 240HZ |
| | View Angles | 178°(H)/178°(V) |
| | SRGB (CIE1976 area percentage/overlap) | 138.2%/100% |
| | SRGB (CIE1931 area percentage/overlap) | 146.2%/100% |
| | Adobe RGB (CIE1976 area percentage/overlap) | 118.4%/97.5% |
| | Adobe RGB (CIE1931 area percentage/overlap) | 108.4%/94% |
| | DCI-P3 (CIE1976 area percentage/overlap) | 110.1%/99% |
| | DCI-P3 (CIE1931 area percentage/overlap) | 107.8%/98.4% |
| | Rec.709 (CIE1976 area percentage/overlap) | 138.2%/100% |
| | Rec.709 (CIE1931 area percentage/overlap) | 146.2%/100% |
| | Rec.2020 (CIE1976 area percentage/overlap) | 80.2%/80.2% |
| | Rec.2020 (CIE1931 area percentage/overlap) | 77.3%/77.3% |
| | Display Colors | 1.07B |
| | Color bit | 10 bits |
| Dimension & Weight (box) | Inside Carton Dimension (WxDxH) (cm) | N/A |
| | Outer Carton Dimension (WxDxH) (cm) | N/A |