


PATH TO THE FUTURE



Picture and logos

SELLING POINTS

- VA Panel - Provides 1ms (MPRT) response time, optimizes screen colors and brightness.
- UWQHD High Resolution - Games will look even better, displaying more details.
- 180Hz Refresh Rate - Respond faster with smoother frames.
- 1ms (MPRT) Response Time - Eliminate screen tearing and choppy frame rates.
- Night Vision - Smart black tuner to brighten your day by bringing out the fine details in dark areas.
- Adaptive-Sync Technology - Tear free, stutter free, fluid gaming.
- Less Blue Light - Use a software solution to reduce the light emission in the blue-violet region of the blue light spectrum.



1. 5-Way Joystick Navigator
2. 2 x HDMI™ (2.0b)
3. DisplayPort (1.4a)
4. 1 x Earphone out
5. DC Power jack
6. Kensington lock

SPECIFICATION

| | | |
|--------------------------------------|---|----------------------------|
| Model | Part No | 9S6-3DD14H-008 |
| | MKT Name | MAG 345CQR |
| | MKT Spec | MAG 345CQR |
| | Color | ID1/Black-Black |
| | Model | 3DD1 |
| I/O Ports (Rear) | Card Reader | N/A |
| Power | Power Type | External Adaptor 19V 3.42A |
| Design | Adjustment (Tilt) | -5° ~ 20° |
| | Adjustment (Swivel) | -30° ~ 30° |
| | Adjustment (Height) | 0 ~ 100 mm |
| | VESA Mounting | 100x100mm |
| | Frameless Design | Yes |
| Dimension & Weight | Inside Carton Dimension (WxDxH) (inch) | N/A |
| | Weight (Net kg) | 7.75 |
| | Weight (Gross kg) | 11.3 |
| Product Dimension with Stand (WxDxH) | Product Dimension with Stand (WxDxH) (mm) | 797.53 x 332.31 x 518.9 |
| | Product Dimension with Stand (WxDxH) (inch) | 31.4 x 13.08 x 20.43 |
| Weight | Weight Without Stand (kg) | 5.5 |
| Outer Carton Dimension (WxDxH) | Outer Carton Dimension (WxDxH) (inch) | N/A |
| Warranty | Warranty | 12M |
| In The Box | 3.5mm Mic Cable | 0 |
| | Switch Case | 0 |
| | Portable Screen Protection Case | 0 |
| | Monitor Hood | 0 |
| | Speaker (Accessories) | 0 |
| | DisplayPort Cable | 1 |
| | HDMI Cable | 0 |
| | DVI Cable | 0 |
| | USB Type A to Type B Cable | 0 |
| | USB Type C to Type A Cable | 0 |
| | USB Type C to Type C Cable | 0 |
| | Thunderbolt Cable | 0 |
| | VGA Cable | 0 |
| | 3.5mm audio Cable | 0 |
| | 3.5mm combo audio Cable | 0 |
| | Mouse Bungee Unit | 0 |
| | VESA Screw | 4 |
| | Power Cord | 1 |
| | AC Adaptor | 1 |
| Warranty Card | 1 | |
| Quick Guide | 1 | |
| Barcode Info | EAN | 4711377155380 |



모 니 터

MAG 345CQR

MAG 345CQR

| | | |
|-------------------------------------|---|--------------------------------------|
| Display | Screen Size | 34" (86.36 cm) |
| | Active Display Area (mm) | 797.22(H) x 333.72(V) |
| | Curvature | Curve 1000R |
| | Panel Type | VA |
| | Resolution | 3440x1440 (UWQHD) |
| | Pixel pitch (mm) | 0.23175(H)x0.23175(V) |
| | HDR (High dynamic range) | HDR Ready |
| | Refresh Rate | 180Hz |
| | Response Time (MPRT) | 1ms(MPRT) |
| | View Angles | 178°(H)/178°(V) |
| | sRGB (CIE1976 area percentage/overlap) | 120%/99% |
| | sRGB (CIE1931 area percentage/overlap) | 125%/99% |
| | Adobe RGB (CIE1976 area percentage/overlap) | 103%/90% |
| | Adobe RGB (CIE1931 area percentage/overlap) | 92%/84% |
| | DCI-P3 (CIE1976 area percentage/overlap) | 95%/95% |
| | DCI-P3 (CIE1931 area percentage/overlap) | 90%/90% |
| | Rec.709 (CIE1976 area percentage/overlap) | 120%/99% |
| | Rec.709 (CIE1931 area percentage/overlap) | 125%/99% |
| | Rec.2020 (CIE1976 area percentage/overlap) | 70%/70% |
| | Rec.2020 (CIE1931 area percentage/overlap) | 65%/65% |
| | Display Colors | 1.07B |
| | Color bit | 10 bits (8 bits + FRC) |
| | Dimension & Weight (box) | Inside Carton Dimension (WxDxH) (cm) |
| Outer Carton Dimension (WxDxH) (cm) | | N/A |