MONITOR

MAG 275CQDF X24

MAG 275CQDF X24


PATH TO THE FUTURE



Picture and logos

SELLING POINTS

- Modo Dual – Alterna fácilmente entre diferentes resoluciones y tasas de refresco, lo que permite al usuario ajustar la configuración según el juego.
- Modo Consola – Optimizado para una compatibilidad fluida y perfecta con consolas de videojuegos como PS5 y Xbox Series X|S.
- Tiempo de respuesta de 0.5 ms (GtG, Mín.) – Elimina el desgarro de pantalla y los cuadros entrecortados.
- AI Vision – La nueva tecnología AI Vision no solo revela detalles en zonas oscuras, sino que también mejora el brillo general y satura los colores.
- Less Blue Light – Utiliza una solución por software para reducir la emisión de luz en la región azul-violeta del espectro de luz azul.



1. 5-way Joystick Navigator
2. 2 x HDMI™ 2.0b (WQHD@240Hz)
3. DisplayPort 1.4a (HBR3)
4. Headphone out
5. AC-in
6. Kensington lock

"2026-11-23 Changes to the product specifications and errors excepted. The product presentation may differ from the product. Microsoft, Windows, the Windows logo, and DirectX are trademarks or registered trademarks of Microsoft Corporation in the United States and / or other countries. Intel, the Intel logo, Intel Inside, the Intel Inside logo, Intel Core and Core Inside are trademarks of Intel Corporation in the US and other countries. Other trademarks and trade names refer to the respective owners or their products."

MONITOR

MAG 275CQDF X24

MAG 275CQDF X24

SPECIFICATION

Model	Part No	9S6-3CE91H-027
	Color	ID1/Black-Black
Display	Screen Size	27" (68.58 cm)
	Active Display Area (mm)	596.736(H) x 335.664(V)
	Curvature	Curve 1500R
	Panel Type	Rapid VA
	Resolution	2560x1440 (WQHD)
	Pixel pitch (mm)	0.2331(H)x0.2331(V)
	Aspect Ratio	16:9
	Dynamic Refresh Rate technology	FreeSync Premium
	Dynamic Refresh Rate Activated Range	QHD : 48~240Hz, HD : 48~400Hz
	HDR (High dynamic range)	HDR Ready
	SDR Brightness (nits)	300
	Contrast Ratio	5000:1
	DCR (Dynamic Contrast Ratio)	100000000:1
	Signal Frequency	QHD:71.52~357.6 KHz(H) / 48~240 Hz(V), HD:36.48~304 KHz(H) / 48~400 Hz(V)
	Refresh Rate	QHD:240Hz, HD:400Hz
	Response Time (MPRT)	1ms(MPRT)
	Response Time (GTG)	0.5ms (Min.)
	View Angles	178°(H)/178°(V)
	NTSC (CIE1976 area percentage/overlap)	114%/90%
	NTSC (CIE1931 area percentage/overlap)	93%/85%
	sRGB (CIE1976 area percentage/overlap)	131%/99%
	sRGB (CIE1931 area percentage/overlap)	132%/99%
	Adobe RGB (CIE1976 area percentage/overlap)	112%/96%
	Adobe RGB (CIE1931 area percentage/overlap)	98%/90%
	DCI-P3 (CIE1976 area percentage/overlap)	104%/96%
	DCI-P3 (CIE1931 area percentage/overlap)	97%/90%
	Rec.709 (CIE1976 area percentage/overlap)	131%/99%
	Rec.709 (CIE1931 area percentage/overlap)	132%/99%
	Rec.2020 (CIE1976 area percentage/overlap)	76%/76%
	Rec.2020 (CIE1931 area percentage/overlap)	70%/70%
	Surface Treatment	Anti-glare
	Display Colors	1.07B
	Color bit	10 bits (8 bits + FRC)
I/O Ports	Headphone-out	1
	Lock type	Kensington Lock
	HDMI	2
	HDMI version	2.0b
	HDMI HDCP version	2.3
	DisplayPort	1
	DisplayPort version	1.4a (HBR3)
	DisplayPort HDCP version	2.3
Warranty	Warranty	36M
Power	Power Type	Internal Power Board
	Power Input	100~240V, 50/60Hz
	On-mode Power Consumption (KWh/1000h)	26
	Annual Energy Consumption (KWh)	26
	Standby-mode Power Consumption (W)	0.5
	Off-mode Power Consumption (W)	0.3
	Energy Efficiency Rating	F
	Power Cord Type	C13

"2026-11-23 Changes to the product specifications and errors excepted. The product presentation may differ from the product. Microsoft, Windows, the Windows logo, and DirectX are trademarks or registered trademarks of Microsoft Corporation in the United States and / or other countries. Intel, the Intel logo, Intel Inside, the Intel Inside logo, Intel Core and Core Inside are trademarks of Intel Corporation in the US and other countries. Other trademarks and trade names refer to the respective owners or their products."

MONITOR

MAG 275CQDF X24

MAG 275CQDF X24

Accessories	DisplayPort Cable	1
	HDMI Cable	0
	DVI Cable	0
	USB Type A to Type B Cable	0
	USB Type C to Type A Cable	0
	USB Type C to Type C Cable	0
	Thunderbolt Cable	0
	VGA Cable	0
	3.5mm audio Cable	0
	3.5mm combo audio Cable	0
	3.5mm Mic Cable	0
	Power Cord	1
	AC Adaptor	0
	Quick Guide	1
	Warranty Card	0
	Mouse Bungee Unit	0
Design	Adjustment (Tilt)	-5° ~ 20°
	VESA Mounting	100x100mm
Dimension & Weight (product)	Product Dimension with Stand (WxDxH) (mm)	611.5 x 249.7 x 439.1
	Product Dimension without Stand (WxDxH) (mm)	611.5 x 101.9 x 366.1
	Stand Dimension (WxDxH) (mm)	339.8 x 249.7 x 143.02
	Weight (Net kg)	4.65
	Weight Without Stand (kg)	4.15
Dimension & Weight (box)	Inside Carton Dimension (WxDxH) (cm)	68.6 x 15.7 x 44.2
	Outer Carton Dimension (WxDxH) (cm)	70.1 x 17 x 46.6
	Weight (Gross kg)	7.1
Barcode Info	EAN	4711377413015

“2026-11-23 Changes to the product specifications and errors excepted. The product presentation may differ from the product. Microsoft, Windows, the Windows logo, and DirectX are trademarks or registered trademarks of Microsoft Corporation in the United States and / or other countries. Intel, the Intel logo, Intel Inside, the Intel Inside logo, Intel Core and Core Inside are trademarks of Intel Corporation in the US and other countries. Other trademarks and trade names refer to the respective owners or their products.”