

### Slim, Sleek, Smooth



Picture and logos

### SELLING POINTS

- Disfruta del entretenimiento de alta calidad con una tasa de refresco más fluida de 100Hz.
- La pantalla con certificación TÜV garantiza la protección y la salud de la vista.
- La tecnología MSI EyesErgo con tecnología Anti-Flicker ayuda a prevenir la tensión y la fatiga ocular.
- MSI Eye-Q Check ayuda a realizar una autocomprobación ocular y recuerda tomar un descanso al usar el monitor durante mucho tiempo.
- Mantén la versatilidad entre varios dispositivos utilizando múltiples fuentes de entrada, como puertos HDMI™ y DisplayPort.
- Disfruta del entorno más limpio con un diseño de gestión de cables conveniente y extraíble.
- La tecnología HDR produce imágenes con más detalles.



1. 5-way Navigator
2. 1x DC Jack
3. 1x Headphone-out
4. 1x DisplayPort 1.2a
5. 1x HDMI™ 1.4b (FHD@100Hz)
6. Kensington Lock

**SPECIFICATION**

|                |   |                                   |
|----------------|---|-----------------------------------|
| Model          | Part No                                     | 9S6-3PD6CT-004                    |
|                | Color                                       | ID1/Black-Black                   |
| Display        | Screen Size                                 | 27" (69 cm)                       |
|                | Active Display Area (mm)                    | 597.888 (H) x 336.312 (V)         |
|                | Curvature                                   | Flat                              |
|                | Panel Type                                  | IPS                               |
|                | Resolution                                  | 1920x1080 (FHD)                   |
|                | Pixel pitch (mm)                            | 0.3114(H)x0.3114(V)               |
|                | Aspect Ratio                                | 16:9                              |
|                | Dynamic Refresh Rate technology             | Adaptive-Sync                     |
|                | Dynamic Refresh Rate Activated Range        | 48~100Hz                          |
|                | HDR (High dynamic range)                    | HDR Ready                         |
|                | SDR Brightness (nits)                       | 250                               |
|                | Contrast Ratio                              | 1300:1                            |
|                | DCR (Dynamic Contrast Ratio)                | 100000000:1                       |
|                | Signal Frequency                            | 52.42~109.2 KHz(H) / 48~100 Hz(V) |
|                | Refresh Rate                                | 100HZ                             |
|                | Response Time (MPRT)                        | 1ms(MPRT)                         |
|                | Response Time (GTG)                         | 4ms                               |
|                | View Angles                                 | 178°(H)/178°(V)                   |
|                | NTSC (CIE1976 area percentage/overlap)      | TBD                               |
|                | NTSC (CIE1931 area percentage/overlap)      | TBD                               |
|                | sRGB (CIE1976 area percentage/overlap)      | TBD                               |
|                | sRGB (CIE1931 area percentage/overlap)      | TBD                               |
|                | Adobe RGB (CIE1976 area percentage/overlap) | TBD                               |
|                | Adobe RGB (CIE1931 area percentage/overlap) | TBD                               |
|                | DCI-P3 (CIE1976 area percentage/overlap)    | TBD                               |
|                | DCI-P3 (CIE1931 area percentage/overlap)    | TBD                               |
|                | Rec.709 (CIE1976 area percentage/overlap)   | TBD                               |
|                | Rec.709 (CIE1931 area percentage/overlap)   | TBD                               |
|                | Rec.2020 (CIE1976 area percentage/overlap)  | TBD                               |
|                | Rec.2020 (CIE1931 area percentage/overlap)  | TBD                               |
|                | Surface Treatment                           | Anti-glare                        |
| Display Colors | 16.7M                                       |                                   |
| Color bit      | 8 bits (6 bits + FRC)                       |                                   |
| I/O Ports      | Headphone-out                               | 1                                 |
|                | Lock type                                   | Kensington Lock                   |
|                | HDMI  | 1                                 |
|                | HDMI version                                | 1.4b                              |
|                | HDMI HDCP version                           | 1.4                               |
|                | DisplayPort                                 | 1                                 |
|                | DisplayPort version                         | 1.2a                              |
|                | DisplayPort HDCP version                    | 1.3                               |
| Warranty       | Warranty                                    | 36M                               |
| Power          | Power Type                                  | External Adaptor 19V 1.9A         |
|                | Power Input                                 | 100~240V, 50/60Hz                 |
|                | On-mode Power Consumption (KWh/1000h)       | TBD                               |
|                | Annual Energy Consumption (KWh)             | TBD                               |
|                | Standby-mode Power Consumption (W)          | 0.5                               |
|                | Off-mode Power Consumption (W)              | 0.3                               |
|                | Energy Efficiency Rating                    | TBD                               |
|                | Power Cord Type                             | C5                                |

# PRO MP272L

PRO MP272L

|                              |  |                 |
|------------------------------|--|-----------------|
| In The Box                   | DisplayPort Cable                            | 0               |
|                              | HDMI Cable                                   | 1               |
|                              | DVI Cable                                    | 0               |
|                              | USB Type A to Type B Cable                   | 0               |
|                              | USB Type C to Type A Cable                   | 0               |
|                              | USB Type C to Type C Cable                   | 0               |
|                              | Thunderbolt Cable                            | 0               |
|                              | VGA Cable                                    | 0               |
|                              | 3.5mm audio Cable                            | 0               |
|                              | 3.5mm combo audio Cable                      | 0               |
|                              | 3.5mm Mic Cable                              | 0               |
|                              | Power Cord                                   | 1               |
|                              | AC Adaptor                                   | 1               |
|                              | Quick Guide                                  | 1               |
|                              | Warranty Card                                | 0               |
| Mouse Bungee Unit            | 0  |                 |
| Design                       | Adjustment (Tilt)                            | -3.5° ~ 21.5°   |
| Dimension & Weight (product) | Product Dimension with Stand (WxDxH) (mm)    | TBD x TBD x TBD |
|                              | Product Dimension without Stand (WxDxH) (mm) | TBD x TBD x TBD |
|                              | Stand Dimension (WxDxH) (mm)                 | TBD x TBD x TBD |
|                              | Weight (Net kg)                              | TBD             |
|                              | Weight Without Stand (kg)                    | TBD             |
| Dimension & Weight (box)     | Inside Carton Dimension (WxDxH) (cm)         | N/A             |
|                              | Outer Carton Dimension (WxDxH) (cm)          | N/A             |
|                              | Weight (Gross kg)                            | TBD             |
| Barcode Info                 | EAN  | 4711377259262   |