

#### PRO DP21 14MO

PRO DP21 14M-894MY

# **Be Your Window To The World**



Picture and logos

#### **SELLING POINTS**

- Windows 11 Home MSI recommends Windows 11 Pro for business
- 2.3-Liter with VESA mountable design
- Up to Intel® Core™ i7 processor 14700 with dual channel DDR5 SO-DIMMs memory
- Intel® vPro® Platform & dTPM support
- Dual display support & easy to upgrade design
- MSI AI Engine: optimize user experience without manual configuration.
- MSI Power Link: PRO DP21 14MQ Series can be powered by an MSI-selected monitor through MSI Power Link technology
- Power Meter enables one-click power saving, carbon emission calculation, and electricity cost estimation
- Made with PCR-recycled plastics; FSC<sup>™</sup>-certified carton; Waste reduction with recycled molded pulp (100% recyclable);
  Manufactured with 92% Renewable Energy at factory



- 1. 1x Headphone-out
- 2. 1x Mic-in
- 3. 2x USB 2.0 Type-A
- 4. 1x USB 5Gbps Type-A
- 5. 1x USB 5Gbps Type-C
- 6. 1x DC Jack
- 7. 1x HDMI out (supports 4K @60Hz as specified in HDMI 2.1)
- 8. 1x DisplayPort (1.4)
- **9.** 1x RJ45
- 10. 1x USB 10Gbps Type C / 1x USB 10Gbps Type A
- 11. 2x USB 10Gbps Type A
- **12.** 1x Mic-in
- **13.** 1x Line-out
- **14.** 1x Kensington Lock Slot
- **15.** 1x COM port



## PRO DP21 14MQ

PRO DP21 14M-894MY

#### **SPECIFICATION**

Operating Systems	Operating Systems	Windows 11 Home
	CPU Number	Intel Core i7 Processor 14700
Processor	CPU Clock	2.1GHz
	CPU Cores	20
	TDP	65W
	Cache	33 MB Intel® Smart Cache
	Threads	28
	Max Turbo Frequency	up to 5.40 GHz
	CPU Cooler	Air cooling 65W
	Platform TOPS	N/A
	NPU TOPS	N/A
Model	Part No	9S6-B0A431-894
	MKT Name	PRO DP21 14M
	MKT Spec	PRO DP21 14M-894MY
	Color	
	Model	ID1/Black-Black-Black
Chint		B0A4
Chipset	Chipsets	H610
	Memory Size	16GB(8GB*2)
	Memory Type	DDR5 SDRAM
	Memory Speed	2800(5600)MHz
Memory	Module Type	SO-DIMM
,,	Memory Slot(Total)	2
	Memory Slot(Free)	0
	Max Capacity	Max 64GB
	Memory Slot (Total/Free)	2/0
	GPU1 VRAM Size	N/A
	VGA I/O Port	N/A
Discrete Graphics	GPU1 Vendor	N/A
	GPU1 MKT Name	N/A
	GPU1 Number	N/A
	SSD Interface	PCIe GEN3x4
	SSD Form Factor	M.2-2280 M-KEY
	SSD Config	512GB*1
	SSD Size	512GB
	HDD1 Interface	N/A
	HDD1 Form Factor	N/A
	HDD1 Size	N/A
	HDD1 RPM	N/A
	ODD(Type)	N/A
	ODD Height	N/A
Storage	ODD Type	N/A
Storage	M.2 slots (Total/Free)	1/0
	2.5" Drive Bays (Total/Free)	2/2
	3.5" Drive Bays (Total/Free)	N/A/0
	mSATA slots(Free)	0
	M.2 slots(Total)	1
		0
	M.2 slots(Free)	
	2.5" Drive Bays(Total)	2 2
	2.5" Drive Bays (Free)	
	3.5" Drive Bays(Total)	N/A
	3.5" Drive Bays(Free)	0
	Audio Chipset	Realtek ALC897
Audio	Audio Type	2.1 Channel HD Audio
	D-MIC	N/A
	LAN	N/A
Communications	WLAN Version	Wi-Fi 6E+BT
	BT Version	5.3



## PRO DP21 14MQ

PRO DP21 14M-894MY

US Au Au Au	SB 2.0 Type A	N/A 2 1
Au Au Au		
Au Au	udio Mic-in	
Au	P 11 1 1 1	
	udio Headphone-out	1
	·	N/A
	•	N/A
	• • • • • • • • • • • • • • • • • • • •	N/A
US		N/A
US	SB 3.2 Gen 2 (10G) Type A	N/A
US	SB 3.2 Gen 1 (5G) Type C	1
US	SB 3.2 Gen 1 (5G) Type A	1
Ca	ard Reader	N/A
Cc	opilot Button	N/A
	SB 2.0 Type A	2
—		N/A
—	•	N/A
<u></u>		N/A
		N/A
—		
		N/A
		N/A
	• • • • • • • • • • • • • • • • • • • •	1
	SB 3.2 Gen 1 (5G) Type A	1
	* '	N/A
Th	nunderbolt (R)	N/A
RJ	45	1
W	'iFi Antenna	N/A
нг	DMI out	1x (v2.1)
DF		1x (v1.4)
		N/A
		N/A
		N/A
—	OM Port	1
I/O Ports (Rear)		N/A
_	•	N/A
<u> </u>		N/A
		N/A
		N/A
	• '	N/A
US	SB 3.2 Gen 2 (10G) Type C (R)	1
US	SB 3.2 Gen 2 (10G) Type A (R)	3
US	SB 3.2 Gen 1 (5G) Type C (R)	N/A
Us	SB 3.2 Gen 1 (5G) Type A (R)	N/A
_		Kensington Lock
		N/A
		120W
		N/A
POWAr —		N/A
	•	ADAPTOR N/A
		N/A
	/arranty	36months
		204 x 208 x 54.8
		8.03 x 8.19 x 2.16
		8.03 x 8.19 x 2.16
ln:		0.32 x 0.32 x 0.09
Oı	uter Carton Dimension Standard (WxDxH) (mm)	271 x 382 x 122
O	uter Carton Dimension Standard (WxDxH) (inch)	
I DIMENSION & WAIGHT		1.27
		2.8
		2.8
		6.17
l —	<u> </u>	
		2.3
Piı	nt	4.86



## PRO DP21 14MQ

PRO DP21 14M-894MY

Regulatory Compliance	Regulatory Compliance	FCC(Class B), CB/CE, UL(CUL), BSMI
	Operating, Storage Temperature	0° C ~ 35° C ; -20° C ~ 60° C
	Operating, Storage Humidity	0% ~ 85%;0% ~ 90%
In The Box	AC Adaptor	1
	Power Cord	1
	Warranty Card	N/A
	Quick Guide	2
	User Manual	N/A
	VESA Mount kit	N/A
	Keyboard Interface	USB
	Mouse Interface	USB
	Power Switch	N/A
Barcode Info	EAN	4711377309967