

## Work Smart. Play Hard.

Inspired by the rigorous quality testing in the production of MSI MAG series, MSI MAG series' design is full of symbols of sturdiness and durability. MSI Optix MAG162V is suitable for various uses, the portable design allows you to bring it everywhere with you. No matter you are working or gaming, there's no doubt that MSI Optix MAG162V will be your best choice.




Picture and logos

## SELLING POINTS

### PRO MP161

- 15.6" FHD IPS Panel - Enhance your viewing experience.
- Portable Design helps bring it anywhere you want without strain or pressure with a protection bag.
- Ultra slim profile with a 1.08 cm (0.4") only thickness, and extremely light weighing in only at 0.75 kg (1.65 lbs).
- MSI EyesErgo technology with Anti-flicker, Less Blue Light, and Anti-glare panel to protect your eyes.
- Type-C/mini HDMI™ Multi Input - allowing you to connect to any device effortlessly, such as a smartphone, camera, laptop, or PC.
- Ergonomically designed fold-out kickstand with a 0° ~ 180° design enables you to orient the screen in both portrait and landscape modes.
- Ergonomic software, Display Kit, provides the most convenient tool, the proper color & display mode to you while working with it every day.
- Built-in Speakers - Allow you a great audio experience while on the move.



1. Power Button
2. Controller
3. 1x Earphone out
4. 1x mini HDMI™
5. 1x USB Type C
6. 1x USB Type C

**SPECIFICATION**

Barcode Info	EAN	4711377022088
	UPC	824142303832
	UCC14	10824142303839
Model	Part No	9S6-3PB70H-006
	MKT Name	PRO MP161
	MKT Spec	PRO MP161
	Entity MKT Name	PRO MP161
	Color	ID1/Iron Gray-Iron Gray
Display	Screen Size	15.6" (39.6 cm)
	Active Display Area (mm)	344.16(H)×193.59(V)
	Curvature	Flat
	Panel Type	IPS
	Resolution	1920x1080 (FHD)
	Aspect Ratio	16:9
	Dynamic Refresh Rate technology	Adaptive-Sync
	SDR Brightness (nits)	250
	Contrast Ratio	600:1
	DCR (Dynamic Contrast Ratio)	100000000:1
	Signal Frequency	104.9~132 KHz(H) / 48~60 Hz(V)
	Refresh Rate	60Hz
	Response Time (GTG)	4ms
	View Angles	170°(H)/170°(V)
	Surface Treatment	Anti-glare
	NTSC (CIE1976 area percentage/overlap)	44%/44%
	NTSC (CIE1931 area percentage/overlap)	45%/45%
	sRGB (CIE1976 area percentage/overlap)	51%/35%
	sRGB (CIE1931 area percentage/overlap)	63%/63%
	Adobe RGB (CIE1976 area percentage/overlap)	43%/43%
	Adobe RGB (CIE1931 area percentage/overlap)	47%/47%
	DCI-P3 (CIE1976 area percentage/overlap)	40%/37%
	DCI-P3 (CIE1931 area percentage/overlap)	46%/46%
	Rec.709 (CIE1976 area percentage/overlap)	51%/35%
	Rec.709 (CIE1931 area percentage/overlap)	63%/63%
	Rec.2020 (CIE1976 area percentage/overlap)	29%/29%
	Rec.2020 (CIE1931 area percentage/overlap)	33%/33%
Display Colors	262K	
Color bit	6 bits	
Note_HDMI™	1920 x 1080 (Up to 60Hz)	
Note_DVI	N/A	
I/O Ports	HDMI™	1
	HDMI™ version	2.0b
	HDMI™ HDCP version	2.3
	USB Type C (DisplayPort Alternate)	2
	Speaker	2
I/O Ports (Rear)	Card Reader	N/A
Power	Annual Energy Consumption (KWh)	7
	Power Type	USB Cable
	Power Input	100~240V, 50/60Hz
	Energy Efficiency Rating	C
	Adapter's KC safety Number	N/A
	QC Output Power	N/A

In The Box	3.5mm Mic Cable	0
	Switch Case	0
	Portable Screen Protection Case	0
	Monitor Hood	0
	Speaker (Accessories)	0
	DisplayPort Cable	0
	HDMI™ Cable	1
	DVI Cable	0
	USB Type A to Type B Cable	0
	USB Type C to Type A Cable	0
	USB Type C to Type C Cable	1
	Thunderbolt Cable	0
	VGA Cable	0
	3.5mm audio Cable	0
	3.5mm combo audio Cable	0
	Mouse Bungee Unit	0
	VESA Screw	0
	Power Cord	0
	AC Adaptor	0
	Warranty Card	0
Quick Guide	1	
Design	Adjustment (Tilt)	0° ~ 180°
Outer Carton Dimension (WxDxH)	Outer Carton Dimension (WxDxH) (inch)	N/A
Product Dimension with Stand (WxDxH)	Product Dimension with Stand (WxDxH) (mm)	362.26 x 232.92 x 17.8
	Product Dimension with Stand (WxDxH) (inch)	14.26 x 9.17 x 0.7
Product Dimension without Stand (WxDxH)	Product Dimension without Stand (WxDxH) (mm)	362.26 x 232.92 x 10.8
	Product Dimension without Stand (WxDxH) (inch)	14.26 x 9.17 x 0.43
Stand Dimension (WxDxH)	Stand Dimension (WxDxH) (mm)	134.91 x 39 x 7.5
	Stand Dimension (WxDxH) (inch)	5.31 x 1.54 x 0.3
Dimension & Weight	Inside Carton Dimension (WxDxH) (inch)	N/A
	Weight (Net kg)	0.75kg
Weight	Weight (Gross kg)	N/A
	Weight Without Stand (kg)	N/A
Warranty	Warranty	36M