

## All About Gaming

Inspired by the rigorous quality testing in the production of the MSI Gaming series, the MSI design is full of symbols of sturdiness and durability. Additionally, to provide a quality user experience, the MSI gaming series has a straightforward installation process and a friendly user interface and will be the best choice for entry-level gamers to step into the game world.



Picture and logos

## SELLING POINTS

- Panel Ultra Rapid IPS - Monitor wyposażony jest w panel typu Oxide, który wykorzystuje w cienkowarstwowych tranzystorach TFT sterujących poszczególnymi subpikselami wyświetlacza kanał przewodzący prąd wykonany z tlenków półprzewodnika, co zapewniają znacznie lepszą jakość obrazu i krótszy czas reakcji matrycy.
- 180-hercowa częstotliwość odświeżania - Reaguj szybciej dzięki płynnemu wyświetlaniu klatek na ekranie monitora.
- 1-milisekundowy czas reakcji matrycy GtG - ciesz się płynnym generowaniem klatek obrazu i brakiem efektu rozmycia nawet podczas wyświetlania dynamicznych, kontrastowych scen.
- Szeroka gama kolorów - kolory i szczegóły w grze będą wyglądać jeszcze bardziej realistycznie i wyrafinowanie.
- Technologia Adaptive-Sync - zapobiega pojawianiu się efektu rozdzierania i zacinania się ekranu, zapewniając ultra-płynną rozgrywkę bez opóźnień.
- Funkcja Night Vision - inteligentny tuner zamieniający noc w dzień, funkcja ta wydobywa drobne szczegóły w ciemnych obszarach ekranu.
- Pozbawiona ramki konstrukcja ekranu - Doskonałe wrażenia z rozgrywki, dzięki super-wąskiej ramce wokół ekranu.
- Technologie Anti-Flicker i Less Blue Light - możesz jeszcze dłużej grać bez zmęczenia i znużenia oczu.
- Szeroki, 178-stopniowy kąt widzenia ekranu - Widoczne na wyświetlaczu kolory i detale pozostają zawsze ostr ...



1. 5-way joystick navigator
2. DC jack
3. 2 x HDMI™ (2.0b)
4. 1 x Display Port (1.2a)
5. Headphone out
6. Kensington lock

**SPECIFICATION**

I/O Ports	HDMI	2
	HDMI version	2.0b
	HDMI HDCP version	2.3
	DisplayPort	1
	DisplayPort version	1.2a
	Headphone-out	1
Power	Power Type	External Adaptor 20V 2.25A
Design	Adjustment (Tilt)	-5° ~ 20°
	VESA Mounting	100x100mm
	Frameless Design	Yes
Dimension&Weight	Inside Carton Dimension (WxDxH) (inch)	26.89 x 6.18 x 18.23
	Weight (Net kg)	4.2
	Weight (Gross kg)	6.1
Product Dimension with Stand (WxDxH)	Product Dimension with Stand (WxDxH) (mm)	614 x 229 x 456
	Product Dimension with Stand (WxDxH) (inch)	24.17 x 9.02 x 17.95
Weight	Weight Without Stand (kg)	3.4
Outer Carton Dimension (WxDxH)	Outer Carton Dimension (WxDxH) (inch)	27.48 x 6.77 x 19.21
Warranty	Warranty	36M
Accessories	3.5mm Mic Cable	0
	Switch Case	0
	Portable Screen Protection Case	0
	Monitor Hood	0
	Speaker (Accessories)	0
	DisplayPort Cable	0
	HDMI Cable	1
	DVI Cable	0
	USB Type A to Type B Cable	0
	USB Type C to Type A Cable	0
	USB Type C to Type C Cable	0
	Thunderbolt Cable	0
	VGA Cable	0
	3.5mm audio Cable	0
	3.5mm combo audio Cable	0
	Mouse Bungee Unit	0
	VESA Screw	0
	Power Cord	1
	AC Adaptor	1
	Warranty Card	0
Quick Guide	1	
Barcode Info	EAN	4711377133104

Display	Screen Size	27" (69 cm)
	Active Display Area (mm)	596.736(H) x 335.664(V)
	Curvature	Flat
	Panel Type	Ultra Rapid IPS
	Resolution	1920x1080 (FHD)
	Pixel pitch (mm)	0.3108(H)x0.3108(V)
	Refresh Rate	180Hz
	Response Time (MPRT)	1ms(MPRT)
	Response Time (GTG)	1ms
	View Angles	178°(H)/178°(V)
	sRGB (CIE1976 area percentage/overlap)	96%/90%
	sRGB (CIE1931 area percentage/overlap)	107%/93%
	Adobe RGB (CIE1976 area percentage/overlap)	82%/80%
	Adobe RGB (CIE1931 area percentage/overlap)	79%/75%
	DCI-P3 (CIE1976 area percentage/overlap)	76%/76%
	DCI-P3 (CIE1931 area percentage/overlap)	79%/78%
	Rec.709 (CIE1976 area percentage/overlap)	96%/90%
	Rec.709 (CIE1931 area percentage/overlap)	107%/93%
	Rec.2020 (CIE1976 area percentage/overlap)	56%/56%
	Rec.2020 (CIE1931 area percentage/overlap)	56%/56%
	Display Colors	16.7M
Color bit	8 bits	
Dimension & Weight (box)	Inside Carton Dimension (WxDxH) (cm)	68.3 x 15.7 x 46.3
	Outer Carton Dimension (WxDxH) (cm)	69.8 x 17.2 x 48.8
Model	Part No	9S6-3CD61T-008
	MKT Name	G2712F
	MKT Spec	G2712F
	Color	ID1/Black-Black
	Model	3CD6