

PATH TO THE FUTURE

Introducing the MSI MPG 275CQRXF esports gaming monitor. This cutting-edge monitor features a 27-inch WQHD display with a lightning-fast 240Hz refresh rate and a rapid 0.5ms (GtG, Min.) response time. With the MPG 275CQRXF, you will have the competitive advantage needed to outperform and defeat your opponents in gaming battles.



Picture and logos

SELLING POINTS

- Panel Rapid VA - oferuje szybki, 0,5-milisekundowy czas reakcji (GtG, min.) matrycy, optymalizuje kolory i jasność ekranu.
- Częstotliwość odświeżania 240 Hz - Reaguj znacznie szybciej dzięki dużo bardziej płynnemu wyświetlaniu klatek obrazu na ekranie monitora.
- 0,5-milisekundowy czas reakcji (GtG, min.) matrycy - Zlikwidowany efekt rozdierania ekranu i wyeliminowana niestabilność szybkości generowania klatek obrazu.
- Regulowana podstawa - Łatwa zmiana pozycji ekranu monitora dla zapewnienia maksymalnej ergonomii.
- Certyfikat VESA DisplayHDR 400 - monitor pozwala uzyskać przyciągające wzrok szczegóły dzięki regulacji kontrastu i cieni.
- MSI Gaming Intelligence™ oferuje szereg inteligentnych, gamingowych funkcji bazujących na technologiach sztucznej inteligencji, które zapewniają znacznie lepsze wrażenia w grach.
- Łatwa i prosta aktualizacja firmware'u poprzez złącze USB, dzięki czemu Twój system może być zawsze na bieżąco.
- AI Vision - Nowa technologia AI Vision może nie tylko ujawnić szczegóły ukrywające się w ciemnych obszarach ekranu, ale także zwiększyć ogólną jasność i nasycenie kolorów.



1. 5-way Joystick Navigator
2. DC-in
3. Earphone out
4. Display Port 1.4a
5. 2x HDMI™ 2.0b (WQHD@144Hz)
6. USB 2.0 Type-C (DP alt.) w/ 98W PD
7. USB 2.0 Type-B
8. 2 x USB 2.0 Type-A
9. Kensington Lock

SPECIFICATION

| | | |
|-----------------|---|------------------------------------|
| Model | Part No | 9S6-3CD04H-072 |
| | Color | ID1/Black-Black |
| Display | Screen Size | 27" (68.58 cm) |
| | Active Display Area (mm) | 596.74(H) x 335.66(V) |
| | Curvature | Curve 1500R |
| | Panel Type | Rapid VA |
| | Resolution | 2560x1440 (WQHD) |
| | Pixel pitch (mm) | 0.2331(H)x0.2331(V) |
| | Aspect Ratio | 16:9 |
| | Dynamic Refresh Rate technology | FreeSync Premium |
| | Dynamic Refresh Rate Activated Range | 48~240Hz |
| | HDR (High dynamic range) | DisplayHDR 400 |
| | SDR Brightness (nits) | 350 |
| | HDR Brightness (Peak nits) | 400 |
| | Contrast Ratio | 4000:1 |
| | DCR (Dynamic Contrast Ratio) | 100000000:1 |
| | Signal Frequency | 70.55~352.49 KHz(H) / 48~240 Hz(V) |
| | Refresh Rate | 240HZ |
| | Response Time (MPRT) | 1ms(MPRT) |
| | Response Time (GTG) | 0.5ms (Min.) |
| | View Angles | 178°(H)/178°(V) |
| | NTSC (CIE1976 area percentage/overlap) | 104%/87% |
| | NTSC (CIE1931 area percentage/overlap) | 89%/83% |
| | sRGB (CIE1976 area percentage/overlap) | 120%/99% |
| | sRGB (CIE1931 area percentage/overlap) | 125%/99% |
| | Adobe RGB (CIE1976 area percentage/overlap) | 103%/91% |
| | Adobe RGB (CIE1931 area percentage/overlap) | 93%/87% |
| | DCI-P3 (CIE1976 area percentage/overlap) | 95%/94% |
| | DCI-P3 (CIE1931 area percentage/overlap) | 93%/92% |
| | Rec.709 (CIE1976 area percentage/overlap) | 120%/99% |
| | Rec.709 (CIE1931 area percentage/overlap) | 125%/99% |
| | Rec.2020 (CIE1976 area percentage/overlap) | 69%/69% |
| | Rec.2020 (CIE1931 area percentage/overlap) | 67%/67% |
| | Surface Treatment | Anti-glare |
| | Display Colors | 1.07B |
| Color bit | 10 bits (8 bits + FRC) | |
| I/O Ports | USB Type C (DisplayPort Alternate) | 1 |
| | Headphone-out | 1 |
| | USB 2.0 Type A | 2 |
| | USB 2.0 Type B | 1 |
| | Card reader | N/A |
| | Lock type | Kensington Lock |
| | HDMI | 2 |
| | HDMI version | 2.0b |
| | HDMI HDCP version | 2.3 |
| | DisplayPort | 1 |
| | DisplayPort version | 1.4a |
| | DisplayPort HDCP version | 2.3 |
| | Warranty | Warranty |
| Power | Power Type | External Adaptor 19V 7.89A |
| | Power Input | 100~240V, 50/60Hz |
| | On-mode Power Consumption (KWh/1000h) | 26 |
| | Annual Energy Consumption (KWh) | 26 |
| | Standby-mode Power Consumption (W) | 0.5 |
| | Off-mode Power Consumption (W) | 0.3 |
| | Energy Efficiency Rating | F |
| Power Cord Type | C5 | |

| | | |
|------------------------------|--|-----------------------|
| Accessories | DisplayPort Cable | 1 |
| | HDMI Cable | 0 |
| | DVI Cable | 0 |
| | USB Type A to Type B Cable | 1 |
| | USB Type C to Type A Cable | 0 |
| | USB Type C to Type C Cable | 0 |
| | Thunderbolt Cable | 0 |
| | VGA Cable | 0 |
| | 3.5mm audio Cable | 0 |
| | 3.5mm combo audio Cable | 0 |
| | 3.5mm Mic Cable | 0 |
| | Power Cord | 1 |
| | AC Adaptor | 1 |
| | Quick Guide | 1 |
| | Warranty Card | 0 |
| | Mouse Bungee Unit | 0 |
| Design | Adjustment (Tilt) | -5° ~ 20° |
| | Adjustment (Swivel) | -20° ~ 20° |
| | Adjustment (Height) | 0 ~ 110 mm |
| | VESA Mounting | 75x75mm |
| Dimension & Weight (product) | Product Dimension with Stand (WxDxH) (mm) | 611.5 x 236.7 x 428.7 |
| | Product Dimension without Stand (WxDxH) (mm) | 611.5 x 99.7 x 364.1 |
| | Stand Dimension (WxDxH) (mm) | 508.1 x 236.7 x 394.4 |
| | Weight (Net kg) | 5.8 |
| | Weight Without Stand (kg) | 3.95 |
| Dimension & Weight (box) | Inside Carton Dimension (WxDxH) (cm) | 82.1 x 14.7 x 46.1 |
| | Outer Carton Dimension (WxDxH) (cm) | 83.6 x 16.1 x 48.5 |
| | Weight (Gross kg) | 8.3 |
| Barcode Info | EAN | 4711377330978 |