

All About Gaming

Seria monitorów MSI Optix G zainspirowana rygorystycznymi badaniami i testami jakościowymi podczas produkcji. Stylistyka monitorów z serii MSI Optix G pełna jest symboli wytrzymałości i trwałości. Dodatkowo, w celu zapewnienia wysokiej jakości wrażeń, seria Optix G charakteryzuje się naprawdę prostym procesem instalacji oraz przyjaznym interfejsem użytkownika. Jest to najlepszy wybór dla początkujących graczy, chcących wejść do świata gier.



Picture and logos

SELLING POINTS

- Panel Rapid IPS - oferuje szybki 1-milisekundowy czas reakcji GTG matrycy, optymalizuje kolory i jasność ekranu.
- Kompatybilność z technologią NVIDIA G-Sync - zapobiega pojawianiu się efektu rozdzierania i zacinania się ekranu, zapewniając ultra-płynną rozgrywkę bez opóźnień.
- Częstotliwość odświeżania 165 Hz - Reaguj szybciej dzięki płynnemu wyświetlaniu klatek na ekranie monitora.
- 1-milisekundowy czas reakcji GTG - ciesz się płynnym generowaniem klatek obrazu i brakiem efektu rozmycia nawet podczas wyświetlania dynamicznych, kontrastowych scen.
- Zgodność ze standardem HDR 400 - Oszałamiające obrazy nawet dla najbardziej wyśrubowanych kryteriów.
- Szeroka gama kolorów - kolory i szczegóły w grze będą wyglądać jeszcze bardziej realistycznie i wyrafinowanie.
- Szeroki, 178-stopniowy kąt widzenia ekranu - Widoczne na wyświetlaczu kolory i detale pozostają zawsze ostre niezależnie od pozycji patrzenia, dzięki dużemu kątowi widzenia wynoszącemu aż 178°.
- Pozbawiona ramki konstrukcja ekranu - Doskonałe wrażenia z rozgrywki, dzięki super-wąskiej ramce wokół ekranu.
- Technologie Anti-Flicker i Less Blue Light - możesz jeszcze dłużej grać bez zmęczenia i znużenia oczu.



1. AC jack
2. Headphone out
3. 1x HDMI™ (2.0b)
4. 1x Display Port (1.2a)
5. 1x USB 3.2 Gen 1 Type B
6. 2x USB 3.2 Gen 1 Type A
7. Kensington Lock

SPECIFICATION

I/O Ports (Front)	USB 3.2 Gen 1 Type A	2
I/O Ports	HDMI	1
	HDMI version	2.0b
	HDMI HDCP version	2.2
	DisplayPort	1
	DisplayPort version	1.2a
	Headphone-out	1
	Speaker	N/A
Power	Power Type	Power Cable
Design	Adjustment (Tilt)	-5° ~ 20°
	VESA Mounting	100x100mm
	Frameless Design	Yes
Dimension&Weight	Inside Carton Dimension (WxDxH) (mm)	650 x 175 x 414
	Inside Carton Dimension (WxDxH) (inch)	25.59 x 6.89 x 16.3
	Weight (Net kg)	4
	Weight (Gross kg)	5.8
Product Dimension with Stand (WxDxH)	Product Dimension with Stand (WxDxH) (mm)	557.3 x 228.42 x 405.18
	Product Dimension with Stand (WxDxH) (inch)	21.94 x 8.99 x 15.95
Weight	Weight Without Stand (kg)	2.96
Outer Carton Dimension (WxDxH)	Outer Carton Dimension (WxDxH) (mm)	665 x 190 x 439
	Outer Carton Dimension (WxDxH) (inch)	26.18 x 7.48 x 17.28
Input Device	WebCam	N/A
Warranty	Warranty	36M
Accessories	3.5mm Mic Cable	N/A
	Switch Case	N/A
	Portable Screen Protection Case	N/A
	Monitor Hood	N/A
	Speaker (Accessories)	N/A
	DisplayPort Cable	1
	HDMI Cable	0
	DVI Cable	0
	USB Type A to Type B Cable	1
	USB Type C to Type A Cable	0
	USB Type C to Type C Cable	0
	Thunderbolt Cable	0
	VGA Cable	0
	3.5mm audio Cable	0
	3.5mm combo audio Cable	0
	Mouse Bungee Unit	0
	VESA Screw	4
	Power Cord	1
	AC Adaptor	0
	Warranty Card	1
Quick Guide	1	
Barcode Info	EAN	4719072855437

Display	Screen Size	24.5" (62.2cm)	
	Active Display Area (mm)	543.744 (H) x 302.616 (V)	
	Curvature	Flat	
	Panel Type	Rapid IPS	
	Resolution	1920x1080 (FHD)	
	Pixel pitch (mm)	0.2832(H)x0.2802(V)	
	Quantum Dot	N/A	
	HDR (High dynamic range)	HDR400	
	HDR Brightness (Peak nits)	400	
	Refresh Rate	165HZ	
	Response Time (MPRT)	1ms(MPRT)	
	Response Time (GTG)	1ms	
	View Angles	178°(H)/178°(V)	
	sRGB (CIE1976 area percentage/overlap)	108.7%/98.62%	
	sRGB (CIE1931 area percentage/overlap)	108.2%/99.00%	
	Adobe RGB (CIE1976 area percentage/overlap)	90.34%/85.85%	
	Adobe RGB (CIE1931 area percentage/overlap)	80.08%/76.23%	
	DCI-P3 (CIE1976 area percentage/overlap)	83.9%/83.41%	
	DCI-P3 (CIE1931 area percentage/overlap)	79.63%/79.42%	
	Rec.709 (CIE1976 area percentage/overlap)	108.7%/98.62%	
	Rec.709 (CIE1931 area percentage/overlap)	108.2%/99.00%	
	Rec.2020 (CIE1976 area percentage/overlap)	61.00%/60.87%	
	Rec.2020 (CIE1931 area percentage/overlap)	56.89%/56.88%	
	Display Colors	1.07B	
	Color bit	10 bits (8 bits + FRC)	
	Model	Part No	9S6-3BB21Q-001
		MKT Name	Optix G251F
MKT Spec		Optix G251F	
Color		ID1/Black-Black	
Model		3BB2	