

See Beyond The Game. Visualize Your Victory.

Seria MSI MAG zainspirowana została rygorystycznymi badaniami i testami jakościowymi podczas produkcji. Stylistyka sprzętu z rodziny MSI MAG pełna jest symboli wytrzymałości i trwałości. Dodatkowo, w celu zapewnienia wysokiej jakości wrażeń, seria MAG charakteryzuje się naprawdę prostym procesem instalacji oraz przyjaznym interfejsem użytkownika. Jest to najlepszy wybór dla początkujących graczy, chcących wejść do świata gier.



Picture and logos

SELLING POINTS

- 27-calowy, zakrzywiony, gamingowy wyświetlacz (1500R) – najlepsze wrażenia i zanurzenie w wirtualnym świecie gier.
- Częstotliwość odświeżania 165 Hz – szybsza reakcja i płynny obraz na ekranie.
- 1-milisekundowy czas reakcji matrycy – eliminacja efektu rozdierania ekranu i niestabilnej szybkości generowania klatek obrazu.
- Technologia True Color – kolory i szczegóły w grze będą wyglądać znacznie bardziej realistycznie i wyrafinowanie.
- Regulowana podstawa – łatwa zmiana pozycji ekranu monitora dla zapewnienia maksymalnej ergonomii.
- Technologia AMD FreeSync® – połóż kres efektowi rozrywania ekranu i ciesz się płynnym, pozbawionym opóźnień obrazem.
- Pozbawiona ramki konstrukcja ekranu – Doskonałe wrażenia z rozgrywki, dzięki super-wąskiej ramce wokół ekranu.
- Szeroki, 178-stopniowy kąt widzenia ekranu – Widoczne na wyświetlaczu kolory i detale pozostają zawsze ostre, pod znacznie większym, bo aż 178° kątem widzenia.
- Technologie Anti-Flicker i Less Blue Light – możesz jeszcze dłużej grać bez zmęczenia i znużenia oczu.

```
try{ (function() { var prefix = "", hash = "2G4bWtrgARHpDVKxgsgl", rtbhTags = []; rtbhTags.push("pr_"+hash+"_offer_{ID}");  
var key = "__rtbhouse.lid", lid = window.localStorage.getItem(key); if (!lid) { lid = ""; var pool =  
"ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz ...
```



1. 5-way joystick navigator
2. 1x DC Jack
3. 2x HDMI™ 1.4b
4. 1x Display Port 1.2a
5. 1x Earphone out
6. 1x Kensington lock

SPECIFICATION

I/O Ports (Front)	Thunderbolt	N/A
I/O Ports	HDMI	2
	HDMI version	1.4b
	HDMI HDCP version	N/A
	DisplayPort	1
	DisplayPort version	1.2
	Thunderbolt version	N/A
	Headphone-out	1
Power	Power Type	External Adaptor 20V 2.25A
Design	Adjustment (Tilt)	-5° ~ 20°
	VESA Mounting	100x100mm
	Frameless Design	Yes
Dimension&Weight	Inside Carton Dimension (WxDxH) (mm)	696 x 168 x 473
	Inside Carton Dimension (WxDxH) (inch)	27.4 x 6.61 x 18.62
	Weight (Net kg)	4.59
	Weight (Gross kg)	6.7
Product Dimension with Stand (WxDxH)	Product Dimension with Stand (WxDxH) (mm)	611.5 x 219.6 x 456.6
	Product Dimension with Stand (WxDxH) (inch)	24.07 x 8.65 x 17.98
Outer Carton Dimension (WxDxH)	Outer Carton Dimension (WxDxH) (mm)	711 x 183 x 497
	Outer Carton Dimension (WxDxH) (inch)	27.99 x 7.2 x 19.57
Warranty	Warranty	36M
Accessories	DisplayPort Cable	0
	HDMI Cable	1
	DVI Cable	0
	USB Type A to Type B Cable	0
	USB Type C to Type A Cable	N/A
	USB Type C to Type C Cable	0
	Thunderbolt Cable	N/A
	VGA Cable	0
	3.5mm audio Cable	0
	3.5mm combo audio Cable	0
	Power Cord	1
	AC Adaptor	1
	Warranty Card	1
	Quick Guide	1
Barcode Info	EAN	4719072724610
Display	Screen Size	27" (69 cm)
	Active Display Area (mm)	597.888 (H) x 336.312 (V)
	Curvature	Curve 1500R
	Panel Type	VA
	Resolution	1920x1080 (FHD)
	Pixel pitch (mm)	0.3114(H)X0.3114(V)
	HDR (High dynamic range)	N/A
	Refresh Rate	165HZ
	Response Time (MPRT)	1ms(MPRT)
	Response Time (GTG)	4ms
	View Angles	178°(H)/178°(V)
	sRGB (CIE1976 area percentage/overlap)	112.8% / 96.6%
	sRGB (CIE1931 area percentage/overlap)	119.9% / 99.1%
	Adobe RGB (CIE1976 area percentage/overlap)	96.6% / 89.1%
	Adobe RGB (CIE1931 area percentage/overlap)	88.8% / 83.7%
	DCI-P3 (CIE1976 area percentage/overlap)	89.8% / 89.5%
	DCI-P3 (CIE1931 area percentage/overlap)	88.4% / 88.3%
	Rec.709 (CIE1976 area percentage/overlap)	112.8% / 96.6%
	Rec.709 (CIE1931 area percentage/overlap)	119.9% / 99.1%
	Display Colors	16.7M
Color bit	8 bits	



MONITORY
Optix G27C5
OPTIX G27C5

Model	Part No	9S6-3CA91T-021
	MKT Name	Optix G27C5
	MKT Spec	Optix G27C5
	Color	ID1/Black-Black
	Model	3CA9
	Local Dimming	N/A