

All About Gaming


Seria monitorów MSI Optix G zainspirowana rygorystycznymi badaniami i testami jakościowymi podczas produkcji. Stylistyka monitorów z serii MSI Optix G pełna jest symboli wytrzymałości i trwałości. Dodatkowo, w celu zapewnienia wysokiej jakości wrażeń, seria Optix G charakteryzuje się naprawdę prostym procesem instalacji oraz przyjaznym interfejsem użytkownika. Jest to najlepszy wybór dla początkujących graczy, chcących wejść do świata gier.



Picture and logos

SELLING POINTS

- Panel IPS - Optymalizuje kolory i jasność ekranu, aby poprawić jakość wyświetlanego obrazu.
- Częstotliwość odświeżania 144 Hz - Reaguj szybciej dzięki płynnemu wyświetlaniu klatek na ekranie monitora.
- 1-milisekundowy czas reakcji matrycy - ciesz się płynnym generowaniem klatek obrazu i brakiem efektu rozmycia nawet podczas wyświetlania dynamicznych, kontrastowych scen.
- Podświetlenie Mystic Light - najlepsze, gamingowe zwieńczenie wyglądu Twojego sprzętu.
- Aplikacja Gaming OSD App - zdefiniuj swoje własne, idealne ustawienia wyświetlania dla swoich gier.
- Funkcja Night Vision - inteligentny tuner zamieniający noc w dzień, funkcja ta wydobywa drobne szczegóły w ciemnych obszarach ekranu.
- Regulowana podstawa - łatwa zmiana pozycji monitora w celu zapewnienia maksymalnej ergonomii.
- Szeroka gama kolorów - kolory i szczegóły w grze będą wyglądać jeszcze bardziej realistycznie i wyrafinowanie.
- Pozbawiona ramki konstrukcja ekranu - Doskonałe wrażenia z rozgrywki, dzięki super-wąskiej ramce wokół ekranu.
- Technologie Anti-Flicker i Less Blue Light - możesz jeszcze dłużej grać bez zmęczenia i znużenia oczu.
- Szeroki, 178-stopniowy kąt widzenia ekranu - Widoczne na wyświetlaczu kolory i detale pozostają zawsze ostre niezależnie od pozycji patrzenia, dzięki dużemu kątowi widzenia wynoszącemu aż 178° ...



1. 5-way joystick navigator
2. DC Jack
3. 2x HDMI™ (1.4)
4. 1x Display Port (1.2a)
5. 1x Earphone out
6. Kensington lock

SPECIFICATION

I/O Ports (Front)	USB 2.0 Type A	2
I/O Ports	HDMI	2
	HDMI version	1.4
	DisplayPort	1
	DisplayPort version	1.2a
	Headphone-out	1
Power	Power Type	External Adaptor 20V 2.25A
Design	Adjustment (Tilt)	-5° ~ 20°
	Adjustment (Swivel)	-45° ~ 45°
	Adjustment (Height)	0 ~ 130 mm
	Adjustment (Pivot)	-90° ~ 90°
	VESA Mounting	100x100mm
	Frameless Design	Yes
Dimension&Weight	Inside Carton Dimension (WxDxH) (mm)	606 x 172 x 545
	Inside Carton Dimension (WxDxH) (inch)	23.86 x 6.77 x 21.46
	Weight (Net kg)	5.36
	Weight (Gross kg)	7.66
Product Dimension with Stand (WxDxH)	Product Dimension with Stand (WxDxH) (mm)	540.3 x 233.7 x 514.3
	Product Dimension with Stand (WxDxH) (inch)	21.27 x 9.2 x 20.25
Outer Carton Dimension (WxDxH)	Outer Carton Dimension (WxDxH) (mm)	621 x 187 x 570
	Outer Carton Dimension (WxDxH) (inch)	24.45 x 7.36 x 22.44
Warranty	Warranty	36M
Accessories	DisplayPort Cable	0
	HDMI Cable	1
	DVI Cable	0
	USB Type A to Type B Cable	1
	USB Type C to Type A Cable	0
	USB Type C to Type C Cable	0
	Thunderbolt Cable	0
	VGA Cable	0
	3.5mm audio Cable	0
	3.5mm combo audio Cable	0
	Power Cord	1
	AC Adaptor	1
	Warranty Card	1
	Quick Guide	1
Barcode Info	EAN	4719072770617
Display	Screen Size	23.8" (60cm)
	Active Display Area (mm)	527.04(H) x 296.46(V)
	Curvature	Flat
	Panel Type	IPS
	Resolution	1920x1080 (FHD)
	Pixel pitch (mm)	0.2745(H)x0.2745(V)
	Refresh Rate	144HZ
	Response Time (MPRT)	1ms(MPRT)
	Response Time (GTG)	4ms (checking)
	View Angles	178°(H)/178°(V)
	sRGB (CIE1976 area percentage/overlap)	127.7%/99.4%
	sRGB (CIE1931 area percentage/overlap)	129%/99.9%
	Adobe RGB (CIE1976 area percentage/overlap)	109.4%/90.3%
	Adobe RGB (CIE1931 area percentage/overlap)	95.6%/84.8%
	DCI-P3 (CIE1976 area percentage/overlap)	101.7%/94.6%
	DCI-P3 (CIE1931 area percentage/overlap)	95.1%/92.7%
	Rec.709 (CIE1976 area percentage/overlap)	127.7%/99.4%
	Rec.709 (CIE1931 area percentage/overlap)	129%/99.9%
	Display Colors	16.7M
Color bit	8 bits	



MONITORY

Optix MAG245R

OPTIX MAG245R

Model	Part No	9S6-3BA4AT-030
	MKT Name	Optix MAG245R
	MKT Spec	Optix MAG245R
	Color	ID1/Black-Black
	Model	3BA4