

PATH TO THE FUTURE

Seria MAG narodziła się w trakcie rygorystycznych testów jakościowych i została zaprojektowana jako symbol solidności i trwałości. Urządzenia z serii MAG zapewniają jak najlepszy komfort użytkownika i charakteryzuje się prostym procesem instalacji, co w połączeniu z przyjaznym interfejsem użytkownika sprawia, że są najlepszym wyborem dla początkujących graczy.



Picture and logos

SELLING POINTS

- Wysoka rozdzielczość WQHD - gry będą wyglądać jeszcze lepiej, dzięki możliwości wyświetlenia znacznie większej ilości szczegółów.
- 240-hercowa częstotliwość odświeżania - wyjątkowo szybka częstotliwość odświeżania zapewnia płynne wrażenia w grach.
- Panel Rapid IPS - oferuje szybki 1-milisekundowy czas reakcji GTG matrycy, optymalizuje kolory i jasność ekranu.
- Przełącznik KVM 2.0 - Sterowanie i przesyłanie plików między wieloma urządzeniami za pomocą jednego zestawu składającego się z klawiatury, myszy i gamingowego monitora MSI.
- Kompatybilność z technologią NVIDIA G-Sync - zapobiega pojawianiu się efektu rozdzierania i zacinania się ekranu, zapewniając ultra-płynną rozgrywkę bez opóźnień.
- Funkcja Smart Gaming - zaprzęgnij do akcji sztuczną inteligencję i stwórz nowy sposób prowadzenia rozgrywki.
- Zgodność z HDR400 - monitor przeszedł proces certyfikacji na zgodność ze standardem VESA HDR Display 400, co oznacza, że może on generować obraz o najbardziej realistycznych kolorach.
- Technologia Night Vision - Zaatakuj i zaskocz swoich wrogów z nienacka, zanim oni zauważą Ciebie.
- Aplikacja Gaming OSD App - dopasuj perfekcyjne parametry wyświetlania obrazu do twojej gry.
- Tryb Console Mode - Najlepsze rozwiązanie dla użytkowników konsoli: FHD@120Hz, rozdzielczość 2K zoptymalizowana pod kątem konsoli PS5™. ...



1. 5-way joystick navigator
2. DC jack
3. 2x HDMI™ (2.0)
4. 1x Display Port (1.4a)
5. 1x Type C
6. Headphone Out
7. 1x USB 2.0 Type B
8. 2x USB 2.0 Type A
9. Kensington Lock

SPECIFICATION

I/O Ports (Front)	USB 2.0 Type A	2
I/O Ports	HDMI	2
	HDMI version	2.0b
	HDMI HDCP version	2.3
	DisplayPort	1
	DisplayPort version	1.4a
	USB Type C (DisplayPort Alternate)	1
	Headphone-out	1
Power	Power Type	External Adaptor 19V 4.74A
Design	Adjustment (Tilt)	-5° ~ 20°
	Adjustment (Swivel)	-45° ~ 45°
	Adjustment (Height)	0 ~ 130 mm
	Adjustment (Pivot)	-90° ~ 90°
	VESA Mounting	100x100mm
	Frameless Design	Yes
Dimension&Weight	Inside Carton Dimension (WxDxH) (mm)	840 x 142 x 465
	Inside Carton Dimension (WxDxH) (inch)	33.07 x 5.59 x 18.31
	Weight (Net kg)	6.42
	Weight (Gross kg)	8.7
Product Dimension with Stand (WxDxH)	Product Dimension with Stand (WxDxH) (mm)	614.9 x 233.68 x 544
	Product Dimension with Stand (WxDxH) (inch)	24.21 x 9.2 x 21.42
Weight	Weight Without Stand (kg)	3.61
Outer Carton Dimension (WxDxH)	Outer Carton Dimension (WxDxH) (mm)	860 x 158 x 485
	Outer Carton Dimension (WxDxH) (inch)	33.86 x 6.22 x 19.09
Warranty	Warranty	36M
Accessories	3.5mm Mic Cable	N/A
	Switch Case	N/A
	Portable Screen Protection Case	N/A
	Monitor Hood	N/A
	Speaker (Accessories)	N/A
	DisplayPort Cable	1
	HDMI Cable	1
	DVI Cable	0
	USB Type A to Type B Cable	1
	USB Type C to Type A Cable	0
	USB Type C to Type C Cable	0
	Thunderbolt Cable	0
	VGA Cable	0
	3.5mm audio Cable	0
	3.5mm combo audio Cable	0
	Mouse Bungee Unit	0
	VESA Screw	4
	Power Cord	1
	AC Adaptor	1
	Warranty Card	1
Quick Guide	1	
Barcode Info	EAN	4719072873431

Display	Screen Size	27" (69 cm)
	Active Display Area (mm)	596.736 (H) x 335.664 (V) mm
	Curvature	Flat
	Panel Type	Rapid IPS
	Resolution	2560x1440 (WQHD)
	Pixel pitch (mm)	0.2331(H)x0.2331(V)
	Quantum Dot	N/A
	HDR (High dynamic range)	HDR 400
	HDR Brightness (Peak nits)	400
	Refresh Rate	240HZ
	Response Time (MPRT)	1ms(MPRT)
	Response Time (GTG)	1ms
	View Angles	178°(H)/178°(V)
	sRGB (CIE1976 area percentage/overlap)	126%/99%
	sRGB (CIE1931 area percentage/overlap)	140%/99%
	Adobe RGB (CIE1976 area percentage/overlap)	108%/97%
	Adobe RGB (CIE1931 area percentage/overlap)	104%/96%
	DCI-P3 (CIE1976 area percentage/overlap)	100%/92%
	DCI-P3 (CIE1931 area percentage/overlap)	103%/93%
	Rec.709 (CIE1976 area percentage/overlap)	126%/99%
	Rec.709 (CIE1931 area percentage/overlap)	140%/99%
	Rec.2020 (CIE1976 area percentage/overlap)	73%/73%
	Rec.2020 (CIE1931 area percentage/overlap)	73%/73%
	Display Colors	1.07B
	Color bit	10 bits (8 bits + FRC)
	Model	Part No
MKT Name		Optix MAG274QRX
MKT Spec		Optix MAG274QRX
Color		ID1/Black-Black
Model		3CA8