

Accurate Display. Ultimate Victory.

Seria MAG narodziła się w trakcie rygorystycznych testów jakościowych i została zaprojektowana jako symbol solidności i trwałości. Urządzenia z serii MAG zapewniają jak najlepszy komfort użytkowania i charakteryzuje się prostym procesem instalacji, co w połączeniu z przyjaznym interfejsem użytkownika sprawia, że są najlepszym wyborem dla początkujących graczy.



Picture and logos

SELLING POINTS

- Panel Rapid IPS - oferuje szybki 1-milisekundowy czas reakcji GTG matrycy, optymalizuje kolory i jasność ekranu.
- Wysoka rozdzielczość FHD - gry będą wyglądać jeszcze lepiej, dzięki możliwości wyświetlenia znacznie większej ilości szczegółów.
- Częstotliwość odświeżania 200 Hz - Reaguj szybciej dzięki płynnemu wyświetlaniu klatek na ekranie monitora.
- 1-milisekundowy czas reakcji GTG - ciesz się płynnym generowaniem klatek obrazu i brakiem efektu rozmycia nawet podczas wyświetlania dynamicznych, kontrastowych scen.
- Kompatybilność z technologią NVIDIA G-Sync - zapobiega pojawianiu się efektu rozdierania i zacinania się ekranu, zapewniając ultra-płynną rozgrywkę bez opóźnień.
- Aplikacja Gaming OSD App - zdefiniuj swoje własne, idealne ustawienia wyświetlania dla swoich gier.
- Regulowana podstawa - łatwa zmiana pozycji monitora w celu zapewnienia maksymalnej ergonomii.
- HDR Ready - Oszałamiające efekty wizualne dzięki regulacji kontrastu i cieni.
- Funkcja Night Vision - inteligentny tuner zamieniający noc w dzień, funkcja ta wydobywa drobne szczegóły w ciemnych obszarach ekranu.
- Podświetlenie Mystic Light - najlepsze, gamingowe zwieńczenie wyglądu Twojego sprzętu.
- Złącze USB Type-C - bezproblemowa możliwość podłączenia do dowolnego urządzenia.
- Szeroka przestrzeń barw - kolory i szczeg ...



1. 5-way joystick navigator
2. 1x Display Port (1.2a)
3. 2x HDMI™ (2.0b)
4. 1x Earphone out
5. 1x USB 2.0 Type B
6. 2x USB 2.0 Type A
7. 1x DC jack
8. 1x Kensington lock

SPECIFICATION

I/O Ports (Front)	USB 2.0 Type A	2
I/O Ports	HDMI	2
	HDMI version	2.0b
	HDMI HDCP version	2.3
	DisplayPort	1
	DisplayPort version	1.2a
	Headphone-out	1
Power	Power Type	External Adaptor 19V 3.42A
Design	Adjustment (Tilt)	-5° ~ 20°
	Adjustment (Swivel)	-45° ~ 45°
	Adjustment (Height)	0 ~ 130 mm
	VESA Mounting	100x100mm
	Frameless Design	Yes
Dimension&Weight	Inside Carton Dimension (WxDxH) (mm)	940 x 146 x 465
	Inside Carton Dimension (WxDxH) (inch)	37.01 x 5.75 x 18.31
	Weight (Net kg)	7.2
	Weight (Gross kg)	9.9
Product Dimension with Stand (WxDxH)	Product Dimension with Stand (WxDxH) (mm)	709.4 x 234 x 399.2
	Product Dimension with Stand (WxDxH) (inch)	27.93 x 9.21 x 15.72
Weight	Weight Without Stand (kg)	N/A
Outer Carton Dimension (WxDxH)	Outer Carton Dimension (WxDxH) (mm)	960 x 180 x 510
	Outer Carton Dimension (WxDxH) (inch)	37.8 x 7.09 x 20.08
Warranty	Warranty	36M
Accessories	3.5mm Mic Cable	N/A
	Switch Case	N/A
	Portable Screen Protection Case	N/A
	Monitor Hood	N/A
	Speaker (Accessories)	N/A
	DisplayPort Cable	1
	HDMI Cable	1
	DVI Cable	0
	USB Type A to Type B Cable	1
	USB Type C to Type A Cable	0
	USB Type C to Type C Cable	0
	Thunderbolt Cable	0
	VGA Cable	0
	3.5mm audio Cable	0
	3.5mm combo audio Cable	0
	Mouse Bungee Unit	N/A
	VESA Screw	N/A
	Power Cord	1
	AC Adaptor	1
	Warranty Card	1
Quick Guide	1	
Barcode Info	EAN	4719072780661

Display	Screen Size	29.5" (75 cm)	
	Active Display Area (mm)	690.432 (H) x 291.276 (V)	
	Curvature	Flat	
	Panel Type	Rapid IPS	
	Resolution	2560x1080 (WFHD)	
	Pixel pitch (mm)	0.2697(H)x0.2697(V)	
	Quantum Dot	N/A	
	HDR (High dynamic range)	HDR ready	
	HDR Brightness (Peak nits)	N/A	
	Refresh Rate	200HZ	
	Response Time (MPRT)	1ms(MPRT)	
	Response Time (GTG)	1ms	
	View Angles	178°(H)/178°(V)	
	sRGB (CIE1976 area percentage/overlap)	105%/99%	
	sRGB (CIE1931 area percentage/overlap)	109%/ 99%	
	Adobe RGB (CIE1976 area percentage/overlap)	92%/87%	
	Adobe RGB (CIE1931 area percentage/overlap)	81%/77%	
	DCI-P3 (CIE1976 area percentage/overlap)	85%/ 85%	
	DCI-P3 (CIE1931 area percentage/overlap)	80%/ 80%	
	Rec.709 (CIE1976 area percentage/overlap)	105%/99%	
	Rec.709 (CIE1931 area percentage/overlap)	109%/99%	
	Rec.2020 (CIE1976 area percentage/overlap)	N/A	
	Rec.2020 (CIE1931 area percentage/overlap)	N/A	
	Display Colors	1.07B	
	Color bit	10 bits (8 bits + FRC)	
	Model	Part No	9S6-3CC58A-001
		MKT Name	Optix MAG301RF
MKT Spec		Optix MAG301RF	
Color		ID1/Black-Black	
Model		3CC5	
Entity MKT Name		Optix MAG301RF	