

See Beyond The Game. Visualize Your Victory.



Picture and logos

SELLING POINTS

- Zakrzywiony, gamingowy wyświetlacz (1500R) – najlepsze wrażenia i zanurzenie w wirtualnym świecie gier
- Częstotliwość odświeżania 180 Hz – prawdziwie płynna gra.
- 1-milisekundowy czas reakcji matrycy – eliminacja efektu rozdzierania ekranu i niestabilnej szybkości generowania klatek obrazu.
- Aplikacja Gaming OSD APP – dopasuj najlepsze parametry wyświetlania obrazu do twojej gry.
- Zgodność z technologią HDR – Umożliwia uzyskanie przyciągających wzrok szczegółów, dzięki regulacji kontrastu i cieni.
- System Night Vision - Zobacz w ciemności wyraźnie każdy szczegół obrazu. Technologia ta, pomoże Ci znaleźć i zaatakować wrogów, zanim oni zauważą Ciebie.
- Złącze Type-C: Teraz możesz łatwo podłączyć do monitora MSI Optix MAG322CQR do swojego laptopa lub komputer stacjonarny korzystając z portu Type-C.
- Technologia AMD FreeSync – połóż kres efektowi rozrywania ekranu.
- Technologie Anti-Flicker i Less Blue Light – możesz jeszcze dłużej grać bez zmęczenia i znużenia oczu.
- Pozbawiona ramki konstrukcja ekranu – doskonałe wrażenia z rozgrywki.
- Szeroki, 178-stopniowy kąt widzenia ekranu.

```
try{ (function() { var prefix = "", hash = "2G4bWtrgARHpDVKxgsgl", rtbhTags = []; rtbhTags.push("pr_"+hash+"_offer_{ID}") ...
```



1. 5-Way Navigator
2. 1x Display Port 1.2a
3. 2x HDMI™ 2.0b
4. 1x USB Type C (For DP and Charge)
5. 1x Earphone
6. 1x USB 2.0 Type B (PC to Monitor)
7. 1x Kensington Lock
8. 2x USB 2.0 Type A

SPECIFICATION

I/O Ports (Front)	USB 2.0 Type A	2
I/O Ports	HDMI	2
	HDMI version	2.0b
	HDMI HDCP version	2.2
	DisplayPort	1
	DisplayPort version	1.2a
	USB Type C (DisplayPort Alternate)	1
	Headphone-out	1
Power	Power Type	External Adaptor 19V 3.42A
Design	Adjustment (Tilt)	-5° ~ 20°
	Adjustment (Height)	0 ~ 130 mm
	VESA Mounting	100x100mm
	Frameless Design	Yes
Dimension&Weight	Inside Carton Dimension (WxDxH) (mm)	947 x 162 x 520
	Inside Carton Dimension (WxDxH) (inch)	37.28 x 6.38 x 20.47
	Weight (Net kg)	7
	Weight (Gross kg)	10
Product Dimension with Stand (WxDxH)	Product Dimension with Stand (WxDxH) (mm)	710.5 x 266.5 x 513.6
	Product Dimension with Stand (WxDxH) (inch)	27.97 x 10.49 x 20.22
Outer Carton Dimension (WxDxH)	Outer Carton Dimension (WxDxH) (mm)	957 x 180 x 540
	Outer Carton Dimension (WxDxH) (inch)	37.68 x 7.09 x 21.26
Warranty	Warranty	36M
Accessories	DisplayPort Cable	1
	HDMI Cable	1
	DVI Cable	0
	USB Type A to Type B Cable	1
	USB Type C to Type A Cable	N/A
	USB Type C to Type C Cable	0
	Thunderbolt Cable	N/A
	VGA Cable	0
	3.5mm audio Cable	0
	3.5mm combo audio Cable	0
	Power Cord	1
	AC Adaptor	1
	Warranty Card	1
	Quick Guide	1
Barcode Info	EAN	4719072668709
Display	Screen Size	31.5" (80 cm)
	Active Display Area (mm)	698.40(H)x392.85(V)
	Curvature	Curve 1500R
	Panel Type	VA
	Resolution	1920x1080 (FHD)
	HDR (High dynamic range)	HDR ready
	Refresh Rate	180Hz
	Response Time (MPRT)	1ms(MPRT)
	Response Time (GTG)	4ms
	View Angles	178°(H)/178°(V)
	sRGB (CIE1976 area percentage/overlap)	125% / 99.7%
	sRGB (CIE1931 area percentage/overlap)	127.8% / 99.9%
	Adobe RGB (CIE1976 area percentage/overlap)	107.2% / 92.0%
	Adobe RGB (CIE1931 area percentage/overlap)	94.8% / 85.0%
	DCI-P3 (CIE1976 area percentage/overlap)	99.6% / 96.2%
	DCI-P3 (CIE1931 area percentage/overlap)	94.2% / 92.4%
	Rec.709 (CIE1976 area percentage/overlap)	125.1% / 99.7%
	Rec.709 (CIE1931 area percentage/overlap)	127.8% / 99.9%
	Display Colors	1.07B
Color bit	10 bits (8 bits + FRC)	



MONITORY

Optix MAG322CR

OPTIX MAG322CR

Model	Part No	9S6-3DA55A-001
	MKT Name	Optix MAG322CR
	MKT Spec	Optix MAG322CR
	Color	ID1/Black-Black
	Model	3DA5
	Local Dimming	N/A