

### Slim, Sleek, Smooth



Picture and logos

### SELLING POINTS

- Panel typu PerfectEdge - monitor charakteryzuje się wąską ramką, otaczająca ekran z czterech stron, która pozwala użytkownikom w pełni zanurzyć się w obrazie tworzonym przez wielomonitorowe konfiguracje.
- Ciesz się wysokiej jakości rozrywką dzięki 120-hercowej częstotliwości odświeżania, która zapewnia płynne generowanie obrazu.
- Poszerzony, 24,5-calowy wyświetlacz - ciesz się ulepszonym ekranem w ograniczonej przestrzeni.
- Najlepszy rozmiar ekranu do biura i na biurko, który zgodny jest ze strefą wzrokowego komfortu.
- Wyświetlacz z certyfikatem TÜV, chroni wzrok i dba o zdrowie Twoich oczu.
- Technologia MSI EyesErgo z systemem Anti-flicker zapobiega nadwyrężeniu i zmęczeniu oczu oraz pomaga chronić Twój wzrok.
- Funkcja MSI Eye-Q Check pomaga w samodzielnej kontroli wzroku i przypomina o konieczności odpoczynku podczas długotrwałego korzystania z monitora.
- Ciesz się wszechstronną współpracą z różnymi urządzeniami, dzięki możliwości skorzystania z wielu źródeł sygnału wejściowego, takich jak porty HDMI™, DisplayPort i złącza D-Sub (VGA).
- Ciesz się porządkiem na biurku dzięki wygodnemu, zdejmowanemu i umieszczonemu na tylnej stronie stopki monitora uchwytowi do prowadzenia kabli.
- Zgodność ze standardem montażowym VESA i slot na akcesoria.
- Dwa wbudowane głośniki.



1. 1x DC-in
2. 1x DisplayPort 1.4a
3. 1x HDMI™ 2.0 (FHD@120Hz)
4. 1x D-Sub (VGA)
5. 1x Line-in
6. 1x Headphone-out
7. 1x Kensington Lock
8. 1x 5-way navigator

**SPECIFICATION**

|                 |   |                                     |
|-----------------|---|-------------------------------------|
| Model           | Part No                                     | 9S6-3PD2CM-011                      |
|                 | Color                                       | ID1/Black-Black                     |
| Display         | Screen Size                                 | 24.5" (62.2cm)                      |
|                 | Active Display Area (mm)                    | 543.744 x 302.616                   |
|                 | Curvature                                   | Flat                                |
|                 | Panel Type                                  | IPS                                 |
|                 | Resolution                                  | 1920x1080 (FHD)                     |
|                 | Pixel pitch (mm)                            | 0.2832(H)x0.2802(V)                 |
|                 | Aspect Ratio                                | 16:9                                |
|                 | Dynamic Refresh Rate technology             | Adaptive-Sync                       |
|                 | Dynamic Refresh Rate Activated Range        | 48~120Hz                            |
|                 | HDR (High dynamic range)                    | HDR Ready                           |
|                 | SDR Brightness (nits)                       | 300                                 |
|                 | Contrast Ratio                              | 1500:1                              |
|                 | DCR (Dynamic Contrast Ratio)                | 10000000:1                          |
|                 | Signal Frequency                            | 52.704~132.12 KHz(H) / 48~120 Hz(V) |
|                 | Refresh Rate                                | 120Hz                               |
|                 | Response Time (MPRT)                        | 1ms(MPRT)                           |
|                 | Response Time (GTG)                         | 4ms                                 |
|                 | View Angles                                 | 178°(H)/178°(V)                     |
|                 | NTSC (CIE1976 area percentage/overlap)      | 87%,79%                             |
|                 | NTSC (CIE1931 area percentage/overlap)      | 73%,71%                             |
|                 | sRGB (CIE1976 area percentage/overlap)      | 99%,95%                             |
|                 | sRGB (CIE1931 area percentage/overlap)      | 105%,96%                            |
|                 | Adobe RGB (CIE1976 area percentage/overlap) | 85%,83%                             |
|                 | Adobe RGB (CIE1931 area percentage/overlap) | 77%,74%                             |
|                 | DCI-P3 (CIE1976 area percentage/overlap)    | 79%,79%                             |
|                 | DCI-P3 (CIE1931 area percentage/overlap)    | 77%,74%                             |
|                 | Rec.709 (CIE1976 area percentage/overlap)   | 99%,95%                             |
|                 | Rec.709 (CIE1931 area percentage/overlap)   | 105%,96%                            |
|                 | Rec.2020 (CIE1976 area percentage/overlap)  | 57%/57%                             |
|                 | Rec.2020 (CIE1931 area percentage/overlap)  | 54%,54%                             |
|                 | Surface Treatment                           | Anti-glare                          |
|                 | Display Colors                              | 16.7M                               |
| Color bit       | 8 bits (6 bits + FRC)                       |                                     |
| I/O Ports       | D-Sub                                       | 1                                   |
|                 | Line-in                                     | 1                                   |
|                 | Headphone-out                               | 1                                   |
|                 | Card reader                                 | N/A                                 |
|                 | Lock type                                   | Kensington Lock                     |
|                 | Speaker                                     | 2x 2W                               |
|                 | HDMI  | 1                                   |
|                 | HDMI version                                | 2.0                                 |
|                 | HDMI HDCP version                           | 1.4                                 |
|                 | DisplayPort                                 | 1                                   |
|                 | DisplayPort version                         | 1.4a                                |
|                 | DisplayPort HDCP version                    | 1.3                                 |
|                 | Warranty                                    | Warranty                            |
| Power           | Power Type                                  | External Adaptor 12V 2.5A           |
|                 | Power Input                                 | 100~240V, 50/60Hz                   |
|                 | On-mode Power Consumption (KWh/1000h)       | 18                                  |
|                 | Annual Energy Consumption (KWh)             | 26                                  |
|                 | Standby-mode Power Consumption (W)          | 0.5                                 |
|                 | Off-mode Power Consumption (W)              | 0.3                                 |
|                 | Energy Efficiency Rating                    | E                                   |
| Power Cord Type | C13   |                                     |



MONITORY Z SERII BUSINESS  
PRODUCTIVITY

## PRO MP251 E2

PRO MP251 E2

|                              |  |                         |
|------------------------------|--|-------------------------|
| Accessories                  | DisplayPort Cable                            | 0                       |
|                              | HDMI Cable                                   | 1                       |
|                              | DVI Cable                                    | 0                       |
|                              | USB Type A to Type B Cable                   | 0                       |
|                              | USB Type C to Type A Cable                   | 0                       |
|                              | USB Type C to Type C Cable                   | 0                       |
|                              | Thunderbolt Cable                            | 0                       |
|                              | VGA Cable                                    | 0                       |
|                              | 3.5mm audio Cable                            | 0                       |
|                              | 3.5mm combo audio Cable                      | 0                       |
|                              | 3.5mm Mic Cable                              | 0                       |
|                              | Power Cord                                   | 1                       |
|                              | AC Adaptor                                   | 1                       |
|                              | Quick Guide                                  | 1                       |
|                              | Warranty Card                                | 0                       |
| Mouse Bungee Unit            | 0  |                         |
| Design                       | Adjustment (Tilt)                            | -5° ~ 20°               |
|                              | VESA Mounting                                | 100x100mm               |
| Dimension & Weight (product) | Product Dimension with Stand (WxDxH) (mm)    | 556.89 x 188.2 x 413.91 |
|                              | Product Dimension without Stand (WxDxH) (mm) | 556.89 x 42.94 x 321.49 |
|                              | Stand Dimension (WxDxH) (mm)                 | 218.84 x 188.2 x 146.22 |
|                              | Weight (Net kg)                              | 2.7                     |
|                              | Weight Without Stand (kg)                    | 2.35                    |
| Dimension & Weight (box)     | Inside Carton Dimension (WxDxH) (cm)         | 63 x 14.2 x 41.1        |
|                              | Outer Carton Dimension (WxDxH) (cm)          | 64.8 x 16 x 44.3        |
|                              | Weight (Gross kg)                            | 4.9                     |
| Barcode Info                 | EAN  | 4711377238502           |