

## ОКНО В БОЛЬШОЙ МИР


The MSI Modern Series All-in-One PC is no longer just a functional product solely focused on meeting users' demands, it is the representation of a craftsman's spirit of excellence and the unrestrained freedom of fashion attitude. Likewise, the Modern Series have functions that fully meet the needs of users and the appearance that can be integrated into various environments. No matter where you are, you must retain your style and persistence in life.



Picture and logos

## SELLING POINTS

- Windows 10 Домашняя - MSI рекомендует Windows 11 Pro для бизнеса. БЕСПЛАТНОЕ обновление до Windows 11\*
  - 23.8" IPS панель с LED подсветкой (1920 x 1080 FHD)
  - Процессор Intel® Tiger Lake с памятью DDR4
  - Встроенная FHD веб-камера
  - Подавление мерцания экрана и снижение интенсивности синего света, чтобы обеспечить комфорт для глаз пользователя
  - Гибкая настройка положения экрана
  - Технология Instant Display превращает AIO в режим монитора без загрузки системы
  - Легкий апгрейд: возможность быстрой замены 2,5-дюймового накопителя
  - Интерфейсы USB 3.2 Gen2 Type-C и Type-A: быстрая передача данных и ускоренная подзарядка мобильных гаджетов
  - Silent PRO Cooling: система охлаждения серверного класса для бесшумной и стабильной работы устройства
- \*Время обновления может варьироваться в зависимости от устройства. Доступность функций и приложений зависит от региона. Некоторые функции требуют специального оборудования (см. здесь <https://support.microsoft.com/ru-ru/windows>).
- DataSheet: Общие Характеристики серии Modern AM241P 11M (pdf)



1. 2x USB3.2 Gen 2 Type C
2. 2x USB3.2 Gen 2 Type A
3. 1x Mic-in/Headphone-out combo
4. 1x Переключаемый 2
5. 5-дюймовый накопитель
6. 5-поз. навигационный модуль
7. 1x DC-in
8. 1x слот замка Кенсингтона
9. 1x HDMI™ in
10. 1x HDMI™ out
11. 2x USB 2.0 Type A
12. 1x RJ45 LAN
13. 1x USB 2.0 Type A



SPECIFICATION

|                   |                                             |                                                                            |
|-------------------|---------------------------------------------|----------------------------------------------------------------------------|
| Operating Systems | Operating Systems                           | Windows 10 Pro                                                             |
|                   | OS                                          | Бесплатное обновление до Windows 11*<br>PROFESSIONAL(WinPro10 OEM OLC OA3) |
| Model             | Part No                                     | 9S6-AE0112-669                                                             |
|                   | MKT Name                                    | Modern AM241P 11M                                                          |
|                   | MKT Spec                                    | Modern AM241P 11M-417RU                                                    |
|                   | Color                                       | ID1/White-White-White                                                      |
| Input Device      | WebCam                                      | external webcam                                                            |
| I/O Ports         | Lock type                                   | Kensington                                                                 |
| Processor         | CPU Number                                  | Intel Core i5-1135G7                                                       |
|                   | CPU Clock                                   | 2.4GHz                                                                     |
|                   | CPU Cores                                   | 4                                                                          |
|                   | TDP                                         | 28W                                                                        |
|                   | Cache                                       | 8 MB Intel® Smart Cache                                                    |
|                   | Threads                                     | 8                                                                          |
| Chipset           | Chipsets                                    | N/A                                                                        |
| Memory            | Memory Size                                 | 8GB(8GB*1)                                                                 |
|                   | Memory Type                                 | DDR4 SDRAM                                                                 |
|                   | Memory Speed                                | 1600(3200)MHz                                                              |
|                   | Module Type                                 | SO-DIMM                                                                    |
|                   | слотов памяти (Всего/Свободных)             | 2/1                                                                        |
|                   | Max Capacity                                | Max 64GB                                                                   |
| Storage           | SSD Size                                    | 256GB                                                                      |
|                   | HDD1 Size                                   | N/A                                                                        |
|                   | SSD Config                                  | 256GB*1                                                                    |
|                   | SSD Interface                               | PCIe GEN3x4                                                                |
|                   | SSD Form Factor                             | M.2-2280 M-KEY                                                             |
|                   | M.2 slots (Total/Free)                      | 1/0                                                                        |
|                   | HDD1 RPM                                    | N/A                                                                        |
|                   | HDD1 Form Factor                            | N/A                                                                        |
|                   | HDD1 Interface                              | N/A                                                                        |
|                   | отсеков для приводов 3.5" (Всего/Свободных) | 0/                                                                         |
|                   | отсеков для приводов 2.5" (Всего/Свободных) | 1/1                                                                        |
|                   | ODD(Type)                                   | N/A                                                                        |
|                   | ODD Height                                  | N/A                                                                        |
|                   | ODD Type                                    | N/A                                                                        |
| Communications    | LAN                                         | Realtek RTL8111H                                                           |
|                   | WLAN                                        | INTEL/AX201.NGWWG.NVW                                                      |
|                   | WLAN Version                                | 802.11ax 2x2+BT                                                            |
|                   | BT Version                                  | 5.1                                                                        |
| Audio             | Audio Chipset                               | Realtek ALC233                                                             |
|                   | Audio Type                                  | 2.1 Channel HD Audio                                                       |
| I/O Ports (Front) | USB 3.2 Gen 2 Type A                        | 2                                                                          |
|                   | USB 3.2 Gen 2 Type C                        | 2                                                                          |
|                   | Mic-in/Headphone-out combo                  | 1                                                                          |
| I/O Ports (Rear)  | USB 2.0 Type A (R)                          | 2                                                                          |
|                   | RJ45                                        | 1                                                                          |
|                   | HDMI™ out                                   | 1x (v2.0)                                                                  |
|                   | HDMI™ in                                    | 1                                                                          |
| Power             | AC Adapter Output                           | 120W                                                                       |
|                   | Battery                                     | N/A                                                                        |
|                   | Battery Whrs                                | N/A                                                                        |



МОНОБЛОКИ

Modern AM241P 11M

MODERN AM241P 11M-417RU

|                                      |                                                    |                                                                 |
|--------------------------------------|----------------------------------------------------|-----------------------------------------------------------------|
| In The Box                           | Keyboard Interface                                 | USB                                                             |
|                                      | Mouse Interface                                    | USB                                                             |
|                                      | Power Cord                                         | 1                                                               |
|                                      | AC Adaptor                                         | 1                                                               |
|                                      | Warranty Card                                      | 1                                                               |
|                                      | Quick Guide                                        | 2                                                               |
|                                      | User Manual                                        | 1                                                               |
|                                      | VESA Mount kit                                     | N/A                                                             |
|                                      | Keyboard                                           | SK9626MW                                                        |
|                                      | Mouse                                              | SM9023MW                                                        |
| Design                               | Adjustment (Tilt)                                  | -4~20                                                           |
|                                      | Adjustment (Swivel)                                | N/A                                                             |
|                                      | Adjustment (Height)                                | 0~130mm                                                         |
|                                      | Adjustment (Pivot)                                 | N/A                                                             |
| Dimension & Weight                   | Weight (Net kg)                                    | 6.16                                                            |
|                                      | Weight (Gross kg)                                  | 8.45                                                            |
|                                      | Product Dimension with Holder (WxDxH) (mm)         | N/A                                                             |
|                                      | Product Dimension with Holder (WxDxH) (inch)       | N/A                                                             |
|                                      | Inside Carton Dimension with Holder (WxDxH) (mm)   | N/A                                                             |
|                                      | Inside Carton Dimension with Holder (WxDxH) (inch) | N/A                                                             |
|                                      | Inside Carton Dimension with Stand (WxDxH) (mm)    | N/A                                                             |
|                                      | Inside Carton Dimension with Stand (WxDxH) (inch)  | N/A                                                             |
| Product Dimension with Stand (WxDxH) | Outer Carton Dimension with Holder (WxDxH) (mm)    | N/A                                                             |
|                                      |                                                    |                                                                 |
| Product Dimension with Stand (WxDxH) | Product Dimension with Stand (WxDxH) (mm)          | 541.4 x 194.68 x 534.92                                         |
|                                      | Product Dimension with Stand (WxDxH) (inch)        | 21.31 x 7.66 x 21.06                                            |
| Warranty                             | Warranty                                           | 12M                                                             |
| Regulatory Compliance                | Operating, Storage Temperature                     | 0° C ~ 35° C ; -20° C ~ 60° C                                   |
|                                      | Operating, Storage Humidity                        | 0% ~ 85%;0% ~ 90%                                               |
|                                      | Regulatory Compliance                              | FCC(Class B)<br>CB/CE<br>UL(CUL)<br>BSMI<br>VCCI<br>RCM(C-Tick) |
| Barcode Info                         | EAN                                                | 4719072850043                                                   |