

## PATH TO THE FUTURE



Picture and logos

## SELLING POINTS

- Windows 10 Домашняя - MSI рекомендует Windows 11 Pro для бизнеса. БЕСПЛАТНОЕ обновление до Windows 11\*
- 23.8" дисплей IPS-класса со светодиодной подсветкой и разрешением Full-HD (1920x1080 пикселей)
- Процессор Intel® Comet Lake-U
- Система охлаждения Silent PRO Cooling серверного класса для бесшумной и стабильной работы устройства
- Эксклюзивная технология Anti-Flicker для защиты глаз пользователя
- Возможность быстрой замены 2.5" накопителя
- Эксклюзивная прошивка BIOS, подкрепленная соответствующими аппаратными технологиями (включая два Ethernet-порта), обеспечивает сохранность данных и защиту от хакеров
- Широкие углы обзора - 178°
- Технология MSI Super Charger для подзарядки USB-гаджетов в спящем режиме



1. 2x USB 3.1 Gen 1 Type-A
2. 1x Mic-in/ 1x Headphone-out
3. 1x DC-in
4. 1x Kensington Lock
5. 2x RJ45 LAN
6. 1xHDMI™-out
7. 2x USB 3.1 Gen 1 Type A
8. 2x USB 2.0 Type A
9. 1x switchable 2.5" Storage



SPECIFICATION

|                   |                                             |                          |
|-------------------|---------------------------------------------|--------------------------|
| Operating Systems | Operating Systems                           | N/A                      |
| Model             | MKT Name                                    | PRO 24X 10M              |
|                   | MKT Spec                                    | PRO 24X 10M-035XRU       |
|                   | Color                                       | ID1/Silver-Silver-Silver |
| I/O Ports         | Mic-in                                      | 1                        |
|                   | Headphone-out                               | 1                        |
|                   | Lock type                                   | Kensington               |
| Processor         | CPU Number                                  | Intel Core i5-10210U     |
|                   | CPU Clock                                   | 1.6GHz                   |
|                   | CPU Cores                                   | 4                        |
|                   | TDP                                         | 15W                      |
|                   | Cache                                       | N/A                      |
|                   | Threads                                     | N/A                      |
| Chipset           | Chipsets                                    | N/A                      |
| Memory            | Memory Size                                 | 8GB(8GB*1)               |
|                   | Memory Type                                 | DDR4 SDRAM               |
|                   | Memory Speed                                | 1333(2666)MHz            |
|                   | Module Type                                 | SO-DIMM                  |
|                   | слотов памяти (Всего/Свободных)             | 2/1                      |
|                   | Max Capacity                                | Max 32GB                 |
| Storage           | SSD Size                                    | 512GB                    |
|                   | HDD1 Size                                   | N/A                      |
|                   | SSD Config                                  | 512GB*1                  |
|                   | SSD Interface                               | PCIe GEN3x4 NVMe         |
|                   | SSD Form Factor                             | M.2-2280 M-KEY           |
|                   | M.2 slots (Total/Free)                      | 1/0                      |
|                   | HDD1 RPM                                    | N/A                      |
|                   | HDD1 Form Factor                            | N/A                      |
|                   | HDD1 Interface                              | N/A                      |
|                   | отсеков для приводов 3.5" (Всего/Свободных) | 0/                       |
|                   | отсеков для приводов 2.5" (Всего/Свободных) | 1/1                      |
|                   | ODD(Type)                                   | N/A                      |
|                   | ODD Height                                  | N/A                      |
|                   | ODD Type                                    | N/A                      |
| Communications    | LAN                                         | Realtek RTL8111H         |
|                   | WLAN                                        | INTEL/9462.NGWW.NV       |
|                   | WLAN Version                                | 802.11ac 1x1+BT          |
|                   | BT Version                                  | 5                        |
| Audio             | Audio Chipset                               | Realtek ALC887           |
|                   | Audio Type                                  | 7.1 Channel HD Audio     |
| I/O Ports (Front) | USB 3.2 Gen 1 Type A                        | 2                        |
| I/O Ports (Rear)  | USB 3.2 Gen 1 Type A (R)                    | 2                        |
|                   | USB 2.0 Type A (R)                          | 2                        |
|                   | RJ45                                        | 2                        |
|                   | HDMI™ out                                   | 1x (v1.4)                |
|                   | Mic-in/Headphone-out combo (R)              | N/A                      |
|                   | Printer Port (Parallel)                     | N/A                      |
| Power             | AC Adapter Output                           | 90W                      |
|                   | Battery                                     | N/A                      |
|                   | Battery Whrs                                | N/A                      |
| In The Box        | Power Cord                                  | 1                        |
|                   | AC Adaptor                                  | 1                        |
|                   | Warranty Card                               | 1                        |
|                   | Quick Guide                                 | 1                        |
|                   | User Manual                                 | 1                        |
|                   | VESA Mount kit                              | N/A                      |
|                   | Keyboard                                    | StarType ES502_K_RU      |
|                   | Mouse                                       | StarMouse ES132_K        |



МОНОБЛОКИ

PRO 24X 10M

PRO 24X 10M-035XRU

|                                      |                                                    |                                                                 |
|--------------------------------------|----------------------------------------------------|-----------------------------------------------------------------|
| Design                               | Adjustment (Tilt)                                  | 15 / -5                                                         |
|                                      | Adjustment (Swivel)                                | N/A                                                             |
|                                      | Adjustment (Height)                                | N/A                                                             |
|                                      | Adjustment (Pivot)                                 | N/A                                                             |
| Dimension & Weight                   | Weight (Net kg)                                    | 4.442                                                           |
|                                      | Weight (Gross kg)                                  | 6.46                                                            |
|                                      | Product Dimension with Holder (WxDxH) (mm)         | N/A                                                             |
|                                      | Product Dimension with Holder (WxDxH) (inch)       | N/A                                                             |
|                                      | Inside Carton Dimension with Holder (WxDxH) (mm)   | N/A                                                             |
|                                      | Inside Carton Dimension with Holder (WxDxH) (inch) | N/A                                                             |
|                                      | Inside Carton Dimension with Stand (WxDxH) (mm)    | 652 x 222 x 495                                                 |
|                                      | Inside Carton Dimension with Stand (WxDxH) (inch)  | 25.67 x 8.74 x 19.49                                            |
|                                      | Outer Carton Dimension with Holder (WxDxH) (mm)    | N/A                                                             |
| Product Dimension with Stand (WxDxH) | Product Dimension with Stand (WxDxH) (mm)          | 538.44 x 169.96 x 399.96                                        |
|                                      | Product Dimension with Stand (WxDxH) (inch)        | 21.2 x 6.69 x 15.75                                             |
| Warranty                             | Warranty                                           | 12M                                                             |
| Regulatory Compliance                | Operating, Storage Temperature                     | 0° C ~ 35° C ; -20° C ~ 60° C                                   |
|                                      | Operating, Storage Humidity                        | 0% ~ 85%;0% ~ 90%                                               |
|                                      | Regulatory Compliance                              | FCC(Class B)<br>CB/CE<br>UL(CUL)<br>BSMI<br>VCCI<br>RCM(C-Tick) |
|                                      |                                                    |                                                                 |
| Barcode Info                         | EAN                                                | 4719072696184                                                   |