

Окно в большой мир



Picture and logos

SELLING POINTS

- Windows 11 Домашняя - MSI рекомендует Windows 11 Pro для бизнеса
- 21.5" дисплей IPS-класса со светодиодной подсветкой и разрешением Full-HD (1920x1080 пикселей)
- Процессор до Intel® Core™ i7-14700 Raptor Lake и память DDR4
- Технологии защиты зрения MSI Anti-Flicker и Less Blue Light
- Встроенная вебкамера со шторкой
- 10-точечный сенсорный экран обеспечивает удобное обучение дома и в офисе
- Технология MSI Storage Rapid Upgrade обеспечивает оперативную замену или техническое обслуживание 2.5-дюймовых накопителей
- Ощутите снижение задержек на 75% благодаря технологии WiFi 6E (опционально)
- Моноблок, который также может использоваться как монитор благодаря технологии MSI Instant Display
- Дискретный модуль dTPM для защиты конфиденциальных данных
- Двойной LAN: оптимальное решение для резервного копирования файлов, защиты данных и предотвращения взломов (с использованием эксклюзивной BIOS от MSI).
- Аудиотехнологии DTS для улучшения качества звука
- Система охлаждения Silent PRO: термомодуль серверного класса обеспечивает бесшумную и стабильную работу с увеличенным сроком службы
- DataSheet: Общие Характеристики серии PRO AP222T 14M (pdf)



1. 1x Кардридер
2. 1x USB 3.2 Gen 1 Type A
3. 1x USB 3.2 Gen 1 Type C
4. 1x HDMI-out
5. 1x HDMI-in
6. 1x COM порт
7. 2x USB 3.2 Gen 2 Type A
8. 2x RJ45
9. 2x USB 2.0 Type A
10. 1x Line-in
11. 1x Headphone-out
12. 1x DC-in
13. 1x Kensington Lock
14. 1x слот для быстрой установки 2.5" накопителя
15. 1x 5-и позиционный джойстик



МОНОБЛОКИ

PRO AP222T 14M

PRO AP222T 14M-457XRU

SPECIFICATION

Operating Systems	Operating Systems	N/A
Model	Part No	9S6-AC0141-457
	MKT Name	PRO AP222T 14M
	MKT Spec	PRO AP222T 14M-457XRU
	Color	ID1/Black-Black-Black
Chipset	Chipsets	H610
Memory	Memory Size	16GB(8GB*2)
	Memory Type	DDR4 SDRAM
	Memory Speed	1600(3200)MHz
	Module Type	SO-DIMM
	Memory Slot(Total)	2
	Memory Slot(Free)	0
	Max Capacity	Max 64GB
Processor	CPU Number	Intel Core i5 Processor 14400
	CPU Clock	2.5GHz
	CPU Cores	10
	TDP	65W
	Max Turbo Frequency	up to 4.70 GHz
	Cache	20 MB Intel® Smart Cache
	Threads	16
Display	View Angles	178°(H)/178°(V)
	Touch Screen	10 Points Projected Capacitive Touch Screen
	Screen Size	21.5" (55 cm)
	Panel Type	IPS
	Resolution	1920x1080 (FHD)
	Brightness (nits)	250
	Contrast Ratio	1000:1
	Refresh Rate	N/A
	Response Time (GTG)	14ms (Typ)
Discrete Graphics	GPU1 Vendor	N/A
	GPU1 MKT Name	N/A
	GPU1 Number	UMA
	GPU1 VRAM Size	N/A
	GPU1 VRAM Type	N/A
Audio	Audio Chipset	Realtek ALC897
	Audio Type	4 Channel HD Audio
Storage	SSD Interface	PCIe GEN4x4
	SSD Form Factor	M.2-2280 M-KEY
	SSD Config	512GB*1
	SSD Size	512GB
	HDD1 Interface	N/A
	HDD1 Form Factor	N/A
	HDD1 Size	N/A
	HDD1 RPM	N/A
	ODD(Type)	N/A
	ODD Height	N/A
	ODD Type	N/A
	mSATA slots(Free)	0
	M.2 slots(Total)	1
	M.2 slots(Free)	0
	2.5" Drive Bays(Total)	1
	2.5" Drive Bays (Free)	1
	3.5" Drive Bays(Free)	0
Communications	LAN	Realtek RTL8111H
	WLAN Version	Wi-Fi 5+BT
	BT Version	5
Input Device	Webcam	internal webcam
	Webcam Resolution	1.0MP (720P)
	Webcam supports Windows Hello or not	No



МОНОБЛОКИ

PRO AP222T 14M

PRO AP222T 14M-457XRU

I/O Ports (Side)	Type-C in	N/A
	Card Reader	1
	Thunderbolt	N/A
	USB 3.2 Gen 1 (5G) Type C	1
	USB 3.2 Gen 1 (5G) Type A	1
I/O Ports (Rear)	USB 2.0 Type A (R)	2
	RJ45	2
	HDMI out	1x (v2.1)
	HDMI in	1
	COM Port	1
	Lock type	Kensington
	USB 3.2 Gen 2 (10G) Type A (R)	2
	Mic-in (R)	1
Warranty	Headphone-out (R)	1
	Warranty	12months
Dimension & Weight	Product Dimension with Holder (WxDxH) (mm)	N/A
	Product Dimension with Holder (WxDxH) (inch)	N/A
	Product Dimension with Stand (WxDxH) (mm)	499.25 x 209.37 x 372.96
	Product Dimension with Stand (WxDxH) (inch)	19.66 x 8.24 x 14.68
	Outer Carton Dimension with Holder (WxDxH) (mm)	N/A
	Outer Carton Dimension with Holder (WxDxH) (inch)	N/A
	Outer Carton Dimension with Stand (WxDxH) (mm)	N/A
	Outer Carton Dimension with Stand (WxDxH) (inch)	N/A
	Weight (Net kg)	5.9
	Weight (Net lbs)	13.01
	Weight (Gross kg)	9.02
	Weight (Gross lbs)	19.89
STAND	Adjustment (Tilt)	-5°~15°
Power	AC Adapter Output	120W
VESA	VESA size	100 x 100 mm
Regulatory Compliance	Regulatory Compliance	FCC(Class B), CB/CE, UL(CUL), BSMI, VCCI, RCM(C-Tick)
In The Box	AC Adaptor	1
	Power Cord	1
	Warranty Card	N/A
	Quick Guide	1
	User Manual	1
	VESA Mount kit	N/A
	Keyboard Interface	USB
	Mouse	SM9023M
Barcode Info	Mouse Interface	USB
	EAN	4711377369176