


Окно в большой мир



Picture and logos

SELLING POINTS

- Windows 10 Домашняя - MSI рекомендует Windows 11 Pro для бизнеса. БЕСПЛАТНОЕ обновление до Windows 11*
 - 23.8" дисплей IPS-класса со светодиодной подсветкой и разрешением Full-HD (1920x1080 пикселей)
 - Процессор Intel® Rocket Lake и память DDR4
 - Технологии защиты глаз: MSI Anti-Flicker и Less Blue Light
 - Широкие углы обзора: 178°
 - Беспроводной модуль Wi-Fi 6
 - Программный TPM-модуль для защиты конфиденциальных данных
 - Silent PRO Cooling: система охлаждения серверного класса для бесшумной и стабильной работы устройства
 - Программный TPM-модуль: для защищенного хранения конфиденциальных данных
 - DataSheet: Общие Характеристики серии PRO AP241 11M (pdf)
- *Время обновления может варьироваться в зависимости от устройства. Доступность функций и приложений зависит от региона. Некоторые функции требуют специального оборудования (см. здесь <https://support.microsoft.com/ru-ru/windows>).



1. DC Jack
2. 1x HDMI™ out (2.0)
3. 1x COM порт
4. 4x USB 3.2 Gen 1 Type A
5. 1x RJ45
6. 1x Mic-in/ 1x Line-out
7. 1x слот замка Кенсингтона
8. 2x USB 2.0 Type A

SPECIFICATION

Operating Systems	Operating Systems	N/A
Model	MKT Name	PRO AP241 11M
	MKT Spec	PRO AP241 11M-276XRU
	Color	ID1/Black-Black-Black
I/O Ports	Lock type	Kensington
Processor	CPU Number	Intel Core i5-11400
	CPU Clock	2.6GHz
	CPU Cores	6
	TDP	65W
	Cache	12 MB Intel® Smart Cache
	Threads	12
Chipset	Chipsets	H510
Memory	Memory Size	8GB(8GB*1)
	Memory Type	DDR4 SDRAM
	Memory Speed	1600(3200)MHz
	Module Type	SO-DIMM
	слотов памяти (Всего/Свободных)	2/1
	Max Capacity	Max 64GB
Storage	SSD Size	256GB
	HDD1 Size	N/A
	SSD Config	256GB*1
	SSD Interface	PCIe GEN3x4
	SSD Form Factor	M.2-2280 M-KEY
	M.2 slots (Total/Free)	1/0
	HDD1 RPM	N/A
	HDD1 Form Factor	N/A
	HDD1 Interface	N/A
	отсеков для приводов 3.5" (Всего/Свободных)	0/
	отсеков для приводов 2.5" (Всего/Свободных)	1/1
	ODD(Type)	N/A
	ODD Height	N/A
	ODD Type	N/A
Communications	LAN	Realtek RTL8111H
	WLAN	INTEL/AX201.NG.WG.NVW
	WLAN Version	802.11ax 2x2+BT
	BT Version	5.2
Audio	Audio Chipset	Realtek ALC897
	Audio Type	2.1 Channel HD Audio
I/O Ports (Front)	USB 2.0 Type A	2
I/O Ports (Rear)	USB 3.2 Gen 1 Type A (R)	4
	RJ45	1
	HDMI™ out	1x (v1.4)
	COM Port	1
Power	AC Adapter Output	120W
	Battery	N/A
	Battery Whrs	N/A
In The Box	Keyboard Interface	USB
	Mouse Interface	USB
	Power Cord	1
	AC Adaptor	1
	Warranty Card	1
	Quick Guide	2
	User Manual	1
	VESA Mount kit	N/A
	Keyboard	SK9626M
Mouse	SM9023M	
Design	Adjustment (Tilt)	-5°~20°(+/-2°)
	Adjustment (Swivel)	N/A
	Adjustment (Height)	N/A
	Adjustment (Pivot)	N/A



МОНОБЛОКИ

PRO AP241 11M

PRO AP241 11M-276XRU

Dimension & Weight	Weight (Net kg)	4.63
	Weight (Gross kg)	8
	Product Dimension with Holder (WxDxH) (mm)	N/A
	Product Dimension with Holder (WxDxH) (inch)	N/A
	Inside Carton Dimension with Holder (WxDxH) (mm)	N/A
	Inside Carton Dimension with Holder (WxDxH) (inch)	N/A
	Inside Carton Dimension with Stand (WxDxH) (mm)	620 x 223 x 486
	Inside Carton Dimension with Stand (WxDxH) (inch)	24.41 x 8.78 x 19.13
	Outer Carton Dimension with Holder (WxDxH) (mm)	N/A
Product Dimension with Stand (WxDxH)	Product Dimension with Stand (WxDxH) (mm)	541.9 x 227.9 x 425.5
	Product Dimension with Stand (WxDxH) (inch)	21.33 x 8.97 x 16.75
Warranty	Warranty	12M
Regulatory Compliance	Operating, Storage Temperature	0° C ~ 35° C ; -20° C ~ 60° C
	Operating, Storage Humidity	0% ~ 85%;0% ~ 90%
	Regulatory Compliance	FCC(Class B) CB/CE UL(CUL) BSMI
Barcode Info	EAN	4719072890858