


### Окно в большой мир



Picture and logos

### SELLING POINTS

- Windows 10 Домашняя - MSI рекомендует Windows 11 Pro для бизнеса. БЕСПЛАТНОЕ обновление до Windows 11\*
  - 23.8" дисплей IPS-класса со светодиодной подсветкой и разрешением Full-HD (1920x1080 пикселей)
  - Процессор Intel® Rocket Lake и память DDR4
  - Технологии защиты глаз: MSI Anti-Flicker и Less Blue Light
  - Широкие углы обзора: 178°
  - Беспроводной модуль Wi-Fi 6
  - Программный TPM-модуль для защиты конфиденциальных данных
  - Silent PRO Cooling: система охлаждения серверного класса для бесшумной и стабильной работы устройства
  - Программный TPM-модуль: для защищенного хранения конфиденциальных данных
  - DataSheet: Общие Характеристики серии PRO AP241 11M (pdf)
- \*Время обновления может варьироваться в зависимости от устройства. Доступность функций и приложений зависит от региона. Некоторые функции требуют специального оборудования (см. здесь <https://support.microsoft.com/ru-ru/windows>).



1. DC Jack
2. 1x HDMI™ out (2.0)
3. 1x COM порт
4. 4x USB 3.2 Gen 1 Type A
5. 1x RJ45
6. 1x Mic-in/ 1x Line-out
7. 1x слот замка Кенсингтона
8. 2x USB 2.0 Type A

**SPECIFICATION**

|                   |   |                          |
|-------------------|---|--------------------------|
| Operating Systems | Operating Systems                           | N/A                      |
| Model             | MKT Name                                    | PRO AP241 11M            |
|                   | MKT Spec                                    | PRO AP241 11M-404XRU     |
|                   | Color                                       | ID1/White-White-White    |
| I/O Ports         | Lock type                                   | Kensington               |
| Processor         | CPU Number                                  | Intel Core i5-11400      |
|                   | CPU Clock                                   | 2.6GHz                   |
|                   | CPU Cores                                   | 6                        |
|                   | TDP   | 65W                      |
|                   | Cache                                       | 12 MB Intel® Smart Cache |
|                   | Threads                                     | 12                       |
| Chipset           | Chipsets                                    | H510                     |
| Memory            | Memory Size                                 | 8GB(8GB*1)               |
|                   | Memory Type                                 | DDR4 SDRAM               |
|                   | Memory Speed                                | 1600(3200)MHz            |
|                   | Module Type                                 | SO-DIMM                  |
|                   | слотов памяти (Всего/Свободных)             | 2/1                      |
|                   | Max Capacity                                | Max 64GB                 |
| Storage           | SSD Size                                    | 256GB                    |
|                   | HDD1 Size                                   | N/A                      |
|                   | SSD Config                                  | 256GB*1                  |
|                   | SSD Interface                               | PCIe GEN3x4              |
|                   | SSD Form Factor                             | M.2-2280 M-KEY           |
|                   | M.2 slots (Total/Free)                      | 1/0                      |
|                   | HDD1 RPM                                    | N/A                      |
|                   | HDD1 Form Factor                            | N/A                      |
|                   | HDD1 Interface                              | N/A                      |
|                   | отсеков для приводов 3.5" (Всего/Свободных) | 0/                       |
|                   | отсеков для приводов 2.5" (Всего/Свободных) | 1/1                      |
|                   | ODD(Type)                                   | N/A                      |
|                   | ODD Height                                  | N/A                      |
|                   | ODD Type                                    | N/A                      |
| Communications    | LAN   | Realtek RTL8111H         |
|                   | WLAN  | INTEL/AX201.NG.WG.NVW    |
|                   | WLAN Version                                | 802.11ax 2x2+BT          |
|                   | BT Version                                  | 5.2                      |
| Audio             | Audio Chipset                               | Realtek ALC897           |
|                   | Audio Type                                  | 2.1 Channel HD Audio     |
| I/O Ports (Front) | USB 2.0 Type A                              | 2                        |
| I/O Ports (Rear)  | USB 3.2 Gen 1 Type A (R)                    | 4                        |
|                   | RJ45  | 1                        |
|                   | HDMI™ out                                   | 1x (v1.4)                |
|                   | COM Port                                    | 1                        |
| Power             | AC Adapter Output                           | 120W                     |
|                   | Battery                                     | N/A                      |
|                   | Battery Whrs                                | N/A                      |
| In The Box        | Keyboard Interface                          | USB                      |
|                   | Mouse Interface                             | USB                      |
|                   | Power Cord                                  | 1                        |
|                   | AC Adaptor                                  | 1                        |
|                   | Warranty Card                               | 1                        |
|                   | Quick Guide                                 | 2                        |
|                   | User Manual                                 | 1                        |
|                   | VESA Mount kit                              | N/A                      |
|                   | Keyboard                                    | SK9626MW                 |
| Mouse             | SM9023MW                                    |                          |
| Design            | Adjustment (Tilt)                           | -5°~20°(+/-2°)           |
|                   | Adjustment (Swivel)                         | N/A                      |
|                   | Adjustment (Height)                         | N/A                      |
|                   | Adjustment (Pivot)                          | N/A                      |



МОНОБЛОКИ

## PRO AP241 11M

PRO AP241 11M-404XRU

|                                      |  |  |
|--------------------------------------|--|--|
| Dimension & Weight                   | Weight (Net kg)                                    | 4.63                                     |
|                                      | Weight (Gross kg)                                  | 8  |
|                                      | Product Dimension with Holder (WxDxH) (mm)         | N/A                                      |
|                                      | Product Dimension with Holder (WxDxH) (inch)       | N/A                                      |
|                                      | Inside Carton Dimension with Holder (WxDxH) (mm)   | N/A                                      |
|                                      | Inside Carton Dimension with Holder (WxDxH) (inch) | N/A                                      |
|                                      | Inside Carton Dimension with Stand (WxDxH) (mm)    | 620 x 223 x 486                          |
|                                      | Inside Carton Dimension with Stand (WxDxH) (inch)  | 24.41 x 8.78 x 19.13                     |
|                                      | Outer Carton Dimension with Holder (WxDxH) (mm)    | N/A                                      |
| Product Dimension with Stand (WxDxH) | Product Dimension with Stand (WxDxH) (mm)          | 541.9 x 227.9 x 425.5                    |
|                                      | Product Dimension with Stand (WxDxH) (inch)        | 21.33 x 8.97 x 16.75                     |
| Warranty                             | Warranty   | 12M                                      |
| Regulatory Compliance                | Operating, Storage Temperature                     | 0° C ~ 35° C ; -20° C ~ 60° C            |
|                                      | Operating, Storage Humidity                        | 0% ~ 85%;0% ~ 90%                        |
|                                      | Regulatory Compliance                              | FCC(Class B)<br>CB/CE<br>UL(CUL)<br>BSMI |
| Barcode Info                         | EAN  | 4719072895976                            |