

## PATH TO THE FUTURE



### Selling Points

- Windows 10 Домашняя - MSI рекомендует Windows 11 Pro для бизнеса. БЕСПЛАТНОЕ обновление до Windows 11\*
  - DDR4 2400МГц, до 8ГБ
  - Процессор Intel® Gemini Lake Pentium® Silver
  - Охлаждение без вентилятора
  - Всего 0.45 литров
  - Максимально до 1 x M.2 PCI-e / SATA (с автоматическим переключением) SSD или 1 x 2.5" SATA HDD
  - 802.11ac Combo Card
  - Стандартное крепление VESA
- \*Время обновления может варьироваться в зависимости от устройства. Доступность функций и приложений зависит от региона. Некоторые функции требуют специального оборудования (см. здесь <https://support.microsoft.com/ru-ru/windows>).



Picture and logos

### System I/O-Ports



1. 2x USB 3.1 Gen1 Type-A
2. 1x Lin in/out
3. 1x DC jack
4. 1x VGA out
5. 1x RJ45
6. 2x USB 3.1 Gen1 Type-A
7. 1x HDMI out

## Specification

Operating Systems	Operating Systems	N/A
Processor	CPU Number	Intel Celeron N4000
	CPU Clock	1.1GHz
	CPU Cores	2
	TDP	6W
	Cache	4 MB
	Threads	2
Chipset	Chipsets	N/A
Graphics	VGA IO Port	N/A
	VGA MKT Name	N/A
Memory	Memory Type	N/A
	Memory Speed	N/A
	Module Type	SO-DIMM
	Memory Slot(Total)	1
	Memory Slot(Free)	1
	Max Capacity	Max 8GB
Storage	SSD Interface	N/A
	SSD Form Factor	N/A
	SSD Config	N/A
	SSD Size	N/A
	HDD1 Interface	N/A
	HDD1 Form Factor	N/A
	HDD1 Size	N/A
	HDD1 RPM	N/A
	ODD(Type)	N/A
	ODD Height	N/A
	ODD Type	N/A
	M.2 slots(Total)	1
	M.2 slots(Free)	1
	2.5" Drive Bays(Total)	1
2.5" Drive Bays (Free)	1	
Communications	LAN	Realtek RTL8111H
	WLAN	INTEL/3168.NGWW
	WLAN Version	802.11ac 1x1+BT
	BT Version	4.2
Audio	Audio Chipset	Realtek ALC283
	Audio Type	2.1 Channel HD Audio
I/O Ports (Front)	USB 3.2 Gen 1 Type A	2
	Mic-inHeadphone-out combo	1
I/O Ports (Rear)	USB 3.2 Gen 2x2 Type C (R)	N/A
	USB 3.2 Gen 1 Type A (R)	2
	USB 2.0 Type C (R)	N/A
	Thunderbolt (R)	N/A
	RJ45	1
	VGA out	1
	HDMI out	1x (v1.4)
Power	Power	40W
	Power Certification	N/A
	Formfactor	N/A
	Type	ADAPTOR
Accessories	Power Cord	1
	AC Adaptor	1
	Warranty Card	1
	Quick Guide	2
	User Manual	1
	VESA Mount kit	1
	Keyboard	N/A
	Mouse	N/A

Mechanical and Environmental	Operating, Storage Temperature	0° C ~ 35° C ; -20° C ~ 60° C
	Operating, Storage Humidity	0% ~ 85%;0% ~ 90%
Dimension&Weight	Regulatory Compliance	FCC(Class B) CB/CE UL(CUL) BSMI VCCI RCM(C-Tick)
	Product Dimension (WxDxH) (mm)	112 x 116 x 44.47
	Product Dimension (WxDxH) (inch)	4.41 x 4.57 x 1.75
	Inside Carton Dimension (WxDxH) (mm)	205 x 220 x 94
	Inside Carton Dimension (WxDxH) (inch)	8.07 x 8.66 x 3.7
	Outer Carton Dimension Standard (WxDxH) (mm)	221 x 506 x 469
	Outer Carton Dimension Standard (WxDxH) (inch)	8.7 x 19.92 x 18.46
	Weight (Net kg)	0.56
	Weight (Gross kg)	1.39
	Liter	N/A
VESA	VESA size	100 x 100 mm
Warranty	Warranty	12months
Model	Part No	936-B17111-049
	Color	ID1/Black-Black-Black
Barcode Info	EAN	4719072727291