

Be Your Window To The World



Picture and logos

SELLING POINTS

- Windows 10 Домашняя - MSI рекомендует Windows 11 Pro для бизнеса. БЕСПЛАТНОЕ обновление до Windows 11*
 - Процессор Intel Jasper Lake
 - Вывод изображения в формате 4K/UHD
 - Поддержка двух дисплеев одновременно
 - Настройте свой режим с помощью MSI Center
 - Высокоскоростной периферийный интерфейс USB 3.2 Gen2
 - Программный TPM-модуль для защиты конфиденциальных данных
 - Совместимость с VESA-кронштейнами
- * Точное время получения обновления будет зависеть от конкретного устройства. Доступность приложений и функций зависит от региона. Для работы отдельных функций потребуется наличие определенного оборудования (см. <https://www.microsoft.com/ru-ru/windows/windows-11-specifications>).
- DataSheet: Общие Характеристики серии Cubi N JSL (pdf)



1. 2x USB 3.2 Gen2 Type A
2. 1x Mic-in/ Headphone-out
3. 1x DC Jack
4. 1x VGA out
5. 1x LAN
6. 2x USB 3.2 Gen1 Type A
7. 1x HDMI™ (1.4)



Cubi N JSL

CUBI N JSL-041RU

SPECIFICATION

Model	MKT Name	Cubi N JSL
	MKT Spec	Cubi N JSL-041RU
	Color	ID1/Black-Black-Black
Barcode Info	EAN	4719072899660
Operating Systems	Operating Systems	Windows 11 Pro
Processor	CPU Number	Intel Celeron N4500
	CPU Clock	1.1GHz
	CPU Cores	2
	TDP	6W
	Cache	4 MB L3 Cache
	Threads	2
	CPU Cooler	Air cooling
Discrete Graphics	VGA I/O Port	N/A
	VGA MKT Name	N/A
	GPU1 VRAM Size	N/A
Chipset	Chipsets	Soc
Memory	Memory Size	4GB(4GB*1)
	Memory Type	DDR4 SDRAM
	Memory Speed	1600(3200)MHz
	Module Type	SO-DIMM
	слотов памяти (Всего/Свободных)	2/1
	Max Capacity	Max 16GB
Audio	Audio Chipset	Realtek ALC233
	Audio Type	5.1 Channel HD Audio
Communications	LAN	Realtek RTL8111H
	WLAN	INTEL/AX201.NGWWG.NVW
	WLAN Version	802.11ax 2x2+BT
	BT Version	5.2
Storage	SSD Size	128GB
	HDD1 Size	N/A
	SSD Config	128GB*1
	SSD Interface	SATA GEN3
	SSD Form Factor	M.2-2280 B+M KEY
	M.2 slots (Total/Free)	1/0
	HDD1 RPM	N/A
	HDD1 Form Factor	N/A
	HDD1 Interface	N/A
	отсеков для приводов 3.5" (Всего/Свободных)	0/
	отсеков для приводов 2.5" (Всего/Свободных)	0/
	ODD(Type)	N/A
	ODD Height	N/A
	ODD Type	N/A
I/O Ports (Front)	USB 3.2 Gen 2 Type A	2
	Mic-in/Headphone-out combo	1
In The Box	Keyboard Interface	N/A
	Mouse Interface	N/A
	Power Cord	1
	AC Adaptor	1
	Warranty Card	1
	Quick Guide	1
	User Manual	1
	VESA Mount kit	1
	Keyboard	N/A
	Mouse	N/A
I/O Ports (Rear)	USB 3.2 Gen 1 Type A (R)	2
	RJ45	1
	VGA out	1
	HDMI™ out	1x (v2.0)
	Audio jack	1



Cubi N JSL

CUBI N JSL-041RU

Power	Power	65W
	Power Certification	N/A
	Formfactor	N/A
	Type	ADAPTOR
Warranty	Warranty	12months
VESA	VESA size	100 x 100 mm
Dimension & Weight	Product Dimension (WxDxH) (mm)	112 x 116 x 44.47(thin botton cover), 55.5(thick botton cover)
	Product Dimension (WxDxH) (inch)	4.41 x 4.57 x 44.47(thin botton cover), 55.5(thick botton cover)
	Inside Carton Dimension (WxDxH) (mm)	205 x 220 x 94
	Inside Carton Dimension (WxDxH) (inch)	8.07 x 8.66 x 3.7
	Outer Carton Dimension Standard (WxDxH) (mm)	221 x 506 x 469
	Outer Carton Dimension Standard (WxDxH) (inch)	8.7 x 19.92 x 18.46
	Weight (Net kg)	0.47
	Weight (Gross kg)	1.25
	Liter	0.45
Regulatory Compliance	Operating, Storage Temperature	0° C ~ 35° C ; -20° C ~ 60° C
	Operating, Storage Humidity	0% ~ 85%;0% ~ 90%
	Regulatory Compliance	FCC(Class B) CB/CE UL(CUL) BSMI VCCI RCM(C-Tick)