


PATH TO THE FUTURE



Picture and logos

SELLING POINTS

- Windows 11 Домашняя MSI рекомендует Windows 11 Pro для бизнеса
- Компактный форм-фактор 1,1 л с возможностью крепления по стандарту VESA
- Процессор до Intel® Core™ i7 14700
- Двухканальная память DDR5 SO-DIMM
- 8x USB Type A, 1x USB Type C, Два 2.5G LAN (с конфигурируемым портом)
- Поддержка трёх дисплеев одновременно
- Технология MSI Power Link: PRO DP10 A14MG может получать питание от монитора через технологию MSI Power Link
- MSI AI Engine: оптимизация работы пользователя без ручной настройки
- Power Meter позволяет одним щелчком мыши экономить электроэнергию, рассчитывать выбросы углекислого газа и определять стоимость электроэнергии
- Изделие поставляется в картонной упаковке, сертифицированной по стандарту FSC™. Для снижения объёма отходов применяется переработанная формованная целлюлоза (полностью подлежащая вторичной переработке). Производственный процесс на заводе на 99 % обеспечивается энергией из возобновляемых источников.
- DataSheet: Общие Характеристики серии PRO DP10 A14MG (pdf)



1. 1x USB 2.0
2. 2x USB 5Гбит/с Type A
3. 1x USB 10Гбит/с Type A
4. 1x USB 10Гбит/с Type C
5. 1x Mic-in/Headphone-out combo
6. 1x Разъем внешнего выключателя питания
7. 1x DC Jack
8. 1x HDMI out (поддержка 4K @60Гц по стандарту HDMI 2.1) с поддержкой MSI Power Link
9. 1x DisplayPort 1.4b (поддержка 4K@60Гц)
10. 4x USB 2.0
11. 1x LAN порт (2.5G)
12. 1x Конфигурируемый порт (по умолчанию: HDMI+LAN(2.5G); Опционально: HDMI+COM/DP+LAN(2.5G)/ DP+COM/ VGA+LAN(2.5G)/ VGA+COM)
13. 1x Kensington Lock
14. 1x WiFi антенна



PRO DP10 A14MG

PRO DP10 A14MG-010XRU

SPECIFICATION

Operating Systems	Operating Systems	N/A
Processor	CPU Number	Intel Core i5 Processor 14400
	CPU Clock	2.5GHz
	CPU Cores	10
	TDP	65W
	Cache	20 MB Intel® Smart Cache
	Threads	16
	Max Turbo Frequency	up to 4.70 GHz
	CPU Cooler	Air cooling
	Platform TOPS	N/A
	NPU TOPS	N/A
Chipset	Chipsets	H610
Discrete Graphics	GPU1 VRAM Size	N/A
	VGA I/O Port	N/A
	GPU1 Vendor	N/A
	GPU1 MKT Name	N/A
Memory	Memory Size	16GB(8GB*2)
	Memory Type	DDR5 SDRAM
	Module Type	SO-DIMM
	слотов памяти (Всего/Свободных)	2/0
	Max Capacity	Max 64GB
Storage	SSD Interface	PCIe GEN4x4 NVMe
	SSD Form Factor	M.2 2280 M-KEY
	SSD Config	512GB*1
	SSD Size	512GB
	HDD1 Interface	N/A
	HDD1 Form Factor	N/A
	HDD1 Size	N/A
	HDD1 RPM	N/A
	ODD(Type)	N/A
	ODD Height	N/A
	ODD Type	N/A
	M.2 slots (Total/Free)	1/0
	отсеков для приводов 2.5" (Всего/Свободных)	0/
	отсеков для приводов 3.5" (Всего/Свободных)	0/
Audio	Audio Chipset	Realtek ALC256
	Audio Type	2-Channel High Definition Audio
Communications	LAN	2x Intel I226-V
	WLAN Version	Wi-Fi 6E+BT
	BT Version	5.3
	WLAN	INTEL/AX211.NGWG.NV
I/O Ports (Front)	USB 2.0 Type A	1
	Mic-in/Headphone-out combo	1
	USB 3.2 Gen 2 (10G) Type C	1
	USB 3.2 Gen 2 (10G) Type A	1
	USB 3.2 Gen 1 (5G) Type A	2
I/O Ports (Rear)	USB 2.0 Type A (R)	4
	RJ45	1
	WiFi Antenna	1
	HDMI out	1x (v2.1)
	DP out	1x (v1.4)
	Lock type	Kensington Lock
	Configurable port	NA, HDMI+LAN, HDMI+COM, DP+LAN, DP+COM, VGA+LAN, VGA+COM
Power	Power	120W
	Power Certification	N/A
	Formfactor	N/A
	Type	ADAPTOR
VESA	VESA size	75 x 75 mm

Dimension & Weight	Product Dimension (WxDxH) (mm)	178.82 x 34.48 x 179
	Product Dimension (WxDxH) (inch)	7.04 x 1.36 x 7.05
	Inside Carton Dimension (WxDxH) (mm)	249 x 102 x 306
	Inside Carton Dimension (WxDxH) (inch)	9.8 x 4.02 x 12.05
	Outer Carton Dimension Standard (WxDxH) (mm)	531 x 325 x 530
	Outer Carton Dimension Standard (WxDxH) (inch)	20.91 x 12.8 x 20.87
	Weight (Net kg)	1.225
	Net Weight (lbs)	2.7
	Weight (Gross kg)	2.44
	Gross Weight (lbs)	5.38
	Liter	1.1
	Pint	2.32
Regulatory Compliance	Operating, Storage Temperature	0° C ~ 35° C ; -20° C ~ 60° C
	Operating, Storage Humidity	0% ~ 85%;0% ~ 90%
	Regulatory Compliance	FCC(Class B), CB/CE, UL(CUL), BSMI, VCCI, RCM(C-Tick)
Warranty	Warranty	12months
In The Box	Keyboard Interface	N/A
	Mouse Interface	N/A
	Power Cord	1
	AC Adaptor	1
	Warranty Card	N/A
	Quick Guide	1
	User Manual	1
	VESA Mount kit	N/A
	Keyboard	N/A
	Mouse	N/A
	Power Switch	N/A
Barcode Info	EAN	4711377416771
Model	Part No	9S6-B21011-010
	MKT Name	PRO DP10 A14MG
	MKT Spec	PRO DP10 A14MG-010XRU
	Color	ID1/HDMI+LAN Black-Black-Black
	Model	B210
Security	TPM module	dTPM
	Chassis Lock	Kensington Lock
	Chassis Intrusion	Support