

Окно в большой мир

Компьютеры серии PRO DP21 подходят для различных сценариев использования, от коммерческих до образовательных. В компактном корпусе объемом всего 2,3 литра находится мощная конфигурация с процессором Intel Core и до 64 ГБ двухканальной памяти DDR4-3200. Устройство поддерживает вывод видеосигнала в формате 4K / 60 Гц.



Picture and logos

SELLING POINTS

- Windows 11 Домашняя - MSI рекомендует Windows 11 Pro для бизнеса
 - Процессор до Intel® Core™ i7-11700
 - Поддерживается изображение 4K UHD
 - Wi-Fi 6 (опционально) обладает пропускной способностью 2,4 Гбит/с
 - Широкий выбор интерфейсов позволяет легко подключить все периферийные устройства
 - Эксклюзивное приложение MSI Center позволяет оптимизировать и распределить системные ресурсы в соответствии с потребностями
 - Сняв боковые панели корпуса, пользователь получит доступ к внутренним компонентам для апгрейда
 - Программный TPM-модуль служит для защищенного хранения криптографических ключей
 - Совместимость с крепежным стандартом VESA
- *Время обновления может варьироваться в зависимости от устройства. Доступность функций и приложений зависит от региона. Некоторые функции требуют специального оборудования (см. здесь <https://support.microsoft.com/ru-ru/windows>).

- DataSheet: Общие Характеристики серии PRO DP21 11MA (pdf)



1. 1x Headphone-out
2. 1x Mic-in
3. 4x USB 2.0 Type A
4. 1x DC jack
5. 1x HDMI™ out (2.0)
6. 1x DisplayPort (1.4)
7. 2x USB 3.2 Gen 1 Type A / 1x COM порт
8. 1x RJ45
9. 2x USB 3.2 Gen 1 Type A
10. 1x Mic-in
11. 1x Line-out
12. 1x слот замка Кенсингтона



PRO DP21 11MA

PRO DP21 11MA-020BRU

SPECIFICATION

Operating Systems	Operating Systems	N/A
	OS	N/A
Model	Part No	936-B0A411-020
	MKT Name	PRO DP21 11MA
	MKT Spec	PRO DP21 11MA-020BRU
	Color	ID1/Black-Black-Black
Processor	CPU Number	Intel Pentium G6405
	CPU Clock	4.1GHz
	CPU Cores	2
	TDP	58W
	Cache	4 MB Intel® Smart Cache
	Threads	4
	CPU Cooler	Air cooling
Chipset	Chipsets	H510
Memory	Memory Type	N/A
	Memory Speed	N/A
	Module Type	SO-DIMM
	слотов памяти (Всего/Свободных)	2/2
	Max Capacity	Max 64GB
Discrete Graphics	VGA I/O Port	N/A
	VGA MKT Name	N/A
Storage	SSD Size	N/A
	HDD1 Size	N/A
	SSD Config	N/A
	SSD Interface	N/A
	SSD Form Factor	N/A
	M.2 slots (Total/Free)	1/1
	HDD1 RPM	N/A
	HDD1 Form Factor	N/A
	HDD1 Interface	N/A
	отсеков для приводов 3.5" (Всего/Свободных)	0/
	отсеков для приводов 2.5" (Всего/Свободных)	2/2
	ODD(Type)	N/A
	ODD Height	N/A
	ODD Type	N/A
Communications	LAN	Realtek RTL8111H
	WLAN	INTEL/9462.NGWG.NV
	WLAN Version	802.11ac 1x1+BT
	BT Version	5
Audio	Audio Chipset	Realtek ALC897
	Audio Type	5.1 Channel HD Audio
I/O Ports (Front)	Thunderbolt	N/A
	USB 2.0 Type A	4
	Audio Mic-in	1
	Audio Headphone-out	1
I/O Ports (Rear)	USB 3.2 Gen 1 Type A (R)	4
	RJ45	1
	HDMI™ out	1x (v2.0)
	DP out	1x (v1.4)
	COM Port	1
Power	Power	120W
	Power Certification	N/A
	Formfactor	N/A
	Type	ADAPTOR



PRO DP21 11MA

PRO DP21 11MA-020BRU

In The Box	Keyboard Interface	N/A
	Mouse Interface	N/A
	Power Cord	1
	AC Adaptor	1
	Warranty Card	1
	Quick Guide	3
	User Manual	2
	VESA Mount kit	N/A
	Keyboard	N/A
	Mouse	N/A
Dimension & Weight	Product Dimension (WxDxH) (mm)	204 x 208 x 54.8
	Product Dimension (WxDxH) (inch)	8.03 x 8.19 x 2.16
	Inside Carton Dimension (WxDxH) (mm)	N/A
	Inside Carton Dimension (WxDxH) (inch)	N/A
	Outer Carton Dimension Standard (WxDxH) (mm)	271 x 382 x 122
	Outer Carton Dimension Standard (WxDxH) (inch)	10.67 x 15.04 x 4.8
	Weight (Net kg)	1.27
	Weight (Gross kg)	2.75
	Liter	2.3
Warranty	Warranty	12months
Regulatory Compliance	Operating, Storage Temperature	0° C ~ 35° C ; -20° C ~ 60° C
	Operating, Storage Humidity	0% ~ 85%;0% ~ 90%
	Regulatory Compliance	FCC(Class B) CB/CE UL(CUL) BSMI
VESA	VESA size	100 x 100 mm
Barcode Info	EAN	4719072899493