МОНИТОРЫ

MAG 271KPD7

MAG 271KPD7

PATH TO THE FUTURE


MSI MAG 271KPD7 gaming monitor - 27-inch (26.9-inch viewable) 5K (5120 x 2880) Rapid IPS, 218 PPI, Dual Mode Ultra for 5K 75Hz and WQHD 300Hz, VESA DisplayHDR™ 400, 15 W Type-C®, HDMI™ 2.1, MSI Gaming Intelligence App, KVM, M-Color Mode



Picture and logos

SELLING POINTS

- Dual Mode Ultra — легко переключайтесь между 5K 75 Гц и WQHD 300 Гц. Смена режима даёт четырёхкратное повышение частоты обновления.
- 218 PPI — чёткость на уровне сетчатки в режиме 5K (218 пикселей на дюйм).
- Приложение Gaming Intelligence — просто настраивайте режимы монитора с клавиатуры и мыши.
- SLMB Sync — убирает размытие в движении, динамичные объекты остаются чёткими.
- Режим M-Color — синхронизирует цвета монитора с цветами MacBook.
- KVM — переключайтесь между устройствами и управляйте ими с одной клавиатуры и мыши.
- Rapid IPS — насыщенные и чистые цвета в играх.
- Быстрое время отклика 0,5 мс (GtG, мин.) — никаких разрывов и «тормозов» картинки.
- VESA DisplayHDR 400 — сертифицированная VESA детализация благодаря точной настройке контраста и теней.



1. 5-позиционная навигационная клавиша
2. AC-in
3. 2 x HDMI™ 2.1
4. DisplayPort 1.4a (HBR3)
5. USB Type-C (15 Вт PD)
6. USB 5 Гбит/с Type-B
7. 2 x USB 5 Гбит/с Type-A
8. Выход на наушники
9. Замок Kensington

"2026-11-24 Changes to the product specifications and errors excepted. The product presentation may differ from the product. Microsoft, Windows, the Windows logo, and DirectX are trademarks or registered trademarks of Microsoft Corporation in the United States and / or other countries. Intel, the Intel logo, Intel Inside, the Intel Inside logo, Intel Core and Core Inside are trademarks of Intel Corporation in the US and other countries. Other trademarks and trade names refer to the respective owners or their products."

MAG 271KPD7

MAG 271KPD7

SPECIFICATION

Model	Entity MKT Name	MAG 271KPD7
	Part No	9S6-3CF69T-026
	Color	ID1/Black-Black
Display	Screen Size	26.9” (68.32 cm)
	Active Display Area (mm)	595.968 (H) x 335.232 (V)
	Curvature	Flat
	Panel Type	Rapid IPS
	Resolution	5120x2880 (5K)
	Pixel pitch (mm)	0.1164(H)x0.1164(V)
	Aspect Ratio	16:9
	Dynamic Refresh Rate technology	NVIDIA G-SYNC Compatible / AMD FreeSync™ Premium
	Dynamic Refresh Rate Activated Range	5K : 48~75Hz, QHD : 48~300Hz
	HDR (High dynamic range)	VESA DisplayHDR 400
	SDR Brightness (nits)	350
	HDR Brightness (Peak nits)	500
	Contrast Ratio	1500:1
	DCR (Dynamic Contrast Ratio)	100000000:1
	Signal Frequency	5K:136.54~227.29 KHz(H) / 48~75 Hz(V), QHD:74.08~476.6 KHz(H) / 48~300 Hz(V)
	Refresh Rate	5K:75Hz, QHD:300Hz
	Response Time (MPRT)	1ms(MPRT)
	Response Time (GTG)	0.5ms (Min.)
	View Angles	178°(H)/178°(V)
	NTSC (CIE1976 area percentage/overlap)	107.1%/88.6%
	NTSC (CIE1931 area percentage/overlap)	88.7%/81.6%
	sRGB (CIE1976 area percentage/overlap)	122.9%/99.1%
	sRGB (CIE1931 area percentage/overlap)	125.3%/99.8%
	Adobe RGB (CIE1976 area percentage/overlap)	105.3%/92.6%
	Adobe RGB (CIE1931 area percentage/overlap)	92.9%/85.5%
	DCI-P3 (CIE1976 area percentage/overlap)	97.9%/95%
	DCI-P3 (CIE1931 area percentage/overlap)	92.4%/90.9%
	Rec.709 (CIE1976 area percentage/overlap)	122.9%/99.1%
	Rec.709 (CIE1931 area percentage/overlap)	125.3%/99.8%
	Rec.2020 (CIE1976 area percentage/overlap)	71.3%/71.3%
	Rec.2020 (CIE1931 area percentage/overlap)	66.3%/66.3%
	Surface Treatment	Anti-glare
	Display Colors	1.07B
	Color bit	10 bits (8 bits + FRC)
I/O Ports	USB Type C (DisplayPort Alternate)	1
	Headphone-out	1
	USB 3.2 Gen 1 Type A	2
	USB 3.2 Gen 1 Type B	1
	Lock type	Kensington Lock
	HDMI	2
	HDMI version	2.1 (FRL 12G)
	HDMI HDCP version	2.3
	DisplayPort	1
	DisplayPort version	1.4a (HBR3)
	DisplayPort HDCP version	2.3
Warranty	Warranty	12M
Power	Power Type	Internal Power Board
	Power Input	100~240V, 50/60Hz
	On-mode Power Consumption (KWh/1000h)	21 (SDR), 55 (HDR)
	Annual Energy Consumption (KWh)	30.66
	Standby-mode Power Consumption (W)	0.5
	Off-mode Power Consumption (W)	0.3
	Energy Efficiency Rating	E (SDR) G (HDR)
	Power Cord Type	C13

“2026-11-24 Changes to the product specifications and errors excepted. The product presentation may differ from the product. Microsoft, Windows, the Windows logo, and DirectX are trademarks or registered trademarks of Microsoft Corporation in the United States and / or other countries. Intel, the Intel logo, Intel Inside, the Intel Inside logo, Intel Core and Core Inside are trademarks of Intel Corporation in the US and other countries. Other trademarks and trade names refer to the respective owners or their products.”

MAG 271KPD7

MAG 271KPD7

In The Box	DisplayPort Cable	1
	HDMI Cable	0
	DVI Cable	0
	USB Type A to Type B Cable	1
	USB Type C to Type A Cable	0
	USB Type C to Type C Cable	0
	Thunderbolt Cable	0
	VGA Cable	0
	3.5mm audio Cable	0
	3.5mm combo audio Cable	0
	3.5mm Mic Cable	0
	Power Cord	1
	AC Adaptor	0
	Quick Guide	1
	Warranty Card	0
	Mouse Bungee Unit	0
Design	Adjustment (Tilt)	-5° ~ 20°
	Adjustment (Swivel)	-30° ~ 30°
	Adjustment (Height)	0 ~ 130 mm
	Adjustment (Pivot)	-90° ~ 90°
	VESA Mounting	100x100mm
Dimension & Weight (product)	Product Dimension with Stand (WxDxH) (mm)	613.8 x 227.9 x 406.3
	Product Dimension without Stand (WxDxH) (mm)	613.8 x 57.1 x 365.6
	Stand Dimension (WxDxH) (mm)	308.6 x 227.9 x 390.8
	Weight (Net kg)	6.7
	Weight Without Stand (kg)	4.2
Dimension & Weight (box)	Inside Carton Dimension (WxDxH) (cm)	84 x 14.8 x 47.5
	Outer Carton Dimension (WxDxH) (cm)	85.5 x 16.3 x 49.8
	Weight (Gross kg)	9.8
Barcode Info	EAN	4711377426060

“2026-11-24 Changes to the product specifications and errors excepted. The product presentation may differ from the product. Microsoft, Windows, the Windows logo, and DirectX are trademarks or registered trademarks of Microsoft Corporation in the United States and / or other countries. Intel, the Intel logo, Intel Inside, the Intel Inside logo, Intel Core and Core Inside are trademarks of Intel Corporation in the US and other countries. Other trademarks and trade names refer to the respective owners or their products.”