

## See beyond the Game. Visualize your victory.

Inspired by the rigorous quality testing in the production of MSI MAG series, MSI MAG series' design is full of symbols of sturdiness and durability. Additionally, to provide quality user experience, MAG series has really simple installation process and a friendly user interface, and will be the best choice for entry level gamers to step into the game world.



Picture and logos

### SELLING POINTS

- Изогнутый экран: кривизна 1000R идеально соответствует анатомии человека и снижает усталость глаз
- Отличные скоростные характеристики: высокая частота обновления экрана 165 Гц и низкое время отклика 1 мс станут серьезным преимуществом в динамичных играх
- Режим Night Vision: «ночное зрение» для улучшенной ориентации в темных игровых сценах.
- Технология адаптивной синхронизации AMD FreeSync: повышенное качество отображения динамичных игровых сцен.
- Комфорт для пользователя: подавление мерцания экрана и снижение интенсивности синего света.
- Безрамочный корпус: идеально для мультимониторных конфигураций.
- Широкие углы обзора: 178°.



1. 5-way joystick navigator
2. 1x DC Jack
3. 1x HDMI™ (1.4)
4. 1x HDMI™ (1.4)
5. 1x Display Port (1.2)
6. 1x Earphone out
7. 1x Kensington Lock



МОНИТОРЫ

MAG ARTYMIS 242C

MAG ARTYMIS 242C

SPECIFICATION

Model	Part No	9S6-3BA81T-013
	MKT Name	MAG ARTYMIS 242C
	MKT Spec	MAG ARTYMIS 242C
	Color	ID1/Black-Black
Display	Screen Size	23.6" (60cm)
	Active Display Area (mm)	521.395(H)x293.284(V)
	Curvature	Curve 1000R
	Panel Type	VA
	Resolution	1920x1080 (FHD)
	Pixel pitch	0.27156(H)x0.27156 (V)
	Pixel pitch (mm)	0.27156(H)x0.27156 (V)
	Aspect Ratio	16:9
	Dynamic Refresh Rate technology	FreeSync Premium
	Dynamic Refresh Rate Activated Range	48Hz-165Hz
	HDR (High dynamic range)	N/A
	SDR Brightness (nits)	250
	Contrast Ratio	3000:1
	DCR (Dynamic Contrast Ratio)	100000000:1
	Signal Frequency	56.8~186.8 KHz(H) / 30~165 Hz(V)
	Activated Range	48Hz-165Hz
	Refresh Rate	165HZ
	Response Time (MPRT)	1ms(MPRT)
	Response Time (GTG)	4ms
	Response Time (Tr + Tf)	22ms
	View Angles	178°(H)/178°(V)
	Surface Treatment	Anti-glare
	NTSC (CIE1976 area percentage/overlap)	99.2%/85.5%
	NTSC (CIE1931 area percentage/overlap)	84.6%/79.2%
	sRGB (CIE1976 area percentage/overlap)	113.8%/97.9%
	sRGB (CIE1931 area percentage/overlap)	119.5%/99.4%
	Adobe RGB (CIE1976 area percentage/overlap)	97.5%/88.4%
	Adobe RGB (CIE1931 area percentage/overlap)	88.6%/82.2%
	DCI-P3 (CIE1976 area percentage/overlap)	90.6%/90.3%
	DCI-P3 (CIE1931 area percentage/overlap)	88.1%/87.9%
	Rec.709 (CIE1976 area percentage/overlap)	113.8%/97.9%
	Rec.709 (CIE1931 area percentage/overlap)	119.5%/99.4%
	Display Colors	16.7M
	Color bit	8 bits
I/O Ports	HDMI™	2
	HDMI™ version	1.4b
	HDMI™ HDCP version	1.4
	DisplayPort	1
	DisplayPort version	1.2
	DisplayPort HDCP version	1.3
	Mic-in upstream	N/A
	Headphone-out	1
	Lock type	Kensington Lock
Power	Power Type	External Adaptor 20V 2.25A
	Power Input	100~240V, 50/60Hz
	Energy Efficiency Rating	F
	Adapter's KC safety Number	SU10469-15001
	Power Cord Type	C5



МОНИТОРЫ

MAG ARTYMIS 242C

MAG ARTYMIS 242C

In The Box	DisplayPort Cable	1
	HDMI™ Cable	1
	DVI Cable	0
	USB Type A to Type B Cable	0
	USB Type C to Type A Cable	0
	USB Type C to Type C Cable	0
	Thunderbolt Cable	0
	VGA Cable	0
	3.5mm audio Cable	0
	3.5mm combo audio Cable	0
	Power Cord	1
	AC Adaptor	1
	Warranty Card	1
	Quick Guide	1
Design	Adjustment (Tilt)	-5° ~ 20°
	VESA Mounting	100x100mm
	Frameless Design	Yes
Dimension & Weight	Inside Carton Dimension (WxDxH) (mm)	650 x 173 x 409
	Inside Carton Dimension (WxDxH) (inch)	25.59 x 6.81 x 16.1
	Weight (Net kg)	3.77
	Weight (Gross kg)	5.7
Product Dimension with Stand (WxDxH)	Product Dimension with Stand (WxDxH) (mm)	533.75 x 228.37 x 422.86
	Product Dimension with Stand (WxDxH) (inch)	21.01 x 8.99 x 16.65
Stand Dimension (WxDxH)	Stand Dimension (WxDxH) (mm)	474.85 x 228.37 x 266.23
	Stand Dimension (WxDxH) (inch)	18.69 x 8.99 x 10.48
Product Dimension without Stand (WxDxH)	Product Dimension without Stand (WxDxH) (mm)	533.75 x 82.68 x 328.76
	Product Dimension without Stand (WxDxH) (inch)	21.01 x 3.26 x 12.94
Outer Carton Dimension (WxDxH)	Outer Carton Dimension (WxDxH) (mm)	665 x 188 x 434
	Outer Carton Dimension (WxDxH) (inch)	26.18 x 7.4 x 17.09
Warranty	Warranty	12M
Barcode Info	EAN	4719072767594
	UPC	824142230824
	UCC14	10824142230821