

All about gaming


Сделайте свою победу зримой на экране изогнутого игрового монитора MSI Optix G27C7 Curved Gaming™. Обладая ЖК-матрицей с разрешением 1920x1080 пикселей, низким временем отклика 1 мс и высокой частотой обновления 165Гц, он предоставит вам ощутимое преимущество над соперниками. Воплощая в себе самые современные технологии, включая адаптивную синхронизацию, мониторы с технологией MSI Curved Gaming™ будет прекрасным выбором для соревновательных компьютерных игр.



Picture and logos

SELLING POINTS

- Изогнутый экран с кривизной 1500R: максимальное погружение в игру.
- Высокая частота обновления экрана: 165 Гц.
- Низкое время отклика ЖК-матрицы: 1 мс.
- Широкий цветовой охват: реалистичное отображение каждого оттенка
- Режим Night Vision: «ночное зрение» для улучшенной ориентации в темных игровых сценах.
- Технология AMD FreeSync Premium – устранение эффекта «разрыва кадра».
- Anti-Flicker и Less Blue Light: подавление мерцания экрана и снижение интенсивности синего света.
- Безрамочный корпус: идеально для мультимониторных конфигураций.
- Широкие углы обзора: 178°.



1. 5-way joystick navigator
2. 1x HDMI™ 2.0
3. 1x HDMI™ 2.0
4. 1x Display Port 1.4
5. 1x Earphone out
6. 1x Kensington Lock



SPECIFICATION

Model	Part No	9S6-3CC61Q-007
	MKT Name	Optix G27C7
	MKT Spec	Optix G27C7
	Color	ID1/Black-Black
Display	Screen Size	27" (69 cm)
	Active Display Area (mm)	596.736 (H) x 335.664 (V)
	Curvature	Curve 1500R
	Panel Type	VA
	Resolution	1920x1080 (FHD)
	Pixel pitch	0.3108(H)X0.3108(V)
	Pixel pitch (mm)	0.3108(H)X0.3108(V)
	Aspect Ratio	16:9
	Dynamic Refresh Rate technology	FreeSync Premium
	Dynamic Refresh Rate Activated Range	48Hz~165Hz
	HDR (High dynamic range)	N/A
	SDR Brightness (nits)	250
	Contrast Ratio	3000:1
	DCR (Dynamic Contrast Ratio)	100000000:1
	Signal Frequency	104~186.8 KHz(H) / 30~165 Hz(V)
	Activated Range	48Hz~165Hz
	Refresh Rate	165HZ
	Response Time (MPRT)	1ms(MPRT)
	Response Time (GTG)	4ms
	Response Time (Tr + Tf)	20ms
	View Angles	178°(H)/178°(V)
	Surface Treatment	Anti-glare
	NTSC (CIE1976 area percentage/overlap)	103%/84%
	NTSC (CIE1931 area percentage/overlap)	85%/78%
	sRGB (CIE1976 area percentage/overlap)	118%/99%
	sRGB (CIE1931 area percentage/overlap)	120%/99%
	Adobe RGB (CIE1976 area percentage/overlap)	101%/89%
	Adobe RGB (CIE1931 area percentage/overlap)	89%/82%
	DCI-P3 (CIE1976 area percentage/overlap)	94%/93%
	DCI-P3 (CIE1931 area percentage/overlap)	89%/88%
	Rec.709 (CIE1976 area percentage/overlap)	118%/99%
	Rec.709 (CIE1931 area percentage/overlap)	120%/99%
	Display Colors	16.7M
	Color bit	8 bits
I/O Ports	HDMI™	2
	HDMI™ version	2.0
	HDMI™ HDCP version	2.2
	DisplayPort	1
	DisplayPort version	1.4
	DisplayPort HDCP version	2.2
	Headphone-out	1
	Lock type	Kensington Lock
Power	Power Type	External Adapter 19V 2.1A
	Power Input	100~240V, 50/60Hz
	Energy Efficiency Rating	F
	Adapter's KC safety Number	HU10182-9054/HU10104-12329
	Power Cord Type	C5



МОНИТОРЫ

Optix G27C7

OPTIX G27C7

In The Box	DisplayPort Cable	1
	HDMI™ Cable	0
	DVI Cable	0
	USB Type A to Type B Cable	0
	USB Type C to Type A Cable	0
	USB Type C to Type C Cable	0
	Thunderbolt Cable	0
	VGA Cable	0
	3.5mm audio Cable	0
	3.5mm combo audio Cable	0
	Power Cord	1
	AC Adaptor	1
	Warranty Card	1
	Quick Guide	1
Design	Adjustment (Tilt)	-5° ~ 20°
	VESA Mounting	100x100mm
	Frameless Design	Yes
Dimension & Weight	Inside Carton Dimension (WxDxH) (mm)	696 x 166 x 463
	Inside Carton Dimension (WxDxH) (inch)	27.4 x 6.54 x 18.23
	Weight (Net kg)	4.7
	Weight (Gross kg)	7
Product Dimension with Stand (WxDxH)	Product Dimension with Stand (WxDxH) (mm)	611.3 x 228.4 x 447.5
	Product Dimension with Stand (WxDxH) (inch)	24.07 x 8.99 x 17.62
Stand Dimension (WxDxH)	Stand Dimension (WxDxH) (mm)	474 x 228.4 x 267.3
	Stand Dimension (WxDxH) (inch)	18.66 x 8.99 x 10.52
Product Dimension without Stand (WxDxH)	Product Dimension without Stand (WxDxH) (mm)	611.3 x 78.3 x 372.5
	Product Dimension without Stand (WxDxH) (inch)	24.07 x 3.08 x 14.67
Outer Carton Dimension (WxDxH)	Outer Carton Dimension (WxDxH) (mm)	711 x 181 x 488
	Outer Carton Dimension (WxDxH) (inch)	27.99 x 7.13 x 19.21
Warranty	Warranty	12M
Barcode Info	EAN	4719072779696
	UPC	824142235423
	UCC14	10824142235420