

**See beyond the Game.
Visualize your victory.**



Picture and logos

SELLING POINTS

- Изогнутый экран с кривизной 1500R: максимальное погружение в игру
- Формат WQHD: высокое разрешение обеспечивает четкое и детализированное изображение
- Повышенная частота обновления экрана: 165Гц
- Низкое время отклика ЖК-матрицы: 1мс
- Широкий цветовой охват: реалистичное отображение каждого оттенка
- Технология адаптивной синхронизации AMD FreeSync: повышенное качество изображения в играх
- Комфорт для пользователя: подавление мерцания экрана и снижение интенсивности синего света
- Безрамочный корпус: идеально для мультимониторных конфигураций
- Широкие углы обзора: 178°
- Режим Night Vision: «ночное зрение» для улучшенной ориентации в темных игровых сценах



1. 5-way joystick navigator
2. 1x DC Jack
3. 2x HDMI™ 1.4b
4. 1x Display Port 1.2a
5. 1x Earphone out
6. 1x Kensington lock



SPECIFICATION

Model	Part No	9S6-3CB01T-012
	MKT Name	Optix G27CQ4
	MKT Spec	Optix G27CQ4
	Entity MKT Name	Optix G27CQ4
	Color	ID1/Black-Black
	Local Dimming	N/A
Display	Screen Size	27" (69 cm)
	Active Display Area (mm)	596.736(H) x 335.664(V)
	Curvature	Curve 1500R
	Panel Type	VA
	Resolution	2560x1440 (WQHD)
	Pixel pitch	0.2331(H)x0.2331(V)
	Aspect Ratio	16:9
	Dynamic Refresh Rate technology	FreeSync
	HDR (High dynamic range)	N/A
	SDR Brightness (nits)	250
	Contrast Ratio	3000:1
	DCR (Dynamic Contrast Ratio)	100000000:1
	Signal Frequency	70.56~214.56 KHz(H) / 48~165 Hz(V)
	Activated Range	48Hz-165Hz
	Refresh Rate	165HZ
	Response Time (MPRT)	1ms(MPRT)
	Response Time (GTG)	4ms
	Response Time (Tr + Tf)	N/A
	View Angles	178°(H)/178°(V)
	Surface Treatment	Anti-glare
	NTSC (CIE1976 area percentage/overlap)	100.6% / 86.0%
	NTSC (CIE1931 area percentage/overlap)	85.1% / 79.5%
	sRGB (CIE1976 area percentage/overlap)	115.4% / 98.7%
	sRGB (CIE1931 area percentage/overlap)	120.1% / 99.7%
	Adobe RGB (CIE1976 area percentage/overlap)	98.9% / 89.9%
	Adobe RGB (CIE1931 area percentage/overlap)	89.0% / 83.2%
	DCI-P3 (CIE1976 area percentage/overlap)	91.9% / 91.8%
	DCI-P3 (CIE1931 area percentage/overlap)	89.0% / 83.2%
	Rec.709 (CIE1976 area percentage/overlap)	115.4% / 98.7%
	Rec.709 (CIE1931 area percentage/overlap)	120.1% / 99.7%
	Display Colors	16.7M
	Color bit	8 bits
I/O Ports	HDMI™	2
	HDMI™ version	2.0
	HDMI™ HDCP version	N/A
	DisplayPort	1
	DisplayPort version	1.2
	DisplayPort HDCP version	N/A
	Thunderbolt version	N/A
	Thunderbolt HDCP version	N/A
	Headphone-out	1
	Lock type	Kensington Lock
I/O Ports (Front)	Thunderbolt	N/A
Power	Power Type	External Adaptor 20V 3.25A
	Power Input	100~240V, 50/60Hz
	Energy Efficiency Rating	G
	Adapter's KC safety Number	N/A
	Power Cord Type	C5



МОНИТОРЫ

Optix G27CQ4

OPTIX G27CQ4

In The Box	DisplayPort Cable	1
	HDMI™ Cable	1
	DVI Cable	0
	USB Type A to Type B Cable	0
	USB Type C to Type A Cable	N/A
	USB Type C to Type C Cable	0
	Thunderbolt Cable	N/A
	VGA Cable	0
	3.5mm audio Cable	0
	3.5mm combo audio Cable	0
	Power Cord	1
	AC Adaptor	1
	Warranty Card	1
	Quick Guide	1
Design	Adjustment (Tilt)	-5° ~ 20°
	VESA Mounting	100x100mm
	Frameless Design	Yes
Dimension & Weight	Inside Carton Dimension (WxDxH) (mm)	696 x 168 x 473
	Inside Carton Dimension (WxDxH) (inch)	27.4 x 6.61 x 18.62
	Weight (Net kg)	5.4
	Weight (Gross kg)	6.7
Product Dimension with Stand (WxDxH)	Product Dimension with Stand (WxDxH) (mm)	611.5 x 225.4 x 457.9
	Product Dimension with Stand (WxDxH) (inch)	24.07 x 8.87 x 18.03
Stand Dimension (WxDxH)	Stand Dimension (WxDxH) (mm)	611.5 x 225.4 x 457.9
	Stand Dimension (WxDxH) (inch)	24.07 x 8.87 x 18.03
Product Dimension without Stand (WxDxH)	Product Dimension without Stand (WxDxH) (mm)	611.5 x 75.9 x 372.8
	Product Dimension without Stand (WxDxH) (inch)	24.07 x 2.99 x 14.68
Outer Carton Dimension (WxDxH)	Outer Carton Dimension (WxDxH) (mm)	711 x 183 x 498
	Outer Carton Dimension (WxDxH) (inch)	27.99 x 7.2 x 19.61
Warranty	Warranty	36M
Barcode Info	EAN	4719072692445
	UPC	824142204139
	UCC14	10824142204136