МОНИТОРЫ

Optix G32CQ4

OPTIX G32CQ4

See beyond the Game. Visualize your victory.

Чтобы обеспечить качественный пользовательский интерфейс, игровые мониторы серии G имеют простой процесс установки и удобный пользовательский интерфейс, и станут лучшим выбором для геймеров начального уровня, чтобы окунуться в игровой мир.



Picture and logos

SELLING POINTS

- Изогнутый экран с кривизной 1500R: максимальное погружение в игру
- Повышенная частота обновления экрана: 165 Гц
- Низкое время отклика ЖК-матрицы: 1 мс
- WQHD (2560 x 1440) – Даже названия игр будут выглядеть лучше, отображая больше деталей благодаря разрешению WQHD (2560 x 1440).
- Широкий цветовой охват: реалистичное отображение каждого оттенка
- Комфорт для пользователя: подавление мерцания экрана и снижение интенсивности синего света
- Безрамочный корпус: идеально для мультимониторных конфигураций.
- Широкие углы обзора: 178°



1. 5-way joystick navigator
2. 1x DC Jack
3. 2x HDMI™ 1.4b
4. 1x Display Port 1.2a
5. 1x Earphone out
6. 1x Kensington lock

“2024-03-19 Changes to the product specifications and errors excepted. The product presentation may differ from the product. Microsoft, Windows, the Windows logo, and DirectX are trademarks or registered trademarks of Microsoft Corporation in the United States and / or other countries. Intel, the Intel logo, Intel Inside, the Intel Inside logo, Intel Core and Core Inside are trademarks of Intel Corporation in the US and other countries. Other trademarks and trade names refer to the respective owners or their products.”

МОНИТОРЫ

Optix G32CQ4

OPTIX G32CQ4

SPECIFICATION

Model	Part No	9S6-3DB51T-012
	MKT Name	Optix G32CQ4
	MKT Spec	Optix G32CQ4
	SKU Number	0
	Color	ID1/Black-Black
Display	Screen Size	31.5" (80 cm)
	Active Display Area (mm)	697.344(H) x 392.256(V)
	Curvature	Curve 1500R
	Panel Type	VA
	Resolution	2560x1440 (WQHD)
	Pixel pitch	0.2724(H)X0.2724(V)
	Pixel pitch (mm)	0.2724(H)X0.2724(V)
	Aspect Ratio	16:9
	Dynamic Refresh Rate technology	FreeSync Premium
	Dynamic Refresh Rate Activated Range	48Hz-165Hz
	HDR (High dynamic range)	N/A
	SDR Brightness (nits)	250
	Contrast Ratio	3000:1
	DCR (Dynamic Contrast Ratio)	100000000:1
	Signal Frequency	70.56~243.38 KHz(H) / 48~165 Hz(V)
	Activated Range	48Hz-165Hz
	Refresh Rate	165HZ
	Response Time (MPRT)	1ms(MPRT)
	Response Time (GTG)	4ms
	Response Time (Tr + Tf)	TYP 14ms
	View Angles	178°(H)/178°(V)
	Surface Treatment	Anti-glare
	NTSC (CIE1976 area percentage/overlap)	100.1% / 86.6%
	NTSC (CIE1931 area percentage/overlap)	85.66% / 80.30%
	sRGB (CIE1976 area percentage/overlap)	114.8% / 97.6%
	sRGB (CIE1931 area percentage/overlap)	120.94% / 99.4%
	Adobe RGB (CIE1976 area percentage/overlap)	98.38% / 89.5%
	Adobe RGB (CIE1931 area percentage/overlap)	89.64% / 83.7%
	DCI-P3 (CIE1976 area percentage/overlap)	91.43% / 91.0%
	DCI-P3 (CIE1931 area percentage/overlap)	89.15% / 88.9%
	Rec.709 (CIE1976 area percentage/overlap)	114.8% / 97.6%
	Rec.709 (CIE1931 area percentage/overlap)	120.94% / 99.4.0%
	Display Colors	16.7M
	Color bit	8 bits
I/O Ports	HDMI™	2
	HDMI™ version	2.0
	HDMI™ HDCP version	N/A
	DisplayPort	1
	DisplayPort version	1.2a
	DisplayPort HDCP version	N/A
	Thunderbolt version	N/A
	Thunderbolt HDCP version	N/A
	Headphone-out	1
	Lock type	Kensington Lock
I/O Ports (Front)	Thunderbolt	N/A
Power	Power Type	External Adaptor 20V 3.25A
	Power Input	100~240V, 50/60Hz
	Energy Efficiency Rating	G
	Adapter's KC safety Number	N/A
	Power Cord Type	N/A
	QC Output	N/A
	QC Output Power	N/A
	PD Output	N/A
	PD Output Power	N/A

"2024-03-19 Changes to the product specifications and errors excepted. The product presentation may differ from the product. Microsoft, Windows, the Windows logo, and DirectX are trademarks or registered trademarks of Microsoft Corporation in the United States and / or other countries. Intel, the Intel logo, Intel Inside, the Intel Inside logo, Intel Core and Core Inside are trademarks of Intel Corporation in the US and other countries. Other trademarks and trade names refer to the respective owners or their products."

МОНИТОРЫ

Optix G32CQ4

OPTIX G32CQ4

In The Box	DisplayPort Cable	0
	HDMI™ Cable	1
	DVI Cable	0
	USB Type A to Type B Cable	0
	USB Type C to Type A Cable	N/A
	USB Type C to Type C Cable	0
	Thunderbolt Cable	N/A
	VGA Cable	0
	3.5mm audio Cable	0
	3.5mm combo audio Cable	0
	Power Cord	1
	AC Adaptor	1
	Warranty Card	1
	Quick Guide	1
Design	Adjustment (Tilt)	-5° ~ 20°
	VESA Mounting	100x100mm
	Frameless Design	Yes
Dimension & Weight	Inside Carton Dimension (WxDxH) (mm)	883 x 195 x 540
	Inside Carton Dimension (WxDxH) (inch)	34.76 x 7.68 x 21.26
	Weight (Net kg)	6.4
	Weight (Gross kg)	9.1
Product Dimension with Stand (WxDxH)	Product Dimension with Stand (WxDxH) (mm)	709.4 x 248.9 x 509.5
	Product Dimension with Stand (WxDxH) (inch)	27.93 x 9.8 x 20.06
Stand Dimension (WxDxH)	Stand Dimension (WxDxH) (mm)	709.4 x 248.8 x 509.5
	Stand Dimension (WxDxH) (inch)	27.93 x 9.8 x 20.06
Product Dimension without Stand (WxDxH)	Product Dimension without Stand (WxDxH) (mm)	709.4 x 92.2 x 429.3
	Product Dimension without Stand (WxDxH) (inch)	27.93 x 3.63 x 16.9
Outer Carton Dimension (WxDxH)	Outer Carton Dimension (WxDxH) (mm)	898 x 210 x 565
	Outer Carton Dimension (WxDxH) (inch)	35.35 x 8.27 x 22.24
Warranty	Warranty	12M
Barcode Info	EAN	4719072720605
	UPC	824142219805
	UCC14	10824142219802

“2024-03-19 Changes to the product specifications and errors excepted. The product presentation may differ from the product. Microsoft, Windows, the Windows logo, and DirectX are trademarks or registered trademarks of Microsoft Corporation in the United States and / or other countries. Intel, the Intel logo, Intel Inside, the Intel Inside logo, Intel Core and Core Inside are trademarks of Intel Corporation in the US and other countries. Other trademarks and trade names refer to the respective owners or their products.”