МОНИТОРЫ

Optix MAG251RX

OPTIX MAG251RX

Киберспорт – наше всё!

Продукты MSI серии MAG отличаются повышенной надежностью и прочностью, удобством установки и дружественным пользовательским интерфейсом. Каждая входящая в нее модель станет прекрасным выбором для начинающих геймеров, которые делают первые шаги в мире компьютерных игр.



Picture and logos

SELLING POINTS

- Киберспортивный игровой монитор: оптимизирован под профессиональные турниры
- Высокая частота обновления экрана: 240Гц
- Низкое время отклика ЖК-матрицы: 1мс
- Приложение Gaming OSD: оптимизация настроек монитора под конкретные игры
- Сертификация VESA DisplayHDR 400: расширенный динамический диапазон увеличивает контрастность
- Режим Night Vision: «ночное зрение» для улучшенной ориентации в темных игровых сценах
- Разъем USB Type-C: удобный многофункциональный интерфейс
- Сертификация NVIDIA G-SYNC Compatible: адаптивная синхронизация для устранения эффекта «разрыва кадра»
- Безрамочный корпус: идеально для мультимониторных конфигураций
- Геймерский режим - Game Mode: оптимизация изображения под компьютерные игры
- Комфорт для пользователя: подавление мерцания экрана и снижение интенсивности синего света
- Широкие углы обзора: 178°



1. 1x Display Port 1.2a
2. 2x HDMI™ 2.0
3. 1x USB Type-C (DP alt.)
4. 1x Headphone out
5. 1x DC jack
6. 1x USB 2.0 Type-B
7. 3x USB 2.0 Type-A

"2024-03-27 Changes to the product specifications and errors excepted. The product presentation may differ from the product. Microsoft, Windows, the Windows logo, and DirectX are trademarks or registered trademarks of Microsoft Corporation in the United States and / or other countries. Intel, the Intel logo, Intel Inside, the Intel Inside logo, Intel Core and Core Inside are trademarks of Intel Corporation in the US and other countries. Other trademarks and trade names refer to the respective owners or their products."

МОНИТОРЫ

Optix MAG251RX

OPTIX MAG251RX

SPECIFICATION

Model	Part No	9S6-3BA37T-010
	MKT Name	Optix MAG251RX
	MKT Spec	Optix MAG251RX
	SKU Number	0
	Color	ID1/Black-Black
Display	Screen Size	24.5" (62.2cm)
	Active Display Area (mm)	543.744(H) x 302.616(V)
	Curvature	Flat
	Panel Type	IPS
	Resolution	1920x1080 (FHD)
	Pixel pitch	0.2832(H) x 0. 2802(V)
	Aspect Ratio	16:9
	Dynamic Refresh Rate technology	G-SYNC Compatible
	HDR (High dynamic range)	HDR400
	SDR Brightness (nits)	400
	Contrast Ratio	1000:1
	DCR (Dynamic Contrast Ratio)	100000000:1
	Signal Frequency	121~265 KHz(H) / 48~240 Hz(V)
	Activated Range	48~240Hz
	Refresh Rate	240HZ
	Response Time (MPRT)	1ms(MPRT)
	Response Time (GTG)	1ms
	Response Time (Tr + Tf)	7.3ms
	View Angles	178°(H)/178°(V)
	Surface Treatment	Anti-glare
	NTSC (CIE1976 area percentage/overlap)	93.6%/81%
	NTSC (CIE1931 area percentage/overlap)	78.1%/74.5%
	sRGB (CIE1976 area percentage/overlap)	107.3%/99.1%
	sRGB (CIE1931 area percentage/overlap)	110.3%/99.4%
	Adobe RGB (CIE1976 area percentage/overlap)	92%/86.4%
	Adobe RGB (CIE1931 area percentage/overlap)	81.7%/77.5%
	DCI-P3 (CIE1976 area percentage/overlap)	85.5%/84%
	DCI-P3 (CIE1931 area percentage/overlap)	81.3%/81%
	Rec.709 (CIE1976 area percentage/overlap)	107.3%/99.1%
	Rec.709 (CIE1931 area percentage/overlap)	110.3%/99.5%
	Display Colors	1.07B
	Color bit	10 bits (8 bits + FRC)
I/O Ports	HDMI™	2
	HDMI™ version	2.0
	DisplayPort	1
	DisplayPort version	1.2a
	USB Type C (DisplayPort Alternate)	1
	Mic-in upstream	N/A
	Headphone-out	1
	Lock type	Kensington Lock
	USB 2.0 Type B	1
I/O Ports (Front)	USB 2.0 Type A	3
Power	Power Type	External Adaptor 19V 3.42A
	Power Input	100~240V, 50/60Hz
	Energy Efficiency Rating	F
	Adapter's KC safety Number	SU10473-13011
	Power Cord Type	C5
	PD Output	Type C
	PD Output Power	5V, 3A

"2024-03-27 Changes to the product specifications and errors excepted. The product presentation may differ from the product. Microsoft, Windows, the Windows logo, and DirectX are trademarks or registered trademarks of Microsoft Corporation in the United States and / or other countries. Intel, the Intel logo, Intel Inside, the Intel Inside logo, Intel Core and Core Inside are trademarks of Intel Corporation in the US and other countries. Other trademarks and trade names refer to the respective owners or their products."

Optix MAG251RX

OPTIX MAG251RX

In The Box	DisplayPort Cable	1
	HDMI™ Cable	1
	DVI Cable	0
	USB Type A to Type B Cable	1
	USB Type C to Type A Cable	0
	USB Type C to Type C Cable	0
	Thunderbolt Cable	0
	VGA Cable	0
	3.5mm audio Cable	0
	3.5mm combo audio Cable	0
	Power Cord	1
	AC Adaptor	1
	Warranty Card	1
	Quick Guide	1
Design	Adjustment (Tilt)	-5° ~ 20°
	Adjustment (Height)	0 ~ 130 mm
	VESA Mounting	100x100mm
	Frameless Design	Yes
Dimension & Weight	Inside Carton Dimension (WxDxH) (mm)	766 x 211 x 410□
	Inside Carton Dimension (WxDxH) (inch)	30.16 x 8.31 x 410□
	Weight (Net kg)	5.4
	Weight (Gross kg)	7.8
Product Dimension with Stand (WxDxH)	Product Dimension with Stand (WxDxH) (mm)	560.1 x 182.4 x 507.0
	Product Dimension with Stand (WxDxH) (inch)	22.05 x 7.18 x 19.96
Stand Dimension (WxDxH)	Stand Dimension (WxDxH) (mm)	249.94 x 182.11 x 404.48
	Stand Dimension (WxDxH) (inch)	9.84 x 7.17 x 15.92
Product Dimension without Stand (WxDxH)	Product Dimension without Stand (WxDxH) (mm)	560.10 x 74.40 x 335.50
	Product Dimension without Stand (WxDxH) (inch)	22.05 x 2.93 x 13.21
Outer Carton Dimension (WxDxH)	Outer Carton Dimension (WxDxH) (mm)	775 x 220 x 422
	Outer Carton Dimension (WxDxH) (inch)	30.51 x 8.66 x 16.61
Warranty	Warranty	12M
Barcode Info	EAN	4719072731199
	UPC	824142218464
	UCC14	10824142218461

“2024-03-27 Changes to the product specifications and errors excepted. The product presentation may differ from the product. Microsoft, Windows, the Windows logo, and DirectX are trademarks or registered trademarks of Microsoft Corporation in the United States and / or other countries. Intel, the Intel logo, Intel Inside, the Intel Inside logo, Intel Core and Core Inside are trademarks of Intel Corporation in the US and other countries. Other trademarks and trade names refer to the respective owners or their products.”