

PATH TO THE FUTURE



Selling Points

- Киберспортивный игровой монитор для профессиональных турниров
- Формат WQHD: высокое разрешение обеспечивает четкое и детализированное изображение
- Повышенная частота обновления экрана: 165 Гц
- Низкое время отклика ЖК-матрицы: 1 мс
- Приложение Gaming OSD: оптимизируйте настройки монитора под конкретные игры
- Поддержка технологии HDR: расширенный динамический диапазон увеличивает контрастность
- Режим Night Vision: «ночное зрение» для улучшенной ориентации в темных игровых сценах
- Широкий цветовой охват: идеальная цветопередача
- Интерфейс USB Type-C
- Адаптивная синхронизация AMD FreeSync –: устранение эффекта «разрыва кадра»
- Безрамочный корпус: идеально для мультимониторных конфигураций
- Геймерский режим: оптимизация изображения под компьютерные игры
- Широкие углы обзора: 178°



Picture and logos: Pictures Мониторы



1. 1x HDMI
2. 1x HDMI
3. 1x Display Port
4. 1x Headset
5. 2x USB 2.0 Type A
6. 1x USB 2.0 Type B
7. 1x Kensington Lock
8. Headset Hanger



М О Н И Т О Р Ы

Optix MAG272QP

OPTIX MAG272QP

Specification

USB 3.2 Gen 2x2 Type C	NA
USB 3.2 Gen 2x2 Type A	NA
USB 3.2 Gen 1 Type C	NA
USB 3.2 Gen 1 Type A	NA
USB 2.0 Type A	2
USB 2.0 Type C	NA
Card Reader	NA
Inside Carton Dimension (WxDxH) (mm)	730 x 220 x 490
Inside Carton Dimension (WxDxH) (inch)	28.74 x 8.66 x 19.29
Weight (Net kg)	6.05
Weight (Gross kg)	8.7
Warranty	12M
AC Adaptor	1
Power Cord	1
Warranty Card	1
Quick Guide	1
SKU Number	0
EAN	4719072658601
UPC	824142191248
UCC14	10824142191245
Thunderbolt	N/A
Local Dimming	N/A
Screen Size	27" (69 cm)
Active Display Area (mm)	596.736(H) x 335.664(V)
Curvature	Flat
Panel Type	VA
Resolution	2560x1440 (WQHD)
Pixel pitch	0.2331(H)X0.2331(V)
Aspect Ratio	16:9
Dynamic Refresh Rate technology	FreeSync
Activated Range	48Hz-165Hz
HDR (High dynamic range)	NA
SDR Brightness (nits)	300
Contrast Ratio	3000:1
DCR (Dynamic Contrast Ratio)	100000000:1
Signal Frequency	70.56~214.56 KHz(H) / 48~165 Hz(V)
Refresh Rate	165HZ
Response Time (MPRT)	1ms(MPRT)
Response Time (GTG)	4ms
Response Time (Tr + Tf)	NA
View Angles	178°(H)/178°(V)
NTSC (CIE1976 area percentageoverlap)	NA
NTSC (CIE1931 area percentageoverlap)	85.0%
sRGB (CIE1976 area percentageoverlap)	123.7%/99.9%
sRGB (CIE1931 area percentageoverlap)	125.3%/100.0%
Adobe RGB (CIE1976 area percentageoverlap)	106.0%/91.6%
Adobe RGB (CIE1931 area percentageoverlap)	92.9%/84.5%
DCI-P3 (CIE1976 area percentageoverlap)	98.5%/95.6%
DCI-P3 (CIE1931 area percentageoverlap)	92.4%/90.8%
Rec.709 (CIE1976 area percentageoverlap)	71.8%/71.8%
Rec.709 (CIE1931 area percentageoverlap)	66.3%/66.3%
Surface Treatment	Anti-glare
Display Colors	1.07B
Color bit	10 bits (8 bits + FRC)
Note_DP	2560 x1440 (Up to 165Hz)
Note_HDMI	2560x1440 (Up to 144Hz)
Note_DVI	N/A
HDMI	2
HDMI version	2.0b
HDMI HDCP version	N/A
DisplayPort	1
DisplayPort version	1.2a
DisplayPort HDCP version	N/A



М О Н И Т О Р Ы

Optix MAG272QP

OPTIX MAG272QP

Thunderbolt version	N/A
Thunderbolt HDCP version	N/A
USB Type C (DisplayPort Alternate)	1
DVI	NA
D-Sub	NA
Mic-in	NA
Headphone-out	1
Audio Combo	NA
USB 2.0 Type B	1
USB 3.2 Gen 1 Type B	NA
Lock type	Kensington Lock
Power Type	External Adaptor 19V 3.42A
Power Input	100~240V, 50/60Hz
Adapter's KC safety Number	N/A
Power Cord Type	N/A
QC Output	N/A
QC Output Power	N/A
PD Output	N/A
PD Output Power	N/A
Adjustment (Tilt)	-5° ~ 20°
Adjustment (Swivel)	-75° ~ 75°
Adjustment (Height)	0 ~ 100 mm
Adjustment (Pivot)	-90° ~ 90°
VESA Mounting	100x100mm
Frameless Design	Yes
Outer Carton Dimension (WxDxH) (mm)	N/A
Outer Carton Dimension (WxDxH) (inch)	N/A
Product Dimension with Stand (WxDxH) (mm)	614.9 x 206.7 x 532.7
Product Dimension with Stand (WxDxH) (inch)	24.21 x 8.14 x 20.97
Product Dimension without Stand (WxDxH) (mm)	614.9 x 47.4 x 369.3
Product Dimension without Stand (WxDxH) (inch)	24.21 x 1.87 x 14.54
Stand Dimension (WxDxH) (mm)	N/A
Stand Dimension (WxDxH) (inch)	N/A
Weight (Net lbs)	13.34
Weight (Gross lbs)	19.18
Feature	Gaming Mode Adaptive Sync (Freesync) 5 Ways Joystick Navigator Control Frameless design MSI Gaming OSD HDR Ready
Certification	全球(WW)/CB EU(歐洲)/CE-LVD DE(德國)/CE-EMC NALA(美國)/FCC DOC
DisplayPort Cable	1
HDMI Cable	0
DVI Cable	0
USB Type A to Type B Cable	1
USB Type C to Type A Cable	N/A
USB Type C to Type C Cable	0
Thunderbolt Cable	N/A
VGA Cable	0
3.5mm audio Cable	0
3.5mm combo audio Cable	0