

Четкое изображение - чистая победа!

Мониторы MSI серии Optix отличаются повышенной надежностью и прочностью, удобством установки и дружелюбным пользовательским интерфейсом. Каждая входящая в нее модель станет прекрасным выбором для начинающих геймеров, которые делают первые шаги в мире компьютерных игр.



Picture and logos

SELLING POINTS

- IPS-панель с великолепным качеством изображения: точная цветопередача и высокая яркость
- Формат Full-HD: высокое разрешение обеспечивает четкое и детализированное изображение
- Повышенная частота обновления экрана: 144 Гц
- Низкое время отклика ЖК-матрицы: 1 мс
- Приложение Gaming OSD: оптимизация настроек монитора под конкретные игры
- Поддержка технологии HDR: расширенный динамический диапазон увеличивает контрастность
- Режим Night Vision: «ночное зрение» для улучшенной ориентации в темных игровых сценах
- Широкий цветовой охват: реалистичное отображение каждого оттенка
- Эргономичная подставка: удобная настройка положения экрана монитора
- Технология AMD FreeSync®: устранение эффекта разрыва кадра
- Подсветка Mystic Light: персонализация игровой системы
- Сверхтонкая экранная рамка: ничто не отвлекает взгляд от изображения
- Геймерский режим: профили с настройками, оптимизированные под игры разных жанров
- Широкие углы обзора: 178°
- Комфорт для пользователя: подавление мерцания экрана и снижение интенсивности синего света



1. 5-way joystick navigator
2. 1x DC jack
3. 1x USB 2.0 Type B
4. 2x USB 2.0 Type A
5. 1x Display Port (1.2a)
6. 2x HDMI™ (2.0)
7. 1x Earphone out

SPECIFICATION

Model	Part No	9S6-3CB65H-013
	MKT Name	Optix MAG273R
	MKT Spec	Optix MAG273R
	Color	ID1/Black-Black
	Local Dimming	N/A
Display	Screen Size	27" (69 cm)
	Active Display Area (mm)	597.6(H) x 336.15(V) mm
	Curvature	Flat
	Panel Type	IPS
	Resolution	1920x1080 (FHD)
	Pixel pitch	0.31125(H)x0.31125(V)
	Aspect Ratio	16:9
	Dynamic Refresh Rate technology	FreeSync
	HDR (High dynamic range)	HDR Ready
	SDR Brightness (nits)	250
	Contrast Ratio	1000:1
	DCR (Dynamic Contrast Ratio)	100000000:1
	Signal Frequency	65.4~166.6 KHz(H) / 30~144 Hz(V)
	Activated Range	30Hz-144Hz
	Refresh Rate	144HZ
	Response Time (MPRT)	1ms(MPRT)
	Response Time (GTG)	4ms
	Response Time (Tr + Tf)	14ms
	View Angles	178°(H)/178°(V)
	Surface Treatment	Anti-glare
	NTSC (CIE1976 area percentage/overlap)	118.59%/88.30%
	NTSC (CIE1931 area percentage/overlap)	95.87%/84.30%
	sRGB (CIE1976 area percentage/overlap)	135.94%/99.83%
	sRGB (CIE1931 area percentage/overlap)	135.35%/100.02%
	Adobe RGB (CIE1976 area percentage/overlap)	116.40%/92.11%
	Adobe RGB (CIE1931 area percentage/overlap)	100.34%/86.44%
	DCI-P3 (CIE1976 area percentage/overlap)	108.39%/97.68%
	DCI-P3 (CIE1931 area percentage/overlap)	99.78%/96.78%
Display Colors	1.07B	
Color bit	10 bits (8 bits + FRC)	
I/O Ports	HDMI™	2
	HDMI™ version	2.0
	HDMI™ HDCP version	N/A
	DisplayPort	1
	DisplayPort version	1.2a
	DisplayPort HDCP version	N/A
	Thunderbolt version	N/A
	Thunderbolt HDCP version	N/A
	Headphone-out	1
	Lock type	Kensington Lock
	USB 2.0 Type B	1
I/O Ports (Front)	Thunderbolt	N/A
	USB 2.0 Type A	2
Power	Power Type	External Adaptor 12V 5A
	Power Input	100~240V, 50/60Hz
	Energy Efficiency Rating	B
	Adapter's KC safety Number	N/A
	Power Cord Type	N/A
	QC Output	N/A
	QC Output Power	N/A
	PD Output	N/A
PD Output Power	N/A	

In The Box	DisplayPort Cable	0
	HDMI™ Cable	1
	DVI Cable	0
	USB Type A to Type B Cable	1
	USB Type C to Type A Cable	N/A
	USB Type C to Type C Cable	0
	Thunderbolt Cable	N/A
	VGA Cable	0
	3.5mm audio Cable	0
	3.5mm combo audio Cable	0
	Power Cord	1
	AC Adaptor	1
	Warranty Card	1
	Quick Guide	1
	Design	Adjustment (Tilt)
Adjustment (Height)		0 ~ 130 mm
VESA Mounting		100x100mm
Frameless Design		Yes
Dimension & Weight	Inside Carton Dimension (WxDxH) (mm)	707 x 144 x 555
	Inside Carton Dimension (WxDxH) (inch)	27.83 x 5.67 x 21.85
	Weight (Net kg)	6.14
	Weight (Gross kg)	8.56
Product Dimension with Stand (WxDxH)	Product Dimension with Stand (WxDxH) (mm)	617 x 206.72 x 508.6
	Product Dimension with Stand (WxDxH) (inch)	24.29 x 8.14 x 20.02
Stand Dimension (WxDxH)	Stand Dimension (WxDxH) (mm)	N/A
	Stand Dimension (WxDxH) (inch)	N/A
Product Dimension without Stand (WxDxH)	Product Dimension without Stand (WxDxH) (mm)	617 x 68.05 x 363.2
	Product Dimension without Stand (WxDxH) (inch)	24.29 x 2.68 x 14.3
Outer Carton Dimension (WxDxH)	Outer Carton Dimension (WxDxH) (mm)	730 x 157 x 580
	Outer Carton Dimension (WxDxH) (inch)	28.74 x 6.18 x 22.83
Warranty	Warranty	12M
Barcode Info	EAN	4719072693404
	UPC	824142204580
	UCC14	10824142204587