

PATH TO THE FUTURE



Picture and logos

SELLING POINTS

- Изогнутый экран с кривизной 1500R: максимальное погружение в игру.
- Формат 4K: высокое разрешение обеспечивает четкое и детализированное изображение.
- Поддержка технологии HDR: расширенный динамический диапазон увеличивает контрастность.
- Приложение Gaming OSD: оптимизируйте настройки монитора под конкретные игры.
- Идеально для консолей: характеристики монитора прекрасно подходят для игровых консолей.
- Mystic Light: встроенная светодиодная подсветка.
- Режим Night Vision: «ночное зрение» для улучшенной ориентации в темных игровых сценах.
- Anti-Flicker и Less Blue Light: подавление мерцания экрана и снижение интенсивности синего света.
- Безрамочный корпус: идеально для мультимониторных конфигураций.
- Широкие углы обзора: 178°.



1. 1x HDMI™
2. 1x HDMI™
3. 1x Display Port
4. 1x Headset
5. 2x USB 2.0 Type A
6. 1x USB 2.0 Type B
7. 1x Kensington Lock
8. Headset Hanger



МОНИТОРЫ

Optix MAG321CURV

OPTIX MAG321CURV

SPECIFICATION

Model	Part No	9S6-3DA25A-003
	MKT Name	Optix MAG321CURV
	MKT Spec	Optix MAG321CURV
	SKU Number	0
	Color	ID1/Black-Black
Display	Screen Size	31.5" (80 cm)
	Active Display Area (mm)	697.344(H)X392.2344(V)
	Curvature	Curve 1500R
	Panel Type	VA
	Resolution	3840x2160 (UHD)
	Pixel pitch	0.18159(H) x 0.18159(V)
	Aspect Ratio	16:9
	HDR (High dynamic range)	HDR ready
	SDR Brightness (nits)	300
	Contrast Ratio	2500:1
	DCR (Dynamic Contrast Ratio)	100000000:1
	Signal Frequency	147~148 KHz(H) / 47~60 Hz(V)
	Activated Range	48-60Hz
	Refresh Rate	60Hz
	Response Time (GTG)	4ms
	Response Time (Tr + Tf)	13.04
	View Angles	178°(H)/178°(V)
	Surface Treatment	Anti-glare
	NTSC (CIE1976 area percentage/overlap)	84%/79%
	NTSC (CIE1931 area percentage/overlap)	72%/71%
	sRGB (CIE1976 area percentage/overlap)	97%/94%
	sRGB (CIE1931 area percentage/overlap)	102%/96%
	Adobe RGB (CIE1976 area percentage/overlap)	83%/82%
	Adobe RGB (CIE1931 area percentage/overlap)	76%/74%
	DCI-P3 (CIE1976 area percentage/overlap)	77%/77%
	DCI-P3 (CIE1931 area percentage/overlap)	75%/75%
	Rec.709 (CIE1976 area percentage/overlap)	97%/94%
	Rec.709 (CIE1931 area percentage/overlap)	102%/96%
	Display Colors	1.07B
	Color bit	10 bits (8 bits + FRC)
I/O Ports	HDMI™	2
	HDMI™ version	2.0
	HDMI™ HDCP version	2.2
	DisplayPort	1
	DisplayPort version	1.2a
	DisplayPort HDCP version	2.2
	USB Type C (DisplayPort Alternate)	1
	Mic-in upstream	N/A
	Headphone-out	1
	Lock type	Kensington Lock
	USB 2.0 Type B	1
	USB 2.0 Type A	2
Power	Power Type	External Adaptor 19V 4.74A
	Power Input	100~240V, 50/60Hz
	Energy Efficiency Rating	G
	Adapter's KC safety Number	N/A
	Power Cord Type	N/A
	QC Output	N/A
	QC Output Power	N/A
	PD Output	N/A
	PD Output Power	N/A



МОНИТОРЫ

Optix MAG321CURV

OPTIX MAG321CURV

In The Box	DisplayPort Cable	1
	HDMI™ Cable	1
	DVI Cable	0
	USB Type A to Type B Cable	1
	USB Type C to Type A Cable	N/A
	USB Type C to Type C Cable	0
	Thunderbolt Cable	N/A
	VGA Cable	0
	3.5mm audio Cable	0
	3.5mm combo audio Cable	0
	Power Cord	1
	AC Adaptor	1
	Warranty Card	1
	Quick Guide	1
Design	Adjustment (Tilt)	-5° ~ 20°
	Adjustment (Height)	0 ~ 130 mm
	VESA Mounting	100x100mm
	Frameless Design	Yes
Dimension & Weight	Inside Carton Dimension (WxDxH) (mm)	947 x 162 x 520
	Inside Carton Dimension (WxDxH) (inch)	37.28 x 6.38 x 20.47
	Weight (Net kg)	7
	Weight (Gross kg)	10
Product Dimension with Stand (WxDxH)	Product Dimension with Stand (WxDxH) (mm)	710.5 x 266.5 x 513.6
	Product Dimension with Stand (WxDxH) (inch)	27.97 x 10.49 x 20.22
Stand Dimension (WxDxH)	Stand Dimension (WxDxH) (mm)	470 x 266.5 x 421
	Stand Dimension (WxDxH) (inch)	18.5 x 10.49 x 16.57
Product Dimension without Stand (WxDxH)	Product Dimension without Stand (WxDxH) (mm)	710.5 x 99.2 x 423.3
	Product Dimension without Stand (WxDxH) (inch)	27.97 x 3.91 x 16.67
Outer Carton Dimension (WxDxH)	Outer Carton Dimension (WxDxH) (mm)	957 x 180 x 540
	Outer Carton Dimension (WxDxH) (inch)	37.68 x 7.09 x 21.26
Warranty	Warranty	12M
Barcode Info	EAN	4719072623692
	UPC	824142179116
	UCC14	10824142179113