

**See beyond the Game.
Visualize your victory.**



Picture and logos

SELLING POINTS

- Изогнутый экран с кривизной 1500R: максимальное погружение в игру
- Mystic Light – The ultimate gaming finish.
- Формат WQHD: высокое разрешение обеспечивает четкое и детализированное изображение
- Повышенная частота обновления экрана: 165Гц
- Низкое время отклика ЖК-матрицы: 1мс
- Приложение Gaming OSD: оптимизация настроек монитора под конкретные игры
- Поддержка технологии HDR: расширенный динамический диапазон увеличивает контрастность
- Режим Night Vision: «ночное зрение» для улучшенной ориентации в темных игровых сценах
- Интерфейс USB Type-C: удобное подключение монитора к компьютеру или ноутбуку
- Адаптивная синхронизация AMD FreeSync: устранение эффекта «разрыва кадра»
- Комфорт для пользователя: подавление мерцания экрана и снижение интенсивности синего света
- Безрамочный корпус: идеально для мультимониторных конфигураций
- Широкие углы обзора: 178°



1. 5-Way Navigator
2. 1x Display Port 1.2a
3. 2x HDMI™ 2.0b
4. 1x USB Type C (For DP and Charge)
5. 1x Earphone
6. 1x USB 2.0 Type B (PC to Monitor)
7. 1x Kensington Lock
8. 2x USB 2.0 Type A

SPECIFICATION

Model	Part No	9S6-3DA75A-009
	MKT Name	Optix MAG322CQR
	MKT Spec	Optix MAG322CQR
	Entity MKT Name	Optix MAG322CQR
	Color	ID1/Black-Black
	Local Dimming	N/A
Display	Screen Size	31.5" (80 cm)
	Active Display Area (mm)	697.344(H)X392.256(V)
	Curvature	Curve 1500R
	Panel Type	VA
	Resolution	2560x1440 (WQHD)
	Pixel pitch	0.2724(H)X0.2724(V)
	Aspect Ratio	16:9
	Dynamic Refresh Rate technology	FreeSync
	HDR (High dynamic range)	HDR ready
	SDR Brightness (nits)	300
	Contrast Ratio	3000:1
	DCR (Dynamic Contrast Ratio)	100000000:1
	Signal Frequency	70.56~243.38 KHz(H) / 48~165 Hz(V)
	Activated Range	48-165Hz
	Refresh Rate	165HZ
	Response Time (MPRT)	1ms(MPRT)
	Response Time (GTG)	4ms
	Response Time (Tr + Tf)	22ms
	View Angles	178°(H)/178°(V)
	Surface Treatment	Anti-glare
	NTSC (CIE1976 area percentage/overlap)	108.2%/87.4%
	NTSC (CIE1931 area percentage/overlap)	89.4%/81.5%
	sRGB (CIE1976 area percentage/overlap)	124.1%/99.7%
	sRGB (CIE1931 area percentage/overlap)	126.2%/99.9%
	Adobe RGB (CIE1976 area percentage/overlap)	106.3%/91.9%
	Adobe RGB (CIE1931 area percentage/overlap)	93.6%/84.8%
	DCI-P3 (CIE1976 area percentage/overlap)	98.8%/95.7%
	DCI-P3 (CIE1931 area percentage/overlap)	93.0%/91.4%
	Rec.709 (CIE1976 area percentage/overlap)	124.1%/99.7%
	Rec.709 (CIE1931 area percentage/overlap)	126.2%/99.9%
Display Colors	1.07B	
Color bit	10 bits (8 bits + FRC)	
I/O Ports	HDMI™	2
	HDMI™ version	2.0
	HDMI™ HDCP version	2.2
	DisplayPort	1
	DisplayPort version	1.2a
	DisplayPort HDCP version	2.2
	USB Type C (DisplayPort Alternate)	1
	Headphone-out	1
	Lock type	Kensington Lock
	USB 2.0 Type B	1
I/O Ports (Front)	USB 2.0 Type A	2
Power	Power Type	External Adaptor 19V 3.42A
	Power Input	100~240V, 50/60Hz
	Energy Efficiency Rating	G
	Adapter's KC safety Number	N/A
	Power Cord Type	N/A
	QC Output	N/A
	QC Output Power	N/A
	PD Output	N/A
PD Output Power	N/A	

In The Box	DisplayPort Cable	1
	HDMI™ Cable	1
	DVI Cable	0
	USB Type A to Type B Cable	1
	USB Type C to Type A Cable	N/A
	USB Type C to Type C Cable	0
	Thunderbolt Cable	N/A
	VGA Cable	0
	3.5mm audio Cable	0
	3.5mm combo audio Cable	0
	Power Cord	1
	AC Adaptor	1
	Warranty Card	1
	Quick Guide	1
	Design	Adjustment (Tilt)
Adjustment (Height)		0 ~ 130 mm
VESA Mounting		100x100mm
Frameless Design		Yes
Dimension & Weight	Inside Carton Dimension (WxDxH) (mm)	947 x 162 x 520
	Inside Carton Dimension (WxDxH) (inch)	37.28 x 6.38 x 20.47
	Weight (Net kg)	7
	Weight (Gross kg)	10
Product Dimension with Stand (WxDxH)	Product Dimension with Stand (WxDxH) (mm)	710.5 x 266.5 x 513.6
	Product Dimension with Stand (WxDxH) (inch)	27.97 x 10.49 x 20.22
Stand Dimension (WxDxH)	Stand Dimension (WxDxH) (mm)	470 x 266.5 x 410.2
	Stand Dimension (WxDxH) (inch)	18.5 x 10.49 x 16.15
Product Dimension without Stand (WxDxH)	Product Dimension without Stand (WxDxH) (mm)	710.5 x 99.2 x 423.3
	Product Dimension without Stand (WxDxH) (inch)	27.97 x 3.91 x 16.67
Outer Carton Dimension (WxDxH)	Outer Carton Dimension (WxDxH) (mm)	957 x 180 x 540
	Outer Carton Dimension (WxDxH) (inch)	37.68 x 7.09 x 21.26
Warranty	Warranty	36M
Barcode Info	EAN	4719072685232
	UPC	824142201466
	UCC14	10824142201463