МОНИТОРЫ

Optix MAG322CQRV

OPTIX MAG322CQRV

PATH TO THE FUTURE



Picture and logos

SELLING POINTS

- Изогнутый экран с кривизной 1500R: максимальное погружение в игру.
- Формат WQHD: высокое разрешение обеспечивает четкое и детализированное изображение.
- Высокая частота обновления экрана: 144 Гц.
- Низкое время отклика ЖК-матрицы: 1 мс.
- Приложение Gaming OSD: оптимизирует настройки монитора под конкретные игры.
- Mystic Light: встроенная светодиодная подсветка.
- Режим Night Vision: «ночное зрение» для улучшенной ориентации в темных игровых сценах.
- Адаптивная синхронизация AMD FreeSync: устранение эффекта «разрыва кадра».
- Anti-Flicker и Less Blue Light: подавление мерцания экрана и снижение интенсивности синего света.
- Безрамочный корпус: идеально для мультимониторных конфигураций.
- Широкие углы обзора: 178°.



1. 1x DC jack
2. 2x HDMI™
3. 1x DisplayPort
4. 1x USB 2.0 / 1 x USB 2.0 Type B
5. 1x USB 2.0 / 1 x Earphone out
6. 1x Kensington Lock

"2024-03-27 Changes to the product specifications and errors excepted. The product presentation may differ from the product. Microsoft, Windows, the Windows logo, and DirectX are trademarks or registered trademarks of Microsoft Corporation in the United States and / or other countries. Intel, the Intel logo, Intel Inside, the Intel Inside logo, Intel Core and Core Inside are trademarks of Intel Corporation in the US and other countries. Other trademarks and trade names refer to the respective owners or their products."

Optix MAG322CQRV

OPTIX MAG322CQRV

SPECIFICATION

Model	Part No	9S6-3DA45A-003
	MKT Name	Optix MAG322CQRV
	MKT Spec	Optix MAG322CQRV
	SKU Number	0
	Color	ID1/Black-Black
	Local Dimming	N/A
Display	Screen Size	31.5" (80 cm)
	Active Display Area (mm)	697.344(H)X392.256(V)
	Curvature	Curve 1500R
	Panel Type	VA
	Resolution	2560x1440 (WQHD)
	Pixel pitch	0.2724(H)X0.2724(V)
	Aspect Ratio	16:9
	Dynamic Refresh Rate technology	FreeSync
	SDR Brightness (nits)	300
	Contrast Ratio	3000:1
	DCR (Dynamic Contrast Ratio)	100000000:1
	Signal Frequency	70.56~214.56 KHz(H) / 48~144 Hz(V)
	Activated Range	48-144Hz
	Refresh Rate	144HZ
	Response Time (MPRT)	1ms(MPRT)
	Response Time (GTG)	4ms
	Response Time (Tr + Tf)	22ms
	View Angles	178°(H)/178°(V)
	Surface Treatment	Anti-glare
	NTSC (CIE1976 area percentage/overlap)	86%/78%
	NTSC (CIE1931 area percentage/overlap)	73%/70%
	sRGB (CIE1976 area percentage/overlap)	99%/96%
	sRGB (CIE1931 area percentage/overlap)	103%/95%
	Adobe RGB (CIE1976 area percentage/overlap)	85%/84%
	Adobe RGB (CIE1931 area percentage/overlap)	76%/74%
	DCI-P3 (CIE1976 area percentage/overlap)	79%/79%
	DCI-P3 (CIE1931 area percentage/overlap)	76%/76%
	Rec.709 (CIE1976 area percentage/overlap)	99%/96%
	Rec.709 (CIE1931 area percentage/overlap)	103%/95%
	Display Colors	16.7M
	Color bit	8 bits
I/O Ports	HDMI™	2
	HDMI™ version	2.0
	HDMI™ HDCP version	2.2
	DisplayPort	1
	DisplayPort version	1.2a
	DisplayPort HDCP version	2.2
	Headphone-out	1
	Lock type	Kensington Lock
	USB 2.0 Type B	1
I/O Ports (Front)	USB 2.0 Type A	2
Power	Power Type	External Adaptor 19V 4.74A
	Power Input	100~240V, 50/60Hz
	Energy Efficiency Rating	B
	Adapter's KC safety Number	N/A
	Power Cord Type	N/A
	QC Output	N/A
	QC Output Power	N/A
	PD Output	N/A
	PD Output Power	N/A

"2024-03-27 Changes to the product specifications and errors excepted. The product presentation may differ from the product. Microsoft, Windows, the Windows logo, and DirectX are trademarks or registered trademarks of Microsoft Corporation in the United States and / or other countries. Intel, the Intel logo, Intel Inside, the Intel Inside logo, Intel Core and Core Inside are trademarks of Intel Corporation in the US and other countries. Other trademarks and trade names refer to the respective owners or their products."

Optix MAG322CQRV

OPTIX MAG322CQRV

In The Box	DisplayPort Cable	1
	HDMI™ Cable	1
	DVI Cable	0
	USB Type A to Type B Cable	1
	USB Type C to Type A Cable	N/A
	USB Type C to Type C Cable	0
	Thunderbolt Cable	N/A
	VGA Cable	0
	3.5mm audio Cable	0
	3.5mm combo audio Cable	0
	Power Cord	1
	AC Adaptor	1
	Warranty Card	1
	Quick Guide	1
Design	Adjustment (Tilt)	-5° ~ 20°
	Adjustment (Height)	0 ~ 130 mm
	VESA Mounting	100x100mm
	Frameless Design	Yes
Dimension & Weight	Inside Carton Dimension (WxDxH) (mm)	947 x 162 x 520
	Inside Carton Dimension (WxDxH) (inch)	37.28 x 6.38 x 20.47
	Weight (Net kg)	7
	Weight (Gross kg)	10
Product Dimension with Stand (WxDxH)	Product Dimension with Stand (WxDxH) (mm)	710.5 x 266.5 x 513.6
	Product Dimension with Stand (WxDxH) (inch)	27.97 x 10.49 x 20.22
Stand Dimension (WxDxH)	Stand Dimension (WxDxH) (mm)	470 x 266.5 x 421
	Stand Dimension (WxDxH) (inch)	18.5 x 10.49 x 16.57
Product Dimension without Stand (WxDxH)	Product Dimension without Stand (WxDxH) (mm)	710.5 x 99.2 x 423.3
	Product Dimension without Stand (WxDxH) (inch)	27.97 x 3.91 x 16.67
Outer Carton Dimension (WxDxH)	Outer Carton Dimension (WxDxH) (mm)	957 x 180 x 540
	Outer Carton Dimension (WxDxH) (inch)	37.68 x 7.09 x 21.26
Warranty	Warranty	12M
Barcode Info	EAN	4719072628550
	UPC	824142180631
	UCC14	10824142180638

“2024-03-27 Changes to the product specifications and errors excepted. The product presentation may differ from the product. Microsoft, Windows, the Windows logo, and DirectX are trademarks or registered trademarks of Microsoft Corporation in the United States and / or other countries. Intel, the Intel logo, Intel Inside, the Intel Inside logo, Intel Core and Core Inside are trademarks of Intel Corporation in the US and other countries. Other trademarks and trade names refer to the respective owners or their products.”