

## PATH TO THE FUTURE



Picture and logos

## SELLING POINTS

- Изогнутый экран с кривизной 1800R: максимальное погружение в игру
- Формат UWQHD: высокое разрешение обеспечивает четкое и детализированное изображение
- Повышенная частота обновления экрана: 100 Гц
- Невероятно четкое панорамное изображение в компьютерных играх: соотношение сторон – 21:9, разрешение – 3440x1440 пикселей
- Комфорт для пользователя: подавление мерцания экрана и снижение интенсивности синего света
- Широкие углы обзора: 178°



1. 1x DVI
2. 1x HDMI™
3. 1x Display Port



SPECIFICATION

Model	Part No	9S6-3MA01H-003
	MKT Name	Optix MAG341CQ
	MKT Spec	Optix MAG341CQ
	Color	ID1/Black-Black
	Local Dimming	N/A
Display	Screen Size	34" (86.36 cm)
	Active Display Area (mm)	797.22(H) x 333.72(V)
	Curvature	Curve 1800R
	Panel Type	VA
	Resolution	3440x1440 (UWQHD)
	Pixel pitch	0.23175(H)X0.23175(V)
	Aspect Ratio	21:9
	Dynamic Refresh Rate technology	FreeSync
	SDR Brightness (nits)	250
	Contrast Ratio	3000:1
	DCR (Dynamic Contrast Ratio)	50000000:1
	Signal Frequency	30~144 KHz(H) / 48~100 Hz(V)
	Activated Range	48-100Hz
	Refresh Rate	100HZ
	Response Time (GTG)	8ms
	View Angles	178°(H)/178°(V)
	Surface Treatment	Anti-glare
	NTSC (CIE1976 area percentage/overlap)	85%
	NTSC (CIE1931 area percentage/overlap)	85%
	sRGB (CIE1976 area percentage/overlap)	115%
	sRGB (CIE1931 area percentage/overlap)	115%
	Adobe RGB (CIE1976 area percentage/overlap)	85%
	Adobe RGB (CIE1931 area percentage/overlap)	85%
	DCI-P3 (CIE1976 area percentage/overlap)	85%
	DCI-P3 (CIE1931 area percentage/overlap)	85%
	Display Colors	16.7M
	Color bit	8 bits
I/O Ports	HDMI™	1
	HDMI™ version	2.0
	HDMI™ HDCP version	N/A
	DisplayPort	1
	DisplayPort version	1.2a
	DisplayPort HDCP version	N/A
	Thunderbolt version	N/A
	Thunderbolt HDCP version	N/A
	DVI	1
	Mic-in upstream	N/A
I/O Ports (Front)	Thunderbolt	N/A
Power	Power Type	Power Cable
	Power Input	100~240V, 50/60Hz
	Energy Efficiency Rating	B
	Adapter's KC safety Number	N/A
	Power Cord Type	N/A
	QC Output	N/A
	QC Output Power	N/A
	PD Output	N/A
	PD Output Power	N/A



МОНИТОРЫ

Optix MAG341CQ

OPTIX MAG341CQ

In The Box	DisplayPort Cable	1
	HDMI™ Cable	1
	DVI Cable	0
	USB Type A to Type B Cable	0
	USB Type C to Type A Cable	N/A
	USB Type C to Type C Cable	0
	Thunderbolt Cable	N/A
	VGA Cable	0
	3.5mm audio Cable	0
	3.5mm combo audio Cable	0
	Power Cord	1
	AC Adaptor	0
	Warranty Card	1
	Quick Guide	1
Design	Adjustment (Tilt)	-5° ~ 15°
Dimension & Weight	Inside Carton Dimension (WxDxH) (mm)	920 x 174 x 476
	Inside Carton Dimension (WxDxH) (inch)	36.22 x 6.85 x 18.74
	Weight (Net kg)	7.1
	Weight (Gross kg)	10.24
Product Dimension with Stand (WxDxH)	Product Dimension with Stand (WxDxH) (mm)	818 x 198 x 452
	Product Dimension with Stand (WxDxH) (inch)	32.2 x 7.8 x 17.8
Stand Dimension (WxDxH)	Stand Dimension (WxDxH) (mm)	429.6 x 198 x 150
	Stand Dimension (WxDxH) (inch)	16.91 x 7.8 x 5.91
Product Dimension without Stand (WxDxH)	Product Dimension without Stand (WxDxH) (mm)	818 x 113 x 368
	Product Dimension without Stand (WxDxH) (inch)	32.2 x 4.45 x 14.49
Outer Carton Dimension (WxDxH)	Outer Carton Dimension (WxDxH) (mm)	933 x 191 x 496
	Outer Carton Dimension (WxDxH) (inch)	36.73 x 7.52 x 19.53
Warranty	Warranty	12M
Barcode Info	EAN	4719072583880
	UPC	824142166673
	UCC14	10824142166670