

See beyond the Game. Visualize your victory.


Продукты MSI серии MAG отличаются повышенной надежностью и прочностью, удобством установки и дружелюбным пользовательским интерфейсом. Каждая входящая в нее модель станет прекрасным выбором для начинающих геймеров, которые делают первые шаги в мире компьютерных игр.



Picture and logos

SELLING POINTS

- Изогнутый экран с кривизной 1500R: максимальное погружение в игру.
- Полноцветная иллюминация: ваши виртуальные сражения будут украшать завораживающая светодиодная подсветка.
- Формат UWQHD: высокое разрешение обеспечивает четкое и детализированное изображение.
- Высокая частота обновления экрана: 100 Гц.
- Низкое время отклика ЖК-матрицы: 1 мс.
- Режим Night Vision: «ночное зрение» для улучшенной ориентации в темных игровых сценах.
- Адаптивная синхронизация Adaptive Sync: устранение эффекта «разрыва кадра».
- Anti-Flicker и Less Blue Light: подавление мерцания экрана и снижение интенсивности синего света.
- Безрамочный корпус: идеально для мультимониторных конфигураций.
- Широкие углы обзора: 178°.



1. 1x HDMI™ 1.4
2. 1x HDMI™ 2.0
3. 1x Display Port 1.2a
4. 1x DC Jack
5. 1x Earphone out



М О Н И Т О Р Ы

Optix MAG342CQRV

OPTIX MAG342CQRV

SPECIFICATION

Model	Part No	9S6-3DB65H-024
	MKT Name	Optix MAG342CQRV
	MKT Spec	Optix MAG342CQRV
	SKU Number	0
	Color	ID1/Black-Black
Display	Screen Size	34" (86.36 cm)
	Active Display Area (mm)	797.22(H) x 333.72(V)mm
	Curvature	Curve 1500R
	Panel Type	VA
	Resolution	3440x1440 (UWQHD)
	Pixel pitch	0.23175(H)X0.23175(V)
	Pixel pitch (mm)	0.23175(H)X0.23175(V)
	Aspect Ratio	21:9
	Dynamic Refresh Rate technology	Adaptive Sync
	Dynamic Refresh Rate Activated Range	48Hz~100Hz
	SDR Brightness (nits)	250
	Contrast Ratio	3000:1
	DCR (Dynamic Contrast Ratio)	100000000:1
	Signal Frequency	58.56~148.1 KHz(H) / 48~100 Hz(V)
	Activated Range	48Hz~100Hz
	Refresh Rate	100HZ
	Response Time (MPRT)	1ms(MPRT)
	Response Time (GTG)	4ms
	Response Time (Tr + Tf)	16ms
	View Angles	178°(H)/178°(V)
	Surface Treatment	Anti-glare
	NTSC (CIE1976 area percentage/overlap)	97.89%/88.28%
	NTSC (CIE1931 area percentage/overlap)	85.54%/81.96%
	sRGB (CIE1976 area percentage/overlap)	112.22%/96.79%
	sRGB (CIE1931 area percentage/overlap)	120.77%/99.16%
	Adobe RGB (CIE1976 area percentage/overlap)	96.09%/90.53%
	Adobe RGB (CIE1931 area percentage/overlap)	89.53%/85.43%
	DCI-P3 (CIE1976 area percentage/overlap)	89.48%/88.68%
	DCI-P3 (CIE1931 area percentage/overlap)	89.03%/88.79%
	Display Colors	16.7M
	Color bit	8 bits
I/O Ports	HDMI™	2
	HDMI™ version	1.4/2.0
	HDMI™ HDCP version	2.2
	DisplayPort	1
	DisplayPort version	1.2
	DisplayPort HDCP version	2.2
	Headphone-out	1
	Lock type	Kensington Lock
Power	Power Type	External Adaptor 19V 3.42A
	Power Input	100~240V, 50/60Hz
	Energy Efficiency Rating	G
	Power Cord Type	C13



МОНИТОРЫ

Optix MAG342CQRV

OPTIX MAG342CQRV

In The Box	DisplayPort Cable	0
	HDMI™ Cable	1
	DVI Cable	0
	USB Type A to Type B Cable	0
	USB Type C to Type A Cable	0
	USB Type C to Type C Cable	0
	Thunderbolt Cable	N/A
	VGA Cable	0
	3.5mm audio Cable	0
	3.5mm combo audio Cable	0
	Power Cord	1
	AC Adaptor	1
	Warranty Card	1
	Quick Guide	1
Design	Adjustment (Tilt)	-5° ~ 20°
	Adjustment (Swivel)	-30° ~ 30°
	Adjustment (Height)	0 ~ 90 mm
	Adjustment (Pivot)	-5° ~ 5°
	VESA Mounting	75x75mm
	Frameless Design	Yes
Dimension & Weight	Inside Carton Dimension (WxDxH) (mm)	910 x 210 x 485
	Inside Carton Dimension (WxDxH) (inch)	35.83 x 8.27 x 19.09
	Weight (Net kg)	6.91
	Weight (Gross kg)	9.36
Product Dimension with Stand (WxDxH)	Product Dimension with Stand (WxDxH) (mm)	810 x 270 x 510
	Product Dimension with Stand (WxDxH) (inch)	31.89 x 10.63 x 20.08
Stand Dimension (WxDxH)	Stand Dimension (WxDxH) (mm)	524 x 286 x 375
	Stand Dimension (WxDxH) (inch)	20.63 x 11.26 x 14.76
Product Dimension without Stand (WxDxH)	Product Dimension without Stand (WxDxH) (mm)	810 x 119 x 362
	Product Dimension without Stand (WxDxH) (inch)	31.89 x 4.69 x 14.25
Outer Carton Dimension (WxDxH)	Outer Carton Dimension (WxDxH) (mm)	929 x 223 x 505
	Outer Carton Dimension (WxDxH) (inch)	36.57 x 8.78 x 19.88
Warranty	Warranty	12M
Barcode Info	EAN	4719072719715
	UPC	824142224885
	UCC14	10824142224882