МОНИТОРЫ

Optix MPG27CQ2

OPTIX MPG27CQ2

PATH TO THE FUTURE



Picture and logos

SELLING POINTS

- Изогнутый экран с кривизной 1800R: максимальное погружение в игру.
- Технология GameSense: использование подсветки монитора для вывода игровой информации.
- Mystic Light: встроенная светодиодная подсветка.
- Формат WQHD: высокое разрешение обеспечивает четкое и детализированное изображение.
- Повышенная частота обновления экрана: 144 Гц.
- Низкое время отклика ЖК-матрицы: 1 мс.
- Приложение Gaming OSD - оптимизируйте настройки монитора под конкретные игры.
- Широкий цветовой охват: DCI-P3 90% и sRGB 115%.
- Адаптивная синхронизация: устранение эффекта «разрыва кадра»
- Комфорт для пользователя: подавление мерцания экрана и снижение интенсивности синего света.
- Безрамочный корпус: идеально для мультимониторных конфигураций.
- Широкие углы обзора: 178°.
- Оптимизированная работа с компьютерами и компонентами MSI.

1. 1x HDMI™
2. 1x HDMI™
3. 1x Display Port
4. 1x USB 3.1 Gen 1 Type B
5. 1x Mic-in / Line-out Combo
6. 1x Kensington Lock
7. 1x Headset
8. 1x Mic
9. 2x USB 3.1 Gen 1 Type A

“2024-03-27 Changes to the product specifications and errors excepted. The product presentation may differ from the product. Microsoft, Windows, the Windows logo, and DirectX are trademarks or registered trademarks of Microsoft Corporation in the United States and / or other countries. Intel, the Intel logo, Intel Inside, the Intel Inside logo, Intel Core and Core Inside are trademarks of Intel Corporation in the US and other countries. Other trademarks and trade names refer to the respective owners or their products.”

МОНИТОРЫ

Optix MPG27CQ2

OPTIX MPG27CQ2

SPECIFICATION

Model	Part No	9S6-3FA35T-026
	MKT Name	Optix MPG27CQ2
	MKT Spec	Optix MPG27CQ2
	Entity MKT Name	Optix MPG27CQ2
	Color	ID1/Black-Black
Display	Screen Size	27" (69 cm)
	Active Display Area (mm)	597.736(H)x335.664(V)
	Curvature	Curve 1800R
	Panel Type	VA
	Resolution	2560x1440 (WQHD)
	Pixel pitch	0.2331(H)X0.2331(V)
	Aspect Ratio	16:9
	Dynamic Refresh Rate technology	FreeSync
	HDR (High dynamic range)	N/A
	SDR Brightness (nits)	400
	Contrast Ratio	3000:1
	DCR (Dynamic Contrast Ratio)	100000000:1
	Signal Frequency	70.56~214.56 KHz(H) /48~144 Hz(V)
	Activated Range	HDMI 48~144Hz, DP 48~144Hz
	Refresh Rate	144HZ
	Response Time (MPRT)	1ms(MPRT)
	Response Time (GTG)	12ms
	Response Time (Tr + Tf)	8.918
	View Angles	178°(H)/178°(V)
	Surface Treatment	Anti-glare
	NTSC (CIE1976 area percentage/overlap)	101.56%/87.8%
	NTSC (CIE1931 area percentage/overlap)	86.95%/81.4%
	sRGB (CIE1976 area percentage/overlap)	116.48%/97.4%
	sRGB (CIE1931 area percentage/overlap)	122.76%/99.4%
	Adobe RGB (CIE1976 area percentage/overlap)	99.81%/90.0%
	Adobe RGB (CIE1931 area percentage/overlap)	90.99%/83.7%
	DCI-P3 (CIE1976 area percentage/overlap)	92.76%/91.7%
	DCI-P3 (CIE1931 area percentage/overlap)	90.50%/90.0%
	Rec.709 (CIE1976 area percentage/overlap)	116.48%/97.4%
	Rec.709 (CIE1931 area percentage/overlap)	122.76%/99.4%
	Display Colors	16.7M
	Color bit	8 bits
I/O Ports	HDMI™	2
	HDMI™ version	2.0
	DisplayPort	1
	DisplayPort version	1.2
	Mic-in	1
	Headphone-out	1
	Audio Combo	1
	Lock type	Kensington Lock
	USB 3.2 Gen 1 Type B	1
I/O Ports (Front)	USB 3.2 Gen 1 Type A	2
Power	Power Type	External Adaptor 20V 4.5A
	Power Input	100~240V, 50/60Hz
	Energy Efficiency Rating	C
	Adapter's KC safety Number	SU10469-16001
	Power Cord Type	C5

"2024-03-27 Changes to the product specifications and errors excepted. The product presentation may differ from the product. Microsoft, Windows, the Windows logo, and DirectX are trademarks or registered trademarks of Microsoft Corporation in the United States and / or other countries. Intel, the Intel logo, Intel Inside, the Intel Inside logo, Intel Core and Core Inside are trademarks of Intel Corporation in the US and other countries. Other trademarks and trade names refer to the respective owners or their products."

Optix MPG27CQ2

OPTIX MPG27CQ2

In The Box	DisplayPort Cable	1
	HDMI™ Cable	1
	DVI Cable	0
	USB Type A to Type B Cable	1
	USB Type C to Type A Cable	0
	USB Type C to Type C Cable	0
	Thunderbolt Cable	0
	VGA Cable	0
	3.5mm audio Cable	0
	3.5mm combo audio Cable	1
	Power Cord	1
	AC Adaptor	1
	Warranty Card	1
	Quick Guide	1
Design	Adjustment (Tilt)	-5° ~ 20°
	Adjustment (Swivel)	-40° ~ 40°
	Adjustment (Height)	0 ~ 120 mm
	VESA Mounting	100x100mm
	Frameless Design	Yes
Dimension & Weight	Inside Carton Dimension (WxDxH) (mm)	838 x 224 x 493
	Inside Carton Dimension (WxDxH) (inch)	32.99 x 8.82 x 19.41
	Weight (Net kg)	7.14
	Weight (Gross kg)	10.14
Product Dimension with Stand (WxDxH)	Product Dimension with Stand (WxDxH) (mm)	612 x 252.65 x 555.8
	Product Dimension with Stand (WxDxH) (inch)	24.09 x 9.95 x 21.88
Stand Dimension (WxDxH)	Stand Dimension (WxDxH) (mm)	469.50 x 252.62 x 421.16
	Stand Dimension (WxDxH) (inch)	18.48 x 9.95 x 16.58
Product Dimension without Stand (WxDxH)	Product Dimension without Stand (WxDxH) (mm)	612 x 77 x 371
	Product Dimension without Stand (WxDxH) (inch)	24.09 x 3.03 x 14.61
Outer Carton Dimension (WxDxH)	Outer Carton Dimension (WxDxH) (mm)	853 x 239 x 513
	Outer Carton Dimension (WxDxH) (inch)	33.58 x 9.41 x 20.2
Warranty	Warranty	12M
Barcode Info	EAN	4719072627904
	UPC	824142180181
	UCC14	10824142180188

“2024-03-27 Changes to the product specifications and errors excepted. The product presentation may differ from the product. Microsoft, Windows, the Windows logo, and DirectX are trademarks or registered trademarks of Microsoft Corporation in the United States and / or other countries. Intel, the Intel logo, Intel Inside, the Intel Inside logo, Intel Core and Core Inside are trademarks of Intel Corporation in the US and other countries. Other trademarks and trade names refer to the respective owners or their products.”