

Be Your Window To The World

Монитор MSI Modern MD271PW для современного дома: 27", FHD, немерцающий экран, минимизация синего света, антибликовое покрытие, приложение Display Kit, поддержка VESA-кронштейнов, встроенная аудиосистема.



Selling Points

Modern MD271PW Монитор MSI Modern MD271PW для современного дома: 27", FHD, немерцающий экран, минимизация синего света, антибликовое покрытие, приложение Display Kit, поддержка VESA-кронштейнов, встроенная аудиосистема.

- Элегантный дизайн подойдет интерьеру современного дома
- Сертификация эргономичности TÜV
- Подавление мерцания экрана и снижение интенсивности синего света, чтобы обеспечить комфорт для глаз пользователя
- Гибкая настройка положения экрана
- Повышенная частота обновления экрана – 75 Гц
- Интерфейсы USB Type-C и HDMI для подключения к разным источникам видеосигнала
- Совместимость с VESA-крепежом
- Встроенные динамики для конференц-связи через интернет



Picture and logos



1. 1x HDMI(1.4b)
2. 1x D-Sub (VGA)
3. 1x Mic-in
4. 1x Headphone-out
5. 1x Kensington Lock



МОНИТОРЫ БИЗНЕС И
ПРОДУКТИВНОСТЬ

Modern MD271PW

MODERN MD271PW

Specification

Screen Size	27" (69 cm)
Active Display Area (mm)	597.888(H) X 336.312(V)
Curvature	Flat
Panel Type	IPS
Resolution	1920x1080 (FHD)
Pixel pitch	0.3114(H)X0.3114(V)
Aspect Ratio	16:9
Dynamic Refresh Rate technology	NA
HDR (High dynamic range)	NA
SDR Brightness (nits)	250
Contrast Ratio	1000:1
DCR (Dynamic Contrast Ratio)	100000:1
Signal Frequency	30~112 KHz(H) / 48~75 Hz(V)
Activated Range	NA
Refresh Rate	75Hz
Response Time (MPRT)	NA
Response Time (GTG)	5ms
Response Time (Tr + Tf)	14ms
View Angles	178°(H)/178°(V)
Surface Treatment	Anti-glare
NTSC (CIE1976 area percentageoverlap)	91.25%/78.60%
NTSC (CIE1931 area percentageoverlap)	73.78%/70.40%
sRGB (CIE1976 area percentageoverlap)	104.61%/96.90%
sRGB (CIE1931 area percentageoverlap)	104.17%/95.60%
Adobe RGB (CIE1976 area percentageoverlap)	89.57%/84.40%
Adobe RGB (CIE1931 area percentageoverlap)	77.22%/73.90%
DCI-P3 (CIE1976 area percentageoverlap)	83.41%/82.10%
DCI-P3 (CIE1931 area percentageoverlap)	76.79%/76.50%
Rec.709 (CIE1976 area percentageoverlap)	NA
Rec.709 (CIE1931 area percentageoverlap)	NA
Display Colors	16.7M
Color bit	8 bits
Note_DP	NA
Note_HDMI	1920 x 1080 (Up to 75Hz)
Note_DVI	N/A
HDMI	1
HDMI version	1.4
HDMI HDCP version	1.4
DisplayPort	NA
DisplayPort version	NA
DisplayPort HDCP version	NA
Thunderbolt version	NA
Thunderbolt HDCP version	NA
USB Type C (DisplayPort Alternate)	1
DVI	NA
D-Sub	NA
Mic-in	NA
Mic-in upstream	NA
Headphone-out	1
Audio Combo	NA
Lock type	Kensington Lock
USB 2.0 Type B	NA
USB 3.2 Gen 1 Type B	NA
Thunderbolt	NA
USB 2.0 Type A	NA
USB 2.0 Type C	NA
USB 3.2 Gen 1 Type A	NA
USB 3.2 Gen 1 Type C	NA
USB 3.2 Gen 2x2 Type C	NA
USB 3.2 Gen 2x2 Type A	NA
Card Reader	NA
Feature	Frameless design
Power Type	External Adaptor 19V 3.42A



М О Н И Т О Р Ы Б И З Н Е С И
П Р О Д У К Т И В Н О С Т Ь

Modern MD271PW

MODERN MD271PW

Power Input	100~240V, 50/60Hz
Adapter's KC safety Number	NA
Power Cord Type	C13
QC Output	NA
QC Output Power	NA
PD Output	NA
PD Output Power	NA
Adjustment (Tilt)	-5° ~ 20°
Adjustment (Swivel)	-30° ~ 30°
Adjustment (Height)	0 ~ 110 mm
Adjustment (Pivot)	-90° ~ 90°
VESA Mounting	75x75mm
Frameless Design	Yes
Outer Carton Dimension (WxDxH) (mm)	893 x 167 x 464
Outer Carton Dimension (WxDxH) (inch)	35.16 x 6.57 x 18.27
Product Dimension with Stand (WxDxH) (mm)	613 x 200 x 401
Product Dimension with Stand (WxDxH) (inch)	24.13 x 7.87 x 15.79
Product Dimension without Stand (WxDxH) (mm)	613 x 72 x 362
Product Dimension without Stand (WxDxH) (inch)	24.13 x 2.83 x 14.25
Stand Dimension (WxDxH) (mm)	230 x 200 x 415
Stand Dimension (WxDxH) (inch)	9.06 x 7.87 x 16.34
Inside Carton Dimension (WxDxH) (mm)	883 x 157 x 442
Inside Carton Dimension (WxDxH) (inch)	34.76 x 6.18 x 17.4
Weight (Net kg)	5.6
Weight (Gross kg)	8.44
DisplayPort Cable	0
HDMI Cable	1
DVI Cable	0
USB Type A to Type B Cable	0
USB Type C to Type A Cable	0
USB Type C to Type C Cable	0
Thunderbolt Cable	0
VGA Cable	0
3.5mm audio Cable	0
3.5mm combo audio Cable	0
Power Cord	1
AC Adaptor	1
Warranty Card	1
Quick Guide	1
Warranty	12M
Color	ID1/White-White
EAN	4719072817664