

See beyond the Game. Visualize your victory.

Inspired by the rigorous quality testing in the production of MSI MAG series, MSI MAG series' design is full of symbols of sturdiness and durability. Additionally, to provide quality user experience, MAG series has really simple installation process and a friendly user interface, and will be the best choice for entry level gamers to step into the game world.




Selling Points

- Curved Gaming display (1500R) - The best gameplay immersion.
- UWQHD High Resolution - Game titles will even look better, displaying more details due to the UWQHD resolution.
- 100Hz Refresh Rate - Real smooth gaming.
- 1ms response time - eliminate screen tearing and choppy frame rates.
- Night Vision: See every detail clearly in the dark, helping you find and attack enemies before they notice.
- Adaptive-Sync Technology - Tear free, stutter free, fluid gaming.
- Anti-Flicker and Less Blue Light - game even longer and prevent eye strain and fatigue.
- Frameless design - Ultimate gameplay experience.
- 178° wide view angle.



Picture and logos

System I/O-Ports



1. 1x HDMI 2.0
2. 1x HDMI 2.0
3. 1x Display Port 1.2a
4. 1x DC Jack
5. 1x Earphone out

Specification

Display	Quantum Dot	N/A
	Screen Size	34" (86.36 cm)
	Active Display Area (mm)	797.22(H)x333.72(V)
	Curvature	Curve 1500R
	Panel Type	VA
	Resolution	3440x1440 (UWQHD)
	Aspect Ratio	21:9
	Dynamic Refresh Rate technology	Adaptive-Sync
	SDR Brightness (nits)	250
	Contrast Ratio	1000:1
	DCR (Dynamic Contrast Ratio)	100000000:1
	Signal Frequency	58.56~148.1 KHz(H) / 48~100 Hz(V)
	Refresh Rate	100HZ
	Response Time (MPRT)	1ms(MPRT)
	Response Time (GTG)	4ms
	Response Time (Tr + Tf)	18ms
	View Angles	178°(H)/178°(V)
	Surface Treatment	Anti-glare
	NTSC (CIE1976 area percentage/overlap)	96%/85%
	NTSC (CIE1931 area percentage/overlap)	82%/76%
	sRGB (CIE1976 area percentage/overlap)	110%/95%
	sRGB (CIE1931 area percentage/overlap)	115%/96%
	Adobe RGB (CIE1976 area percentage/overlap)	95%/87%
	Adobe RGB (CIE1931 area percentage/overlap)	85%/80%
	DCI-P3 (CIE1976 area percentage/overlap)	87%/86%
	DCI-P3 (CIE1931 area percentage/overlap)	85%/85%
	Rec.709 (CIE1976 area percentage/overlap)	110%/95%
	Rec.709 (CIE1931 area percentage/overlap)	115%/96%
	Rec.2020 (CIE1976 area percentage/overlap)	N/A
	Rec.2020 (CIE1931 area percentage/overlap)	N/A
	Display Colors	16.7M
	Color bit	8 bits
	Note_DP	3440 x1440 (Up to 100Hz)
Note_HDMI	3440 x 1440 (Up to 100Hz)	
Note_DVI	N/A	
Onboard Graphics	HDMI	2
I/O Ports	HDMI version	1.4a/2.0
	HDMI HDCP version	2.2
	DisplayPort	1
	DisplayPort version	1.2a
	DisplayPort HDCP version	2.2
	Headphone-out	1
I/O Ports (Rear)	Lock type	Kensington Lock
	Card Reader	N/A
Power	Annual Energy Consumption (KWh)	N/A
	Power Supply Type	External Adaptor 19V 3.42A
	Power Input	100~240V, 50/60Hz
	Adapter's KC safety Number	N/A
	Power Cord Type	C13
	QC Output Power	N/A
PD Output Power	N/A	

Accessories	DisplayPort Cable	0
	HDMI Cable	1
	DVI Cable	0
	USB Type A to Type B Cable	0
	USB Type C to Type A Cable	0
	USB Type C to Type C Cable	0
	Thunderbolt Cable	0
	VGA Cable	0
	3.5mm audio Cable	0
	3.5mm combo audio Cable	0
	Mouse Bungee Unit	0
	VESA Screw	4
	Power Cord	1
	AC Adaptor	1
	Warranty Card	0
Quick Guide	1	
Design	Adjustment (Tilt)	-5° ~ 20°
	Adjustment (Swivel)	-30° ~ 30°
	Adjustment (Height)	0 ~ 90 mm
	Adjustment (Pivot)	-5° ~ 5°
	VESA Mounting	75x75mm
	Frameless Design	Yes
Outer Carton Dimension (WxDxH)	Outer Carton Dimension (WxDxH) (mm)	N/A
	Outer Carton Dimension (WxDxH) (inch)	N/A
Product Dimension with Stand (WxDxH)	Product Dimension with Stand (WxDxH) (mm)	N/A
	Product Dimension with Stand (WxDxH) (inch)	N/A
Product Dimension without Stand (WxDxH)	Product Dimension without Stand (WxDxH) (mm)	N/A
	Product Dimension without Stand (WxDxH) (inch)	N/A
Stand Dimension (WxDxH)	Stand Dimension (WxDxH) (mm)	N/A
	Stand Dimension (WxDxH) (inch)	N/A
Dimension&Weight	Inside Carton Dimensions (WxDxH) (mm)	N/A
	Inside Carton Dimensions (WxDxH) (inch)	N/A
	Weight (Net kg)	N/A
	Weight (Gross kg)	N/A
Weight	Weight Without Stand (kg)	N/A
Warranty	Warranty	36M
Barcode Info	EAN	4719072948092