

# Be Your Window To The World

The streamlined and edgeless shapes are elegant and generous; the composition of every line and the mastery of every circle demonstrates a high degree of perseverance and persistence. It is no longer just a functional product solely focused on meeting users' demands. It is the representation of a craftsman's spirit of excellence and the unrestrained freedom of fashion attitude. Likewise, the Modern Series have functions that fully meet the needs of users and the appearance that can be integrated into various environments. No matter where you are, you must retain your style and persistence in life.



## Selling Points

- Elegant and personalized design fits any corners of your house
- TÜV certified display protects your eyesight and keeps your eyes healthy
- Anti-Flicker and Less Blue Light technologies prevent your eyes from strain & fatigue
- Ergonomically work with the most comfortable position while focusing on your courses and works
- 75 Hz refresh rate provides a better viewing experience
- Keep the flexibility for your different devices with multiple input sources, Type-C & HDMI ports
- Standard VESA mountable design
- Always allow you to join an online conference call with built-in speakers



Picture and logos

## System I/O-Ports



1. 1x Type C (DisplayPort Alternate)
2. 1x HDMI (1.4)
3. 1x Headphone-out
4. 1x DC Jack

## Specification

Display	Screen Size	27" (69 cm)
	Active Display Area (mm)	597.888(H) X 336.312(V)
	Curvature	Flat
	Panel Type	IPS
	Resolution	1920x1080 (FHD)
	Pixel pitch	0.3114(H)X0.3114(V)
	Aspect Ratio	16:9
	SDR Brightness (nits)	250
	HDR Brightness (Peak nits)	N/A
	Contrast Ratio	1000:1
	DCR (Dynamic Contrast Ratio)	100000:1
	Signal Frequency	30~112 KHz(H) / 48~75 Hz(V)
	Refresh Rate	75Hz
	Response Time (GTG)	5ms
	Response Time (Tr + Tf)	14ms
	View Angles	178°(H)/178°(V)
	Surface Treatment	Anti-glare
	NTSC (CIE1976 area percentage/overlap)	91.25%/78.60%
	NTSC (CIE1931 area percentage/overlap)	73.78%/70.40%
	sRGB (CIE1976 area percentage/overlap)	104.61%/96.90%
	sRGB (CIE1931 area percentage/overlap)	104.17%/95.60%
	Adobe RGB (CIE1976 area percentage/overlap)	89.57%/84.40%
	Adobe RGB (CIE1931 area percentage/overlap)	77.22%/73.90%
	DCI-P3 (CIE1976 area percentage/overlap)	83.41%/82.10%
	DCI-P3 (CIE1931 area percentage/overlap)	76.79%/76.50%
	Rec.2020 (CIE1976 area percentage/overlap)	N/A
	Rec.2020 (CIE1931 area percentage/overlap)	N/A
	Display Colors	16.7M
	Color bit	8 bits
	Note_HDMI	1920 x 1080 (Up to 75Hz)
	Note_DVI	N/A
Onboard Graphics	HDMI	1
I/O Ports	HDMI version	1.4
	HDMI HDCP version	1.4
	USB Type C (DisplayPort Alternate)	1
	Headphone-out	1
	Lock type	Kensington Lock
Power	Annual Energy Consumption (KWh)	26
	Power Supply Type	External Adaptor 19V 3.42A
	Power Input	100~240V, 50/60Hz
	Power Cord Type	C13
Accessories	DisplayPort Cable	0
	HDMI Cable	1
	DVI Cable	0
	USB Type A to Type B Cable	0
	USB Type C to Type A Cable	0
	USB Type C to Type C Cable	0
	Thunderbolt Cable	0
	VGA Cable	0
	3.5mm audio Cable	0
	3.5mm combo audio Cable	0
	Power Cord	1
	AC Adaptor	1
	Warranty Card	1
	Quick Guide	1



BUSINESS PRODUCTIVITY MONITOR

## Modern MD271P

MODERN MD271P

Design	Adjustment (Tilt)	-5° ~ 20°
	Adjustment (Swivel)	-30° ~ 30°
	Adjustment (Height)	0 ~ 110 mm
	Adjustment (Pivot)	-90° ~ 90°
	VESA Mounting	75x75mm
	Frameless Design	Yes
Outer Carton Dimension (WxDxH)	Outer Carton Dimension (WxDxH) (mm)	893 x 167 x 464
	Outer Carton Dimension (WxDxH) (inch)	35.16 x 6.57 x 18.27
Product Dimension with Stand (WxDxH)	Product Dimension with Stand (WxDxH) (mm)	613 x 200 x 401
	Product Dimension with Stand (WxDxH) (inch)	24.13 x 7.87 x 15.79
Product Dimension without Stand (WxDxH)	Product Dimension without Stand (WxDxH) (mm)	613 x 72 x 362
	Product Dimension without Stand (WxDxH) (inch)	24.13 x 2.83 x 14.25
Stand Dimension (WxDxH)	Stand Dimension (WxDxH) (mm)	230 x 200 x 415
	Stand Dimension (WxDxH) (inch)	9.06 x 7.87 x 16.34
Dimension&Weight	Inside Carton Dimensions (WxDxH) (mm)	883 x 157 x 442
	Inside Carton Dimensions (WxDxH) (inch)	34.76 x 6.18 x 17.4
	Weight (Net kg)	5.6
	Weight (Gross kg)	8.44
Weight	Weight Without Stand (kg)	3.85
Warranty	Warranty	36M
Barcode Info	EAN	4719072817169