


PATH TO THE FUTURE

ALL-IN-ONE PCS


PRO AP242P 14M
PRO AP242P 14M-854TH



SELLING POINTS

SPECIFICATION

Operating Systems	Operating Systems	Windows 11 Home
Model	Part No	9S6-AE0621-854
	MKT Name	PRO AP242P 14M
	MKT Spec	PRO AP242P 14M-854TH
	Color	ID1/Black-Black
Chipset	Chipsets	H610
Memory	Memory Size	16GB(16GB*1)
	Memory Type	DDR5 SDRAM
	Memory Speed	2800(5600)MHz
	Module Type	SO-DIMM
	Memory Slot(Total)	2
	Memory Slot(Free)	1
	Max Capacity	Max 64GB
	CPU Number	Intel Core i5 Processor 14400
	CPU Clock	2.5GHz
	CPU Cores	10
Processor	TDP	65W
	Max Turbo Frequency	up to 4.70 GHz
	Cache	20 MB Intel® Smart Cache
	Threads	16
	View Angles	178°(H)/178°(V)
	Touch Screen	Non-touch
	Screen Size	23.8" (60cm)
	Panel Type	IPS
Display	Resolution	1920x1080 (FHD)
	Brightness (nits)	250
	Contrast Ratio	1200:1
	Refresh Rate	N/A
	Response Time (GTG)	14ms
	GPU1 Vendor	N/A
	GPU1 MKT Name	N/A
Discrete Graphics	GPU1 Number	UMA
	GPU1 VRAM Size	N/A
	GPU1 VRAM Type	N/A
Audio	Audio Chipset	Realtek ALC897
	Audio Type	2.1 Channel HD Audio
	, tadio 13pc	ETZ GRAMMET TID AUGUO





PRO AP242P 14M

PRO AP242P 14M-854TH

	SSD Interface	PCIe GEN3x4
	SSD Form Factor	M.2-2280 M-KEY
Storage	SSD Config	1TB*1
	SSD Size	1TB
	HDD1 Interface	N/A
	HDD1 Form Factor	N/A
	HDD1 Size	N/A
	HDD1 RPM	N/A
	ODD(Type)	N/A
	ODD Height	N/A
	ODD Type	N/A
	mSATA slots(Total)	2
	mSATA slots(Free)	2
	M.2 slots(Total)	1
	M.2 slots(Free)	0
	2.5" Drive Bays(Total)	1
	2.5" Drive Bays (Free)	1
	3.5" Drive Bays(Free)	0
	LAN	Intel I219-V
Communications	WLAN Version	Wi-Fi 6E+BT
	BT Version	5.3
	Webcam	internal webcam
Input Device	Webcam Resolution	2.0MP (1080P)
	Webcam supports Windows Hello or not	Yes
I/O Ports (Side)	USB 3.2 Gen 1 (5G) Type A	2
· · · · · · · · · · · · · · · · · · ·	USB 2.0 Type A (R)	2
	RJ45	1
	HDMI out	1x (v2.1)
	DP out	1x (v1.4)
I/O Ports (Rear)	Line-out (R)	1
i/O i ores (itear)	Lock type	Kensington
	USB 3.2 Gen 2 (10G) Type C (R)	1
	USB 3.2 Gen 2 (10G) Type A (R)	1
	Mic-in (R)	1
Marranty		36months
Warranty	Warranty	
	Product Dimension with Holder (WxDxH) (mm)	N/A
	Product Dimension with Holder (WxDxH) (inch)	N/A
	Product Dimension with Stand (WxDxH) (mm)	541.93 x 333.26 x 479.50
	Product Dimension with Stand (WxDxH) (inch)	21.34 x 13.12 x 18.88
	Outer Carton Dimension with Holder (WxDxH) (mm)	N/A
Dimension & Weight	Outer Carton Dimension with Holder (WxDxH) (inch)	N/A
	Outer Carton Dimension with Stand (WxDxH) (mm)	640 x 243 x 508
	Outer Carton Dimension with Stand (WxDxH) (inch)	25.2 x 9.57 x 20.
	Weight (Net kg)	4.63
	Weight (Net lbs)	10.21
	Weight (Gross kg)	8
	Weight (Gross lbs)	17.64
	Adjustment (Tilt)	-4°~20°(+/-2°)
CTAND	Adjustment (Swivel)	N/A
STAND	Adjustment (Height)	N/A
	Adjustment (Pivot)	N/A
Power	AC Adapter Output	120W
	Regulatory Compliance	FCC(Class B), CB/CE, UL(CUL), BSMI



ALL-IN-ONE PCS

PRO AP242P 14M

PRO AP242P 14M-854TH

In The Box	AC Adaptor	1
	Power Cord	1
	Warranty Card	N/A
	Quick Guide	1
	User Manual	N/A
	VESA Mount kit	N/A
	Keyboard Interface	USB
	Mouse	SM9023M
	Mouse Interface	USB
Barcode Info	EAN	4711377270328