

Be Your Window To The World

PRO DP21 series is designed for various scenarios including business or learning. The 2.3 Liter compact size featuring Intel Core i processor and memory up to dual channel 3200MHz 64GB and it supports 4K@60Hz to improve your productivity.



Picture and logos

SELLING POINTS

- Windows 11 Home - MSI แนะนำ Windows 11 Pro สำหรับธุรกิจ
- โพรเซสเซอร์สูงสุดถึง Intel® Core™ i7-1360P
- ขนาดกะทัดรัด เพียง 1.1 ลิตร สูง 185.5 มม.
- มาพร้อมพอร์ต Thunderbolt 4 เชื่อมต่อได้รวดเร็วและหลากหลาย ใช้ได้ทั้งกับด็อกกิ้งสเตชัน จอมอนิเตอร์ หรืออุปกรณ์จัดเก็บข้อมูล รวมถึง NAS
- รองรับการแสดงผลความละเอียดสูงสุด 8K ผ่านพอร์ต Thunderbolt
- รองรับการเชื่อมต่อจอภาพสูงสุดถึง 4 จอ พร้อมพอร์ต I/O ครบครัน
- Wi-Fi 6E (อุปกรณ์เสริม) ให้ความปลอดภัยในการส่งข้อมูลสูงขึ้น และความเร็วสูงสุดถึง 2.4Gbps
- เชื่อมต่อและโอนถ่ายข้อมูลอย่างรวดเร็วผ่านเครือข่ายด้วย 2.5Gb Ethernet LAN ที่มีทั้งแบนวิธสูงและหน่วงต่ำ
- รับประโยชน์ด้านความเร็วจากพอร์ต USB 3.2 Gen 2 Type-C
- เข้าถึงแอปพลิเคชันได้ง่ายเพื่ออัปเดตฮาร์ดแวร์ล่าสุด
- MSI Cloud Center ช่วยให้คุณมีคลาวด์ส่วนตัวและสำรองไฟล์จากอุปกรณ์พกพา (Android และ iOS)
- MSI Center ปรับโปรแกรมปรับไหมระบบให้เหมาะสมสำหรับการใช้งานต่างๆ ได้อย่างง่ายดาย
- การออกแบบ TPM ช่วยรักษาความปลอดภัยให้กับข้อมูลสำคัญ
- รองรับการยึด VESA มาตรฐาน

1. 1x Headphone-out
2. 1x Mic-in
3. 4x USB 2.0 Type A
4. 1x DC jack
5. 1x HDMI™ out (2.0)
6. 1x DisplayPort (1.4)
7. 1x RJ45
8. 1x USB 3.2 Gen 2 Type C / 1x USB 3.2 Gen 2 Type A
9. 2x USB 3.2 Gen 1 Type A
10. 1x Mic-in
11. 1x Line-out




B U S I N E S S & P R O D U C T I V I T Y P C S

PRO DP10 13M

P R O D P 1 0 1 3 M - 0 6 4 T H

12. 1x Kensington Lock

13. 1x COM port



SPECIFICATION

Operating Systems	Operating Systems	Windows 11 Home
Processor	CPU Number	Intel Core i3-1315U
	CPU Clock	1.2GHz
	CPU Cores	6
	TDP	15W
	Cache	10 MB Intel® Smart Cache
	Threads	8
	Max Turbo Frequency	up to 4.50 GHz
	CPU Cooler	Air cooling
Model	Part No	9S6-B0A612-064
	MKT Name	PRO DP10 13M
	MKT Spec	PRO DP10 13M-064TH
	Color	ID1/White-White-White
	Model	B0A6
Chipset	Chipsets	N/A
Memory	Memory Size	8GB(8GB*1)
	Memory Type	DDR4 SDRAM
	Memory Speed	1600(3200)MHz
	Module Type	SO-DIMM
	Memory Slot(Total)	2
	Memory Slot(Free)	1
	Max Capacity	Max 64GB
	Memory Slot (Total/Free)	2/1
Discrete Graphics	GPU1 VRAM Size	N/A
	VGA I/O Port	N/A
	GPU1 Vendor	N/A
	GPU1 MKT Name	N/A
	GPU1 Number	N/A



PRO DP10 13M

PRO DP10 13M-064TH

Storage	SSD Interface	PCIe GEN3x4
	SSD Form Factor	M.2-2280 M-Key
	SSD Config	256GB*1
	SSD Size	256GB
	HDD1 Interface	N/A
	HDD1 Form Factor	N/A
	HDD1 Size	N/A
	HDD1 RPM	N/A
	ODD(Type)	N/A
	ODD Height	N/A
	ODD Type	N/A
	M.2 slots (Total/Free)	2/1
	2.5" Drive Bays (Total/Free)	1/1
	3.5" Drive Bays (Total/Free)	0/
	mSATA slots(Free)	0
	M.2 slots(Total)	2
	M.2 slots(Free)	1
	2.5" Drive Bays(Total)	1
	2.5" Drive Bays (Free)	1
	3.5" Drive Bays(Free)	0
Audio	Audio Chipset	Realtek ALC256
	Audio Type	2.1 Channel HD Audio
Communications	LAN	Realtek RTL 8125B
	WLAN Version	Wi-Fi 6E+BT
	BT Version	5.3
	WLAN	INTEL/AX211.NG.WG.NV
I/O Ports (Front)	USB 3.2 Gen 1 Type A	3
	USB 3.2 Gen 2 Type C	1
	Mic-in/Headphone-out combo	1
I/O Ports (Rear)	USB 3.2 Gen 1 Type A (R)	2
	Thunderbolt (R)	1x (Thunderbolt 4)
	RJ45	1
	WiFi Antenna	1
	VGA out	1
	HDMI out	1x (v2.0)
	DP out	1x (v1.4)
	USB 3.2 Gen 1 (5G) Type A (R)	2
I/O Ports (Side)	Mic-in/Headphone-out combo	1
	USB 3.2 Gen 2 (10G) Type C	1
	USB 3.2 Gen 1 (5G) Type A	3
Power	Power	120W
	Power Certification	N/A
	Formfactor	N/A
	Type	ADAPTOR
VESA	VESA size	75 x 75 mm
Warranty	Warranty	N/A
Dimension & Weight	Product Dimension (WxDxH) (mm)	178.82 x 34.48 x 179
	Product Dimension (WxDxH) (inch)	7.04 x 1.36 x 7.05
	Inside Carton Dimension (WxDxH) (mm)	249 x 102 x 301
	Inside Carton Dimension (WxDxH) (inch)	9.8 x 4.02 x 11.85
	Outer Carton Dimension Standard (WxDxH) (mm)	530 x 320 x 530
	Outer Carton Dimension Standard (WxDxH) (inch)	20.87 x 12.6 x 20.87
	Weight (Net kg)	1.1
	Net Weight (lbs)	2.43
	Weight (Gross kg)	2.1
	Gross Weight (lbs)	4.63
	Liter	1.1
	Pint	2.32
Regulatory Compliance	Regulatory Compliance	FCC(Class B), CB/CE, UL(CUL), BSMI, VCCI, RCM(C-Tick)
	Operating, Storage Temperature	0° C ~ 35° C ; -20° C ~ 60° C
	Operating, Storage Humidity	0% ~ 85%;0% ~ 90%



B U S I N E S S & P R O D U C T I V I T Y P C S

PRO DP10 13M

P R O D P 1 0 1 3 M - 0 6 4 T H

In The Box	AC Adaptor	1
	Power Cord	1
	Warranty Card	N/A
	Quick Guide	1
	User Manual	N/A
	VESA Mount kit	N/A
	Keyboard	N/A
	Keyboard Interface	N/A
	Mouse	N/A
	Mouse Interface	N/A
	Power Switch	N/A
Barcode Info	EAN	4711377095372