

Be Your Window To The World


PRO DP180 series is designed for various scenarios including business, office, and learning. It features Intel Core i processor and memory up to dual channel 3200MHz 64GB and it supports 8K resolution to improve your productivity.



Picture and logos

SELLING POINTS

- Windows 11 Home - MSI แนะนำ Windows 11 Pro สำหรับธุรกิจ
- CPU ที่มีให้เลือกสูงสุดถึง Intel® Core™ i7-13700 Processor
- รองรับการผลิตผลความละเอียดสูงสุด 8K ด้วยกราฟิกการ์ด NVIDIA GeForce RTX
- รองรับการเชื่อมต่อกับหน้าจอได้สูงสุด 4 หน้าจอด้วยพอร์ตครบวงจร
- Wi-Fi 6E (ตัวเลือก) เน้นความปลอดภัยในการส่งข้อมูลด้วยความเร็วสูงสุด 2.4Gbps
- การออกแบบ Dual LAN (LAN 2.5G และ 1G)
- เชื่อมต่อและรับส่งข้อมูลอย่างรวดเร็วผ่านเครือข่ายด้วย 2.5Gbps Ethernet LAN ที่มีแบนด์วิดท์สูงและคลื่นล่าช้าต่ำ
- รับประโยชน์ทุกด้านจากพอร์ต USB 3.2 Gen 2 ประเภท C
- การ์ดรีดเดอร์ที่มีอยู่รองรับการ์ด SD และ Micro SD เพื่อความเข้ากันได้และความสะดวกสบายสูงสุด
- ง่ายต่อการเข้าถึงและอัปเดตองค์ประกอบเพื่อให้ระบบอยู่รอดและอัปเดตด้วยฮาร์ดแวร์ล่าสุด
- แอป MSI Cloud Center นำเสนอเคล็ดลับส่วนตัวและช่วยสำรองข้อมูลของอุปกรณ์มือถือของคุณ (Android และ iOS)
- แอป MSI Center ปรับแต่งโหมดระบบและทรัพยากรอย่างง่ายโดยสำหรับสถานการณ์และความต้องการต่าง ๆ
- การออกแบบ TPM รักษาข้อมูลลับของคุณด้วยกุญแจการเข้ารหัส
- รองรับการใช้งานระบบล็อก Padlock และ Kensington Lock คู่



1. 1x Headphone-out / 1x Mic-in
2. 2x USB 3.2 Gen 1 Type A
3. 1x USB 3.2 Gen 2 Type C
4. 1x Card Reader (Support SD & Micro SD Card)
5. 1x HDMI™ out (2.1) / 1x DisplayPort (1.4)
6. 1x D-Sub (VGA)
7. 2x USB 2.0 Type A / 1x PS/2
8. 1x USB 3.2 Gen 1 Type A / 1x RJ45 LAN (2.5G LAN)
9. 2x USB 2.0 Type A / 1x RJ45 LAN (1G LAN)
10. 3x Audio Jack
11. 1x Padlock
12. 1x COM Port

13. 1x Kensington Lock
SPECIFICATION

| | | |
|-------------------|------------------------------|---------------------------------|
| Operating Systems | Operating Systems | N/A |
| Processor | CPU Number | Intel Core i5-13400 |
| | CPU Clock | 2.5GHz |
| | CPU Cores | 10 |
| | TDP | 65W |
| | Cache | 20 MB Intel® Smart Cache |
| | Threads | 16 |
| | Max Turbo Frequency | up to 4.60 GHz |
| | CPU Cooler | Air cooling 65W |
| Chipset | Chipsets | H610 |
| Discrete Graphics | GPU1 VRAM Size | N/A |
| | VGA I/O Port | N/A |
| | GPU1 Vendor | N/A |
| | GPU1 MKT Name | N/A |
| Memory | Memory Size | 8GB(8GB*1) |
| | Memory Type | DDR4 SDRAM |
| | Module Type | U-DIMM |
| | Memory Slot (Total/Free) | 2/1 |
| | Max Capacity | Max 64GB |
| Storage | SSD Interface | PCIe GEN3x4 |
| | SSD Form Factor | M.2-2280 M-KEY |
| | SSD Config | 512GB*1 |
| | SSD Size | 512GB |
| | HDD1 Interface | N/A |
| | HDD1 Form Factor | N/A |
| | HDD1 Size | N/A |
| | HDD1 RPM | N/A |
| | ODD(Type) | SUPER MULTI |
| | ODD Height | 9.5mm |
| | ODD Type | SUPER MULTI 9.5mm |
| | M.2 slots (Total/Free) | 1/0 |
| | 2.5" Drive Bays (Total/Free) | 1/1 |
| | 3.5" Drive Bays (Total/Free) | 1/1 |
| Audio | Audio Chipset | Realtek ALC897 |
| | Audio Type | 7.1 Channel HD Audio |
| Communications | LAN | 1x Intel I226-V+1x Intel I219-V |
| | WLAN Version | Wi-Fi 6E+BT |
| | BT Version | 5.3 |
| | WLAN | INTEL/AX211.NG.WG.NV |
| I/O Ports (Front) | USB 3.2 Gen 1 Type A | 2 |
| | USB 3.2 Gen 2 Type C | 1 |
| | Audio Mic-in | 1 |
| | Audio Headphone-out | 1 |
| | Card Reader | 1 |
| I/O Ports (Rear) | USB 3.2 Gen 1 Type A (R) | 1 |
| | USB 2.0 Type A (R) | 4 |
| | RJ45 | 2x (2.5G/1G) |
| | VGA out | 1 |
| | VR-Link | N/A |
| | HDMI out | 1x (v2.0) |
| | DP out | 1x (v1.4) |
| | PS/2 | 1 |
| | COM Port | 1 |
| Audio jack | 3 | |

| | | |
|-----------------------|--|---|
| Power | Power | 500W |
| | Power Certification | 80PLUS BRONZE |
| | Formfactor | ATX |
| | Type | POWER SUPPLY |
| Dimension & Weight | Product Dimension (WxDxH) (mm) | 168 x 323 x 369 |
| | Product Dimension (WxDxH) (inch) | 6.61 x 12.72 x 14.53 |
| | Inside Carton Dimension (WxDxH) (mm) | N/A |
| | Inside Carton Dimension (WxDxH) (inch) | N/A |
| | Outer Carton Dimension Standard (WxDxH) (mm) | 565 x 242 x 510 |
| | Outer Carton Dimension Standard (WxDxH) (inch) | 22.24 x 9.53 x 20.08 |
| | Weight (Net kg) | 7.592 |
| | Net Weight (lbs) | 16.74 |
| | Weight (Gross kg) | 9.03 |
| | Gross Weight (lbs) | 19.91 |
| | Liter | 18 |
| Pint | 38.04 | |
| Regulatory Compliance | Operating, Storage Temperature | 0° C ~ 35° C ; -20° C ~ 60° C |
| | Operating, Storage Humidity | 0% ~ 85%;0% ~ 90% |
| | Regulatory Compliance | FCC(Class B), CB/CE, UL(CUL), BSMI, VCCI, RCM(C-Tick) |
| Warranty | Warranty | 36months |
| In The Box | Keyboard Interface | USB |
| | Mouse Interface | USB |
| | Power Cord | 1 |
| | AC Adaptor | N/A |
| | Warranty Card | N/A |
| | Quick Guide | 1 |
| | User Manual | N/A |
| | VESA Mount kit | N/A |
| | Keyboard | SK9626M |
| | Mouse | SM9023M |
| Barcode Info | EAN | 4711377124782 |
| Model | Part No | 9S6-B0A721-074 |
| | MKT Name | PRO DP180 13 |
| | MKT Spec | PRO DP180 13-074XTH |
| | Color | ID1/Black-Black-Black |
| | Model | B0A7 |