

All About Gaming



Picture and logos

SELLING POINTS

- Rapid IPS - ให้เวลาตอบสนองที่รวดเร็ว 1ms GTG ปรับสีและความสว่างของหน้าจอให้เหมาะสม
- WQHD High Resolution - มอบความละเอียดระดับสูง ให้ภาพในเกมที่ดูดียิ่งขึ้น แสดงรายละเอียดของภาพได้สูงกว่าจอมอนิเตอร์โดยทั่วไป
- อัตราการรีเฟรชที่สูงถึง 170Hz - มอบความละเอียดระดับสูง ให้ภาพในเกมที่ดูดียิ่งขึ้น แสดงรายละเอียดของภาพได้สูงกว่าจอมอนิเตอร์โดยทั่วไป
- เวลาตอบสนอง 1ms GTG - ตอบสนองรวดเร็วมากยิ่งขึ้นและมอบเฟรมเรทที่นุ่มนวลขึ้นอีกระดับ
- NVIDIA G-Sync Compatible - ป้องกันการฉีกขาดหรือกระตุกของหน้าจอ ทำให้การเล่นเกมเป็นไปอย่างราบรื่นเป็นพิเศษ
- HDR 400 - จอมอนิเตอร์นี้ได้รับการรับรอง VESA HDR Display 400 ซึ่งหมายความว่าสามารถมอบการใช้งานด้านสีที่ดีที่สุด
- แสดงผลและชาร์จอุปกรณ์ผ่าน Type-C - ช่วยให้คุณสามารถให้พลังงานให้กับอุปกรณ์ของคุณ (สูงสุด 15W) และเชื่อมต่อกับอุปกรณ์ใด ๆ ได้ง่าย
- Night Vision - มองเห็นทุกรายละเอียดอย่างชัดเจนในที่มืด ช่วยคุณค้นพบและโจมตีศัตรูก่อนที่พวกเขาจะรู้สึถึงเห็นคุณ
- Wide Color Gamut - แสดงสีและรายละเอียดในเกมที่สมจริงและคมชัดมากยิ่งขึ้น
- ดีไซน์ที่ไร้กรอบ - มอบประสบการณ์การเล่นเกมที่สมบูรณ์แบบ ด้วยมุมมองกว้างถึง 178°
- มุมมองที่กว้างถึง 178° - ถึงจะมีมุมมองที่กว้างแต่ สี และ รายละเอียดต่างๆ ยังคงความคมชัดจากมุมมองที่กว้างถึง 178°
- Anti-Flicker และ Less Blue Light - เล่นเกมนานขึ้นและป้องกันอาการเมื่อยล้าของดวงตา
- Adjustable Stand - เปลี่ยนตำแหน่งขอ ...

1. 5-way joystick navigator
2. DC jack
3. Earphone out
4. 2x HDMI™ (2.0b)
5. 1x Display Port (1.4a)
6. Type-C (15W PD Charging)



SPECIFICATION

Model	Entity MKT Name	G274QPF
	Part No	9S6-3CC29H-069
	Color	ID1/Black-Black
	MKT Name	G274QPF
	MKT Spec	G274QPF
	Model	3CC2
Display	Screen Size	27" (69 cm)
	Active Display Area (mm)	597.6(H)x336.15(V)
	Curvature	Flat
	Panel Type	Rapid IPS
	Resolution	2560x1440 (WQHD)
	Pixel pitch (mm)	0.2331(H)x0.2331(V)
	Aspect Ratio	16:9
	Dynamic Refresh Rate technology	Adaptive-Sync
	Dynamic Refresh Rate Activated Range	48~170Hz
	HDR (High dynamic range)	DisplayHDR 400
	SDR Brightness (nits)	400
	HDR Brightness (Peak nits)	400
	Contrast Ratio	1000:1
	DCR (Dynamic Contrast Ratio)	100000000:1
	Signal Frequency	90.9~242.4 KHz(H) / 48~170 Hz(V)
	Refresh Rate	170Hz
	Response Time (MPRT)	1ms(MPRT)
	Response Time (GTG)	1ms
	View Angles	178°(H)/178°(V)
	NTSC (CIE1976 area percentage/overlap)	105%/92%
	NTSC (CIE1931 area percentage/overlap)	92%/88%
	sRGB (CIE1976 area percentage/overlap)	121%/99%
	sRGB (CIE1931 area percentage/overlap)	130%/99%
	Adobe RGB (CIE1976 area percentage/overlap)	104%/96%
	Adobe RGB (CIE1931 area percentage/overlap)	96%/90%
	DCI-P3 (CIE1976 area percentage/overlap)	96%/93%
	DCI-P3 (CIE1931 area percentage/overlap)	96%/93%
	Rec.709 (CIE1976 area percentage/overlap)	121%/99%
	Rec.709 (CIE1931 area percentage/overlap)	130%/99%
	Rec.2020 (CIE1976 area percentage/overlap)	70%/70%
	Rec.2020 (CIE1931 area percentage/overlap)	69%/69%
	Surface Treatment	Anti-glare
	Display Colors	1.07B
	Color bit	10 bits (8 bits + FRC)

I/O Ports	USB Type C (DisplayPort Alternate)	1
	Headphone-out	1
	Card reader	N/A
	Lock type	Kensington Lock
	HDMI	2
	HDMI version	2.0b
	HDMI HDCP version	2.2
	DisplayPort	1
	DisplayPort version	1.4a
	DisplayPort HDCP version	2.2
Warranty	Warranty	36M
Power	Power Type	External Adaptor 19V 3.42A
	Power Input	100~240V, 50/60Hz
	On-mode Power Consumption (KWh/1000h)	26W
	Annual Energy Consumption (KWh)	26W
	Standby-mode Power Consumption (W)	0.5W
	Off-mode Power Consumption (W)	0.3W
	Energy Efficiency Rating	F
	Power Cord Type	C13
In The Box	DisplayPort Cable	1
	HDMI Cable	0
	DVI Cable	0
	USB Type A to Type B Cable	0
	USB Type C to Type A Cable	0
	USB Type C to Type C Cable	0
	Thunderbolt Cable	0
	VGA Cable	0
	3.5mm audio Cable	0
	3.5mm combo audio Cable	0
	3.5mm Mic Cable	0
	Power Cord	1
	AC Adaptor	1
	Quick Guide	1
	Warranty Card	0
	Mouse Bungee Unit	0
	Switch Case	0
	Portable Screen Protection Case	0
	Monitor Hood	0
	Speaker (Accessories)	0
VESA Screw	4	
I/O Ports (Front)	Card Reader	N/A
Design	Adjustment (Tilt)	-5° ~ 20°
	Adjustment (Swivel)	-45° ~ 45°
	Adjustment (Height)	0 ~ 130 mm
	Adjustment (Pivot)	-90° ~ 90°
	VESA Mounting	75x75mm
	Frameless Design	Yes
Dimension & Weight (product)	Product Dimension with Stand (WxDxH) (mm)	613.49 x 196.48 x 402.08
	Product Dimension without Stand (WxDxH) (mm)	613.49 x 69.74 x 362.46
	Stand Dimension (WxDxH) (mm)	242.2 x 196.48 x 399.19
	Weight (Net kg)	6.05
	Weight Without Stand (kg)	4.05
Dimension & Weight (box)	Inside Carton Dimension (WxDxH) (cm)	N/A
	Outer Carton Dimension (WxDxH) (cm)	N/A
	Weight (Gross kg)	8.
Barcode Info	EAN	4711377100014
Dimension & Weight	Inside Carton Dimension (WxDxH) (inch)	N/A
	Weight (Net kg)	6.05
	Weight (Gross kg)	8.
Product Dimension with Stand (WxDxH)	Product Dimension with Stand (WxDxH) (mm)	613.49 x 196.48 x 402.08
	Product Dimension with Stand (WxDxH) (inch)	24.15 x 7.74 x 15.83
Weight	Weight Without Stand (kg)	4.05



MONITOR
G274QPF
G274QPF

Outer Carton Dimension (WxDxH)	Outer Carton Dimension (WxDxH) (inch)	N/A
--------------------------------	---------------------------------------	-----