

PATH TO THE FUTURE

See beyond the Game. Visualize your victory. Inspired by the rigorous quality testing in the production of MSI MAG series, MSI MAG series' design is full of symbols of sturdiness and durability. Additionally, to provide quality user experience, MAG series has really simple installation process and a friendly user interface, and will be the best choice for entry level gamers to step into the game world.



Picture and logos

SELLING POINTS

- อัตราความโค้งที่ 1500R - ให้คุณดื่มด่ำกับการเล่นเกมที่ดีที่สุด
- ความละเอียดระดับ 4K - มอบการแสดงผลละเอียดที่มากยิ่งขึ้นอีกระดับ
- HDR Ready - ให้รายละเอียดที่น่าประทับใจผ่านการปรับความคมชัดและเงา
- Gaming OSD App - ตั้งค่าการแสดงผลระดับสูงด้วยตัวคุณเอง
- การปรับแต่งสำหรับเกม Console - ตั้งค่าจอมอนิเตอร์เพื่อใช้งานเกม Console อย่างมีประสิทธิภาพที่สุด
- Mystic Light - เติมสีสันที่สวยงามให้กับการใช้งานจอมอนิเตอร์ของคุณ
- Night Vision - มองเห็นทุกรายละเอียดอย่างชัดเจนในที่มืด ช่วยคุณค้นพบและโจมตีศัตรูก่อนที่จะพวกเขารู้สึถึงเห็นคุณ
- Anti-Flicker และ Less Blue Light - เล่นเกมนานขึ้นและป้องกันอาการเมื่อยล้าของดวงตา
- ดีไซน์ที่ไร้กรอบ - มอบประสบการณ์การเล่นเกมที่สมบูรณ์แบบ ด้วยมุมมองกว้างถึง 178°



1. 1x HDMI™
2. 1x HDMI™
3. 1x Display Port
4. 1x Headset
5. 2x USB 2.0 Type A
6. 1x USB 2.0 Type B
7. 1x Kensington Lock
8. Headset Hanger



MONITOR

Optix MAG321CURV

OPTIX MAG321CURV

SPECIFICATION

| | | |
|--------------------------------------|---------------------------------------------|----------------------------|
| I/O Ports (Front) | USB 2.0 Type A | 2 |
| I/O Ports | HDMI | 2 |
| | HDMI version | 2.0 |
| | HDMI HDCP version | 2.2 |
| | DisplayPort | 1 |
| | DisplayPort version | 1.2a |
| | USB Type C (DisplayPort Alternate) | 1 |
| | Headphone-out | 1 |
| Power | Power Type | External Adaptor 19V 4.74A |
| Design | Adjustment (Tilt) | -5° ~ 20° |
| | Adjustment (Height) | 0 ~ 130 mm |
| | VESA Mounting | 100x100mm |
| | Frameless Design | Yes |
| Dimension & Weight | Inside Carton Dimension (WxDxH) (mm) | 947 x 162 x 520 |
| | Inside Carton Dimension (WxDxH) (inch) | 37.28 x 6.38 x 20.47 |
| | Weight (Net kg) | 7 |
| | Weight (Gross kg) | 10 |
| Product Dimension with Stand (WxDxH) | Product Dimension with Stand (WxDxH) (mm) | 710.5 x 266.5 x 513.6 |
| | Product Dimension with Stand (WxDxH) (inch) | 27.97 x 10.49 x 20.22 |
| Outer Carton Dimension (WxDxH) | Outer Carton Dimension (WxDxH) (mm) | 957 x 180 x 540 |
| | Outer Carton Dimension (WxDxH) (inch) | 37.68 x 7.09 x 21.26 |
| Warranty | Warranty | 36M |
| In The Box | DisplayPort Cable | 1 |
| | HDMI Cable | 1 |
| | DVI Cable | 0 |
| | USB Type A to Type B Cable | 1 |
| | USB Type C to Type A Cable | N/A |
| | USB Type C to Type C Cable | 0 |
| | Thunderbolt Cable | N/A |
| | VGA Cable | 0 |
| | 3.5mm audio Cable | 0 |
| | 3.5mm combo audio Cable | 0 |
| | Power Cord | 1 |
| | AC Adaptor | 1 |
| | Warranty Card | 1 |
| | Quick Guide | 1 |
| Barcode Info | EAN | 4719072623760 |
| Display | Screen Size | 31.5" (80 cm) |
| | Active Display Area (mm) | 697.344(H)X392.2344(V) |
| | Curvature | Curve 1500R |
| | Panel Type | VA |
| | Resolution | 3840x2160 (UHD) |
| | HDR (High dynamic range) | HDR ready |
| | Refresh Rate | 60Hz |
| | Response Time (GTG) | 4ms |
| | View Angles | 178°(H)/178°(V) |
| | sRGB (CIE1976 area percentage/overlap) | 97%/94% |
| | sRGB (CIE1931 area percentage/overlap) | 102%/96% |
| | Adobe RGB (CIE1976 area percentage/overlap) | 83%/82% |
| | Adobe RGB (CIE1931 area percentage/overlap) | 76%/74% |
| | DCI-P3 (CIE1976 area percentage/overlap) | 77%/77% |
| | DCI-P3 (CIE1931 area percentage/overlap) | 75%/75% |
| | Rec.709 (CIE1976 area percentage/overlap) | 97%/94% |
| | Rec.709 (CIE1931 area percentage/overlap) | 102%/96% |
| | Display Colors | 1.07B |
| | Color bit | 10 bits (8 bits + FRC) |



MONITOR

Optix MAG321CURV

OPTIX MAG321CURV

| | | |
|-------|-----------------|------------------|
| Model | Part No | 9S6-3DA25A-011 |
| | MKT Name | Optix MAG321CURV |
| | MKT Spec | Optix MAG321CURV |
| | Color | ID1/Black-Black |
| | Model | 3DA2 |
| | Entity MKT Name | Optix MAG321CURV |