


### Slim, Sleek, Smooth



Picture and logos

### SELLING POINTS

- PerfectEdge - the 4-side slim bezel design allows users to fully immerse themselves in a multi-display setup
- Enjoy the high-quality entertainment with a smoother 120Hz high refresh rate.
- 24.5-inch Broadened Display - Enjoy the upgraded canvas in the limited space.
- The best screen size for the office and work desk aligns with the visual's comfort zone.
- TÜV certified display ensures the protection and health of eyesight.
- MSI EyesErgo technology with Anti-Flicker technology helps prevent eye strain and fatigue.
- MSI Eye-Q Check helps have self-check eyes & reminds to take a rest while using the monitor for a long time.
- Maintain versatility across various devices by utilizing multiple input sources, such as HDMI™, DisplayPort and D-Sub (VGA) ports.
- Enjoy the cleanest environment with a convenient and removable cable management design.
- Standard VESA mountable & Accessory Slot design.
- Two built-in speakers.



1. 1x DisplayPort 1.4a
2. 1x HDMI™ 2.0 (FHD@120Hz)
3. 1x D-Sub (VGA)
4. 1x Line-in
5. 1x Headphone-out
6. AC-in
7. 1x Kensington Lock
8. 1x 5-way Navigator

**SPECIFICATION**

|         |   |                                    |
|---------|---|------------------------------------|
| Model   | Part No                                     | 9S6-3PD4CM-022                     |
|         | Color                                       | ID1/White-White                    |
|         | Local Dimming                               | N/A                                |
| Display | Screen Size                                 | 24.5" (62.2cm)                     |
|         | Active Display Area (mm)                    | 543.744 x 302.616                  |
|         | Curvature                                   | Flat                               |
|         | Panel Type                                  | IPS                                |
|         | Resolution                                  | 1920x1080 (FHD)                    |
|         | Pixel pitch (mm)                            | 0.2832(H)x0.2802(V)                |
|         | Aspect Ratio                                | 16:9                               |
|         | Dynamic Refresh Rate technology             | Adaptive-Sync                      |
|         | Dynamic Refresh Rate Activated Range        | 48~120Hz                           |
|         | HDR (High dynamic range)                    | HDR Ready                          |
|         | SDR Brightness (nits)                       | 300                                |
|         | HDR Brightness (Peak nits)                  | N/A                                |
|         | Contrast Ratio                              | N/A                                |
|         | DCR (Dynamic Contrast Ratio)                | 100000000:1                        |
|         | Signal Frequency                            | 52.7~137.58 KHz (H) / 48~100 Hz(V) |
|         | Refresh Rate                                | 120Hz                              |
|         | Response Time (MPRT)                        | 1ms(MPRT)                          |
|         | Response Time (GTG)                         | N/A                                |
|         | View Angles                                 | 178°(H)/178°(V)                    |
|         | NTSC (CIE1976 area percentage/overlap)      | N/A                                |
|         | NTSC (CIE1931 area percentage/overlap)      | N/A                                |
|         | sRGB (CIE1976 area percentage/overlap)      | N/A                                |
|         | sRGB (CIE1931 area percentage/overlap)      | N/A                                |
|         | Adobe RGB (CIE1976 area percentage/overlap) | N/A                                |
|         | Adobe RGB (CIE1931 area percentage/overlap) | N/A                                |
|         | DCI-P3 (CIE1976 area percentage/overlap)    | N/A                                |
|         | DCI-P3 (CIE1931 area percentage/overlap)    | N/A                                |
|         | Rec.709 (CIE1976 area percentage/overlap)   | N/A                                |
|         | Rec.709 (CIE1931 area percentage/overlap)   | N/A                                |
|         | Rec.2020 (CIE1976 area percentage/overlap)  | N/A                                |
|         | Rec.2020 (CIE1931 area percentage/overlap)  | N/A                                |
|         | Surface Treatment                           | Anti-glare                         |
|         | Display Colors                              | 16.7M                              |
|         | Color bit                                   | 8 bits (6 bits + FRC)              |

|                          |                                       |                 |
|--------------------------|---------------------------------------|-----------------|
| I/O Ports                | Thunderbolt                           | N/A             |
|                          | Thunderbolt version                   | N/A             |
|                          | Thunderbolt HDCP version              | N/A             |
|                          | USB Type C (DisplayPort Alternate)    | N/A             |
|                          | DVI                                   | N/A             |
|                          | D-Sub                                 | 1               |
|                          | Line-in                               | 1               |
|                          | Mic-in                                | N/A             |
|                          | Mic-in upstream                       | N/A             |
|                          | Headphone-out                         | 1               |
|                          | Audio Combo                           | N/A             |
|                          | USB 2.0 Type A                        | N/A             |
|                          | USB 2.0 Type B                        | N/A             |
|                          | USB 2.0 Type C                        | N/A             |
|                          | USB 3.2 Gen 1 Type A                  | N/A             |
|                          | USB 3.2 Gen 1 Type B                  | N/A             |
|                          | USB 3.2 Gen 1 Type C                  | N/A             |
|                          | USB 3.2 Gen 2x2 Type C                | N/A             |
|                          | USB 3.2 Gen 2x2 Type A                | N/A             |
|                          | Card reader                           | N/A             |
|                          | Lock type                             | Kensington Lock |
|                          | Speaker                               | 2               |
|                          | HDMI                                  | 1               |
|                          | HDMI version                          | 2.0             |
|                          | HDMI HDCP version                     | 1.4             |
|                          | DisplayPort                           | 1               |
|                          | DisplayPort version                   | 1.4             |
| DisplayPort HDCP version | 1.3                                   |                 |
| Warranty                 | Warranty                              | 36M             |
| Power                    | Power Type                            | Power Cable     |
|                          | Power Input                           | N/A             |
|                          | On-mode Power Consumption (KWh/1000h) | N/A             |
|                          | Annual Energy Consumption (KWh)       | N/A             |
|                          | Standby-mode Power Consumption (W)    | N/A             |
|                          | Off-mode Power Consumption (W)        | N/A             |
|                          | Energy Efficiency Rating              | N/A             |
| Power Cord Type          | C13                                   |                 |
| In The Box               | DisplayPort Cable                     | N/A             |
|                          | HDMI Cable                            | N/A             |
|                          | DVI Cable                             | N/A             |
|                          | USB Type A to Type B Cable            | N/A             |
|                          | USB Type C to Type A Cable            | N/A             |
|                          | USB Type C to Type C Cable            | N/A             |
|                          | Thunderbolt Cable                     | N/A             |
|                          | VGA Cable                             | N/A             |
|                          | 3.5mm audio Cable                     | N/A             |
|                          | 3.5mm combo audio Cable               | N/A             |
|                          | 3.5mm Mic Cable                       | N/A             |
|                          | Power Cord                            | N/A             |
|                          | AC Adaptor                            | N/A             |
|                          | Quick Guide                           | N/A             |
|                          | Warranty Card                         | N/A             |
|                          | Mouse Bungee Unit                     | N/A             |
| Design                   | Adjustment (Tilt)                     | -5° ~ 20°       |
|                          | Adjustment (Swivel)                   | N/A             |
|                          | Adjustment (Height)                   | N/A             |
|                          | Adjustment (Pivot)                    | N/A             |
|                          | VESA Mounting                         | 100x100mm       |



## PRO MP251W E2

PRO MP251W E2

|                              |  |               |
|------------------------------|--|---------------|
| Dimension & Weight (product) | Product Dimension with Stand (WxDxH) (mm)    | N/A           |
|                              | Product Dimension without Stand (WxDxH) (mm) | N/A           |
|                              | Stand Dimension (WxDxH) (mm)                 | N/A           |
|                              | Weight (Net kg)                              | N/A           |
|                              | Weight Without Stand (kg)                    | N/A           |
| Dimension & Weight (box)     | Inside Carton Dimension (WxDxH) (cm)         | N/A           |
|                              | Outer Carton Dimension (WxDxH) (cm)          | N/A           |
|                              | Weight (Gross kg)                            | N/A           |
| Barcode Info                 | EAN  | 4711377252652 |