


## Be Your Window To The World



Picture and logos

### SELLING POINTS

- Windows 11 Home - MSI, ticari işletmeler için Windows 11 Pro ürününü önerir.
- Intel® Alder Lake N100 / N200 işlemci (DDR4 bellek)
- 15.6" anti-glare ekranı, resistive tek nokta dokunmatik paneli ile mağazalarda kasa terminalleri için mükemmel bir çözümdür.
- Fansız Tasarım ve dTPM 2.0 ile gizli verilerin güvenliği
- Barkod tarayıcı, kredi kartı okuyucu, yazıcı vb. için iki COM portu, 6 USB portu ve bir yazıcı portu (Paralel port)
- D-sub (VGA çıkışı) ile ikinci bir monitör ekleyin
- Çift LAN tasarımı, ikinci bir LAN yedeklemesi ve daha güvenli bir ağ ortamı sunar
- VESA montaj tasarımı, dahili Kart Okuyucu ve 2,5" HDD Caddy, işletmeler için sorunsuz bakım çözümü sağlar.



1. 1x Card reader
2. 2 x USB 3.2 Gen 2 Type A
3. 1x DC-in
4. 1 x Parallel Port (Printer Port)
5. 2 x Serial Port (COM Port)
6. 1 x VGA Port
7. 2 x RJ-45 LAN
8. 2 x USB 2.0 Type A
9. 2 x USB 2.0 Type A
10. 1 x Line-out/Microphone-in

**SPECIFICATION**

Operating Systems	Operating Systems	N/A
Processor	CPU Number	Intel Processor N100
	CPU Clock	0.8GHz
	CPU Cores	4
	TDP	6W
	Cache	6 MB
	Threads	4
	Max Turbo Frequency	up to 3.40 GHz
Chipset	Chipsets	SoC
Discrete Graphics	GPU1 VRAM Size	N/A
	GPU1 VRAM Type	N/A
	GPU1 Vendor	N/A
	GPU1 MKT Name	N/A
Memory	Memory Size	4GB(4GB*1)
	Memory Type	DDR4 SDRAM
	Module Type	SO-DIMM
	Memory Slot (Total/Free)	1/0
	Max Capacity	Max 16GB
Storage	SSD Interface	PCIe GEN4x4
	SSD Form Factor	M.2-2280 M-KEY
	SSD Config	256GB*1
	SSD Size	256GB
	HDD1 Interface	N/A
	HDD1 Form Factor	N/A
	HDD1 Size	N/A
	HDD1 RPM	N/A
	ODD(Type)	N/A
	ODD Height	N/A
	ODD Type	N/A
	M.2 slots (Total/Free)	1/0
	2.5" Drive Bays (Total/Free)	1/1
	3.5" Drive Bays (Total/Free)	0/
mSATA slots(Free)	0	
Audio	Audio Chipset	Realtek ALC256
	Audio Type	2.1 Channel HD Audio
Communications	LAN	Realtek RTL8111H
	WLAN Version	802.11ac 1x1+BT
	BT Version	5
I/O Ports (Front)	WLAN	INTEL/9462.NGWWG.NV
	USB 3.2 Gen 2 Type A	2
I/O Ports (Rear)	Card Reader	1
	USB 2.0 Type A (R)	4
	RJ45	2
	VGA out	1
	COM Port	2
	Mic-in/Headphone-out combo (R)	1
	Printer Port (Parallel)	1
	Lock type	Kensington
Power	AC Adapter Output	65W
	Battery	N/A
	Battery Whrs	N/A

Dimension & Weight	Weight (Net kg)	TBD
	Weight (Gross kg)	TBD
	Product Dimension with Holder (WxDxH) (mm)	399.5 x 69.2 x 313.9
	Product Dimension with Holder (WxDxH) (inch)	15.73 x 2.72 x 12.36
	Inside Carton Dimension with Holder (WxDxH) (mm)	N/A
	Inside Carton Dimension with Holder (WxDxH) (inch)	N/A
	Inside Carton Dimension with Stand (WxDxH) (mm)	N/A
	Inside Carton Dimension with Stand (WxDxH) (inch)	N/A
	Outer Carton Dimension with Holder (WxDxH) (mm)	574 Wireless KB.MS / 534 Wired KB.MS x 189 Wireless KB.MS / 189 Wired KB.MS x 405 Wireless KB.MS / 405 Wireless KB.MS
Product Dimension with Stand (WxDxH)	Product Dimension with Stand (WxDxH) (mm)	N/A
	Product Dimension with Stand (WxDxH) (inch)	N/A
Input Device	WebCam	internal webcam
Regulatory Compliance	Operating, Storage Temperature	0° C ~ 35° C ; -20° C ~ 60° C
	Operating, Storage Humidity	0% ~ 85%;0% ~ 90%
	Regulatory Compliance	FCC(Class B), CB/CE, UL(CUL), BSMI, VCCI, RCM(C-Tick)
Warranty	Warranty	24months
In The Box	Keyboard Interface	N/A
	Mouse Interface	N/A
	Power Cord	1
	AC Adaptor	1
	Warranty Card	N/A
	Quick Guide	3
	User Manual	N/A
	VESA Mount kit	N/A
	Keyboard	N/A
	Mouse	N/A
Barcode Info	EAN	4711377166041
Display	Screen Size	15.6" (40 cm)
	Active Display Area (mm)	344.232(H)x193.536(V)
	Curvature	Flat
	Panel Type	IPS
	Resolution	1920x1080 (FHD)
	Brightness (nits)	250
	Refresh Rate	60Hz
	Response Time (GTG)	25ms Typ
	View Angles	178°(H)/178°(V)
	Touch Screen	Single Point Resistive Touch Screen
Display Colors	16.7M	
Model	Part No	9S6-A60211-017
	MKT Name	PRO AP162T ADL
	MKT Spec	PRO AP162T ADL-017XEU
	Color	ID1/Black-Black-Black
	Model	A602