

Be Your Window To The World




Picture and logos

SELLING POINTS

- Windows 11 Home - MSI, ticari işletmeler için Windows 11 Pro ürününü önerir.
- 23.8" IPS sınıfı Panel LED arkadan ışıklandırılmalı (1920 x 1080 FHD) 178° geniş görüntüleme açısı
- 12.Nesil Intel® Core™ i7 CPU'ya kadar işlemci ve DDR4 bellek
- MSI Anti-Flicker ve Less Blue Light teknolojileri ile gözlerinizi korur.
- Dahili web kamerası Windows Hello desteği ile gizliliğinizi ve üretkenliğinizi artırır.
- Tobii Aware yazılımı ile geliştirilmiş güvenlik ve gizlilik araçları sunar
- 10 nokta dokunmatik panel
- Wi-Fi 6E desteği (max)
- Donanımsal TPM tasarımı sayesinde hassas verilerinizi şifreleme anahtarları ile koruyun.
- DTS Ses işleme
- Silent PRO Cooling soğutma sistemi: Sunucu sınıfı termal modül sayesinde daha sessiz ve kararlı çalışma, daha uzun parça ömrü

*Yükseltme özellikleri cihaza göre değişiklik gösterir. Özellikler ve yazılımlar bölgelere göre değişebilir. Bazı özellikler için farklı donanımlar gerekebilir. (detaylar için <https://www.microsoft.com/en-us/windows/windows-11-specifications> adresini ziyaret ediniz).



1. DC Jack
2. 1x HDMI™ out (2.0)
3. 1x DP out (1.4)
4. 1x RJ45
5. 1x USB 3.2 Gen 2 Type-A/ 1x USB 3.2 Gen 2 Type-C
6. 2x USB 3.2 Gen 1 Type A
7. 1x Mic-in/ 1x Line-out
8. 1x Kensington lock
9. 2x USB 2.0 Type-A

SPECIFICATION

Operating Systems	Operating Systems	N/A
Model	Part No	9S6-AE1011-079
	MKT Name	PRO AP243TP 12M
	MKT Spec	PRO AP243TP 12M-079XTR
	Color	ID1/Black-Black-Black
Chipset	Chipsets	H610
Memory	Memory Size	8GB(8GB*1)
	Memory Type	DDR4 SDRAM
	Memory Speed	1600(3200)MHz
	Module Type	SO-DIMM
	Memory Slot(Total)	2
	Memory Slot(Free)	1
	Max Capacity	Max 64GB
Processor	CPU Number	Intel Core i5-12400
	CPU Clock	2.5GHz
	CPU Cores	6
	TDP	65W
	Max Turbo Frequency	up to 4.40 GHz
	Cache	18 MB Intel® Smart Cache
	Threads	12
Display	View Angles	178°(H)/178°(V)
	Touch Screen	10 Points Projected Capacitive Touch Screen
	Screen Size	23.8" (60cm)
	Panel Type	IPS
	Resolution	1920x1080 (FHD)
	Brightness (nits)	250
	Contrast Ratio	1000:1
	Refresh Rate	N/A
	Response Time (GTG)	14ms
Discrete Graphics	GPU1 Vendor	N/A
	GPU1 MKT Name	N/A
	GPU1 Number	UMA
	GPU1 VRAM Size	N/A
	GPU1 VRAM Type	N/A
Audio	Audio Chipset	Realtek ALC897
	Audio Type	2.1 Channel HD Audio
Storage	SSD Interface	PCIe GEN3x4
	SSD Form Factor	M.2-2280 M-KEY
	SSD Config	512GB*1
	SSD Size	512GB
	HDD1 Interface	N/A
	HDD1 Form Factor	N/A
	HDD1 Size	N/A
	HDD1 RPM	N/A
	ODD(Type)	N/A
	ODD Height	N/A
	ODD Type	N/A
	M.2 slots(Total)	1
	M.2 slots(Free)	0
	2.5" Drive Bays(Total)	1
	2.5" Drive Bays (Free)	1
3.5" Drive Bays(Free)	0	
Communications	LAN	Realtek RTL8111H
	WLAN Version	Wi-Fi 6E+BT
	BT Version	5.3
Input Device	Webcam	internal webcam
	Webcam Resolution	2.0MP (1080P)
I/O Ports (Side)	USB 2.0 Type A	2
	Type-C in	N/A

I/O Ports (Rear)	RJ45	1
	HDMI out	1x (v2.0)
	DP out	1x (v1.4)
	Lock type	Kensington
	USB 3.2 Gen 2 (10G) Type C (R)	1
	USB 3.2 Gen 2 (10G) Type A (R)	1
	USB 3.2 Gen 1 (5G) Type A (R)	2
Warranty	Warranty	24months
Dimension & Weight	Product Dimension with Holder (WxDxH) (mm)	N/A
	Product Dimension with Holder (WxDxH) (inch)	N/A
	Product Dimension with Stand (WxDxH) (mm)	541.9 x 227.9 x 425.5
	Product Dimension with Stand (WxDxH) (inch)	21.33 x 8.97 x 16.75
	Weight (Net kg)	6.35
	Weight (Net lbs)	14.
	Weight (Gross kg)	9.5
	Weight (Gross lbs)	20.94
	Inside Carton Dimension with Holder (WxDxH) (mm)	N/A
	Inside Carton Dimension with Holder (WxDxH) (inch)	N/A
	Inside Carton Dimension with Stand (WxDxH) (mm)	620 x 223 x 486
Inside Carton Dimension with Stand (WxDxH) (inch)	24.41 x 8.78 x 19.13	
STAND	Adjustment (Tilt)	-4° ~ 20°
	Adjustment (Height)	0 ~ 130 mm
Power	AC Adapter Output	120W
VESA	VESA size	100 x 100 mm
Regulatory Compliance	Regulatory Compliance	FCC(Class B), CB/CE, UL(CUL), BSMI
In The Box	AC Adaptor	1
	Power Cord	1
	Warranty Card	N/A
	Quick Guide	1
	User Manual	1
	VESA Mount kit	N/A
	Keyboard	SK9626M
	Keyboard Interface	USB
	Mouse	SM9023M
Mouse Interface	USB	
Barcode Info	EAN	4711377209403