

Be Your Window To The World



Picture and logos

SELLING POINTS

- Windows 11 Home - MSI, ticari işletmeler için Windows 11 Pro ürününü önerir.
- Intel Alder Lake işlemciler
- 4K UHD görüntü desteği
- Daha fazlasını görmeniz ve daha fazlasını başarmanız için 3 ekran desteği
- İnternet ve intranet için çift ağ çözümü
- USB 3.2 Gen 2 arayüzünün tüm performans avantajlarını en iyi veri aktarım hızı ile deneyimleyin.
- TPM 2.0 tasarımı sayesinde hassas verilerinizi şifreleme anahtarları ile koruyun.
- Standart VESA montaj desteği
- MSI Cloud Center ve MSI Center App desteği



1. 1x Mic-in/ Headphone-out combo
2. 2x USB 3.2 Gen 2 Type A
3. 1x USB 3.2 Gen 2 Type C (DP Alternate)
4. 1x Power Botton
5. 1x Kensington Lock
6. 1x HDMI™ (2.1)
7. 1x DP-out (1.4)
8. 2x RJ45 (LAN)
9. 2x USB 2.0 Type A
10. DC Jack

SPECIFICATION

| | | |
|-------------------|----------------------------|---|
| Operating Systems | Operating Systems | N/A |
| Model | Part No | 9S6-B0A911-072 |
| | MKT Name | Cubi N ADL |
| | MKT Spec | Cubi N ADL-072XEU |
| | Color | ID1/Black-Black-Black |
| Chipset | Chipsets | Soc |
| Memory | Memory Size | 4GB(4GB*1) |
| | Memory Type | DDR4 SDRAM |
| | Memory Speed | 1600(3200)MHz |
| | Module Type | SO-DIMM |
| | Memory Slot(Total) | 1 |
| | Memory Slot(Free) | 0 |
| | Max Capacity | Max 16GB |
| Processor | CPU Number | Intel Processor N200 |
| | CPU Clock | 1GHz |
| | CPU Cores | 4 |
| | TDP | 6W |
| | Max Turbo Frequency | up to 3.70 GHz |
| | Cache | 6 MB |
| | Threads | 4 |
| Discrete Graphics | GPU1 Vendor | N/A |
| | GPU1 MKT Name | N/A |
| | GPU1 Number | N/A |
| | GPU1 VRAM Size | N/A |
| Audio | Audio Chipset | Realtek ALC256 |
| | Audio Type | 2.1 Channel HD Audio |
| Storage | SSD Interface | PCIe GEN3x4 |
| | SSD Form Factor | M.2-2280 M-KEY |
| | SSD Config | 128GB*1 |
| | SSD Size | 128GB |
| | HDD1 Interface | N/A |
| | HDD1 Form Factor | N/A |
| | HDD1 Size | N/A |
| | HDD1 RPM | N/A |
| | ODD(Type) | N/A |
| | ODD Height | N/A |
| | ODD Type | N/A |
| | mSATA slots(Free) | 0 |
| | M.2 slots(Total) | 1 |
| | M.2 slots(Free) | 0 |
| Communications | LAN | 2x Realtek RTL8111H |
| | WLAN Version | 802.11ac 1x1+BT |
| | BT Version | 5 |
| I/O Ports (Side) | USB 3.2 Gen 2 Type C | 1x USB 3.2 Gen 2 Type C (DisplayPort Alternate) |
| | USB 3.2 Gen 2 Type A | 2 |
| | Mic-in/Headphone-out combo | 1 |
| | USB 3.2 Gen 2 (10G) Type C | 1x USB 3.2 Gen 2 Type C (DisplayPort Alternate) |
| | USB 3.2 Gen 2 (10G) Type A | 2 |
| I/O Ports (Rear) | USB 2.0 Type A (R) | 2 |
| | RJ45 | 2 |
| | HDMI out | 1x (v2.1) |
| | DP out | 1x (v1.4) |
| Warranty | Warranty | 24months |

| | | |
|-----------------------|--|---|
| Dimension & Weight | Weight (Net kg) | 0.54 |
| | Weight (Gross kg) | 1.39 |
| | Product Dimension (WxDxH) (mm) | 124 x 124 x 53.7 |
| | Product Dimension (WxDxH) (inch) | 4.88 x 4.88 x 2.11 |
| | Inside Carton Dimension (WxDxH) (mm) | 205 x 220 x 94 |
| | Inside Carton Dimension (WxDxH) (inch) | 8.07 x 8.66 x 3.7 |
| | Net Weight (lbs) | 1.19 |
| | Gross Weight (lbs) | 3.06 |
| VESA | VESA size | 100 x 100 mm |
| Regulatory Compliance | Regulatory Compliance | FCC(Class B), CB/CE, UL(CUL), BSMI, VCCI, RCM(C-Tick) |
| In The Box | AC Adaptor | 1 |
| | Power Cord | 1 |
| | Warranty Card | N/A |
| | Quick Guide | 2 |
| | User Manual | N/A |
| | VESA Mount kit | 1 |
| | Keyboard | N/A |
| | Keyboard Interface | N/A |
| | Mouse | N/A |
| | Mouse Interface | N/A |
| Barcode Info | Power Switch | N/A |
| | EAN | 4711377165495 |